

TABLE OF CONTENTS

1	EXECUTIVE SUMMARY	1-8
1.1	Title & location of project	1-8
1.2	Name of proponent	1-8
1.3	Name of organization preparing the report.....	1-8
1.4	A brief outline of proposal (type, process, technology and land requirements).....	1-9
1.5	The major impacts & recommendations for mitigation measures	1-9
1.6	Proposed monitoring	1-12
2	INTRODUCTION	2-13
2.1	Purpose of report	2-13
2.2	Identification of project and proponent.....	2-14
2.2.1	Project	2-14
2.2.2	Proponent.....	2-14
2.3	Details of consultant.....	2-14
2.4	Brief description of nature, size and location of project.....	2-14
3	SCREENING	3-15
3.1	EIA process	3-15
3.1.1	Overview of EIA	3-15
3.1.2	Objectives of EIA	3-15
4	SCOPING	4-16
4.1	Scope of EIA	4-16
4.1.1	Spatial scope	4-16
4.1.2	Temporal scope	4-16
4.1.3	EIA methodology.....	4-16
4.1.4	Scoping	4-17
4.1.5	Data collection	4-17
4.1.6	Baseline	4-17
4.1.7	Evaluation of alternatives.....	4-18
4.1.8	Stakeholder consultation	4-18
4.1.9	Impact assessment and mitigation	4-18
	Important issues and concerns raised during consultation.....	4-19
4.2	Significant impacts and factors to be determined.....	4-20
5	CONSIDERATION OF ALTERNATIVES	5-21
5.1	Site alternatives (selection and rejection criteria).....	5-21
5.2	Design/technology alternatives (selection and rejection criteria)	5-21

5.3	Environmental alternatives (selection and rejection criteria)	5-21
5.4	Economic alternatives (selection and rejection criteria)	5-21
6	DESCRIPTION OF PROJECT	6-22
6.1	Type & category of project	6-22
6.2	Objectives of project	6-22
6.3	Location and site layout of project	6-22
6.4	Land use on the site.....	6-23
6.5	Road access	6-23
6.6	Vegetation features of the site	6-23
6.7	Cost and magnitude of operation	6-23
6.8	Schedule of implementation	6-23
6.9	Description of the project (process flow chart/steps, technology, raw material and products, by-products)	6-24
6.9.1	Raw materials & list of machineries.....	6-24
6.9.2	List of machineries to be installed	6-24
6.9.3	Production process and by-products & technology	6-24
6.9.4	Process flow diagrams	6-25
6.9.5	Pollution control technologies	6-26
6.10	Restoration and rehabilitation plans.....	6-28
6.11	Government approvals	6-28
7	DESCRIPTION OF ENVIRONMENT	7-29
7.1	Methodology	7-29
7.1.1	Data Collection	7-29
7.1.2	Social Survey	7-29
7.1.3	Sampling Design.....	7-29
7.1.4	Questionnaires.....	7-30
7.1.5	Data Editing and Analysis.....	7-30
7.2	Review of Legal and Administrative Framework	7-30
7.3	Baseline Conditions.....	7-30
7.4	Physical Environment.....	7-30
7.4.1	Topography	7-31
7.4.2	Hydrology	7-31
7.4.3	Seismicity	7-32
7.4.4	Climate.....	7-32
7.4.5	Wind	7-34
7.5	Ecological Environment	7-35

7.5.1	Aquatic Flora & Fauna.....	7-35
7.5.2	Flora	7-35
7.5.3	Fauna.....	7-35
7.5.4	Ambient Air Quality	7-38
7.5.5	Noise	7-38
7.5.6	Water Resource	7-39
7.6	Socio-Economic Resources	7-39
7.7	Socio-Economic Profile of Study Area	7-39
7.8	Demographic Profile.....	7-39
7.8.1	Health Facilities.....	7-40
7.8.2	Educational Facilities.....	7-40
7.8.3	Demographic Characteristics of the Population	7-40
7.8.4	Family Size.....	7-40
7.8.5	Age Groups	7-40
7.8.6	Occupation of Respondents.....	7-41
7.8.7	Literacy Rate	7-41
7.8.8	Common Diseases.....	7-42
7.8.9	Cultural, Religious & Other Structures.....	7-42
7.9	Lab Reports of Environmental Analysis.....	7-42
7.10	Suitability of Site:.....	7-42
8	IMPACT ASSESSMENT	8-43
8.1.1	Methodologies for impact identification	8-43
8.1.2	Checklist.....	8-44
8.2	Characteristics of impacts (nature, magnitude, extent and location, timing, duration, reversibility and risk).....	8-46
9	SCREENING OF POTENTIAL ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES	9-48
9.1	Impacts associated with project activities.....	9-48
9.2	Project location.....	9-48
9.2.1	Compensation in money terms.....	9-48
9.2.2	Replacement/relocation/rehabilitation	9-48
9.3	Project design	9-49
9.4	Construction phase	9-49
9.4.1	Mitigation measures.....	9-49
9.4.2	Impacts on vegetation	9-50
9.4.3	Impacts on water sources	9-50

9.4.4	Mitigation measures for water	9-50
9.4.5	Impacts on air quality	9-50
9.4.6	Mitigation measures for ambient air quality	9-51
9.4.7	Impacts due to noise	9-51
9.4.8	Mitigation for noise	9-51
9.4.9	Impacts on socio-economic environment	9-52
9.4.10	Mitigation measures	9-52
9.5	Operational phase	9-52
9.5.1	Water consumption	9-52
9.5.2	Mitigation measures	9-52
9.5.3	Wastewater	9-52
9.5.4	Mitigation measures	9-53
9.5.5	Noise	9-53
9.5.6	Mitigation measures	9-53
9.5.7	Waste management	9-54
9.5.8	Air emissions	9-55
9.5.9	Mitigation measures	9-55
9.5.10	Emergency response	9-55
9.5.11	Mitigation measures	9-55
9.5.12	Occupational hazards	9-56
9.5.13	Mitigation measures	9-56
9.6	Potential environmental enhancement measures	9-57
9.7	Building enhancement	9-57
9.7.1	Social enhancement measures	9-57
9.7.2	Employment/poverty alleviation	9-57
9.7.3	Local economy	9-57
10	ENVIRONMENTAL MANAGEMENT AND MONITORING PROGRAM	10-58
10.1	Purpose and objective of the EMP	10-58
10.2	Components of the EMP	10-58
10.3	Legislation and guidelines	10-59
10.4	Description of proposed mitigation actions	10-59
10.5	Schedule of implementation and environmental budget	10-64
10.5.1	Schedule of implementation	10-64
10.5.2	Environmental budget	10-64
10.6	Environmental management team along with their roles and responsibilities	10-64
10.7	Proposed monitoring program to assess performance or output of EMP	10-66

10.8	Compliance monitoring	10-66
10.9	Effects monitoring.....	10-67
10.10	Proposed EMP reporting and reviewing procedures.....	10-69
10.11	Training needs	10-69
10.12	Objectives of the training program	10-69
10.13	Objectives of the training program	10-69
10.14	Training schedule.....	10-69
11	STAKEHOLDER’S CONSULTATION.....	11-71
11.1.1	Consultation mechanism	11-71
11.2	Proponent’s environmental management team.....	11-72
11.3	The responsible authority.....	11-72
11.4	The other departments and agencies.....	11-72
11.5	Environmental practitioners and exerts	11-73
11.6	Affected and wider community.....	11-73
12	CONCLUSION AND RECOMMENDATION	12-74
13	APPENDICES	13-75
13.1	Glossary	13-75
13.2	LIST OF ABBREVIATIONS	13-77
13.3	LIST OF INDIVIDUALS AND ORGANIZATIONS CONSULTED ALONG WITH THEIR WRITTEN FEEDBACK	13-79
13.4	SOURCES OF DATA AND FULL LIST OF ALL REFERENCE MATERIAL USED 13-80	
13.5	TERMS OF REFERENCES.....	13-81
13.6	LIST OF NAME, QUALIFICATION AND ROLES OF TEAM MEMBERS CARRYING OUT IN IEE/EIA STUDY	13-82

List of Figure

Figure 1: Location map of site 6-22
Figure 2: Road access map 6-23
Figure 3: Process flow diagram 6-26
Figure 4: Dry Scrubber working principle 6-27
Figure 5: Dry scrubber preliminary design 6-27
Figure 6: Seismic Zoning Map of Pakistan 7-32
Figure 7: Average Annual Temperatures and precipitation in Sheikhupura 7-33
Figure 8: Maximum temperature ranges in Sheikhupura 7-33
Figure 9: Annual Precipitation amounts in Sheikhupura 7-34
Figure 10: Annual average wind speed in Sheikhupura 7-34
Figure 11: Wind Rose diagram of Sheikhupura 7-35
Figure 12: Consulted age groups in the area near project site 7-40
Figure 13: Occupation of Respondents 7-41
Figure 14: Literacy Rate 7-41

LIST OF TABLES

Table 1: Salient features of project	1-8
Table 2: Impacts and mitigation measures	1-10
Table 3: Raw materials	6-24
Table 5: Flora of the Study Site	7-35
Table 6: Mammals in Study Area	7-36
Table 7: Birds in Study Area	7-36
Table 8: Amphibians in the Study Area	7-37
Table 9: Insects in Study Area	7-37
Table 10: Impact significance criteria	8-43
Table 10: Impact matrix checklist for construction phase	8-44
Table 11: Impact assessment checklist for operational phase	8-45
Table 12: Impact assessment characteristics	8-46
Table 13: Description of proposed mitigation actions	10-60
Table 14: Management and Monitoring Plan – Operation	10-62
Table 15: Cost breakup of environmental budget	10-64
Table 16: Roles & responsibilities of environmental management team	10-64
Table 17: Environmental monitoring plan	10-68
Table 18: Training needs	10-70
Table 19: Consultation with environmental practitioners and experts	11-73

1 EXECUTIVE SUMMARY

This executive summary presents the min findings of Environmental Impact Assessment (EIA) of M/S Batala Steel Industries. The main objective of this project is production of high quality and environment friendly steel products for the development.

1.1 Title & location of project

M/S Batala Steel Industries at 17 km Lahore-Sheikhupura Road Sheikhupura.

1.2 Name of proponent

Muhammad Tahir S/O Fazal Ahmed

House No17, Bridge Colony Abid Majeed Road, Lahore Cantt, District Lahore.

CNIC No: 35202-1126140-9

1.3 Name of organization preparing the report

M/S Batala Steel Industries has engaged EnvironTech Consultants (Private) Limited at office No. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg-III, Lahore.

Table 1: Salient features of project

Salient features of project		
1.	Total Area	80724.00 SFT
2.	Total covered area	40424.00 SFT
3.	Cost of the project	Pkr/- 300 million approx.
4.	Capacity of project	1500 Mt/Month
5.	Location of project	31°38'29.3"N 74°10'48.1"E
6.	Nature of area	Self-Develop Industrial area
7.	Present status of land Use	Open Vacant Plot
8.	Land use in the surroundings of project site.	The surroundings are: North: Road South: open Plot East: Constructed West: open plot
9.	Raw material	Steel Scrap
10.	Product	MS Bars MS T-Iron Billets Grader
11.	Description of proposed project	The proposed project involves the establishment of a steel Re-Rolling Mill, which will serve as a steel product manufacturing unit. The unit will

		procure steel scrap from the local market or through import, which will then be transported to the facility for processing. The scrap will be melted in a furnace to produce molten metal. The molten metal will subsequently be cast into ingots, which will be further processed to manufacture various steel products such as MS bars, MS T-iron, angles, billets, and gadders
12.	Nearby emergency services i.e. Hospital, police station, rescue, fire brigade etc.	Hospital, Police Station & Rescue 1122 are within the range 8 to 10-KM
13.	Water Source	Ground Water
14.	Status of Project	Open Land
15.	Source of Power	<i>LESCO</i> (Lahore Electric Supply Power Company)

1.4 A brief outline of proposal (type, process, technology and land requirements)

As per Punjab Environmental Protection Act 1997 (amended 2012) and Initial Environmental

Examination (IEE) & Environmental Impact Assessment (EIA) Regulations, 2022 proposed project falls under Category B (17) “Iron and steel rolling mills” mentioned in Schedule-II. Thus, requires an EIA.

The current project is about establishment of Re-Rolling Mills. Site selected for proposed project is under the ownership of proponent. It is an environment friendly project which will produce quality steel products for development projects. The estimated project cost is **PKR 300 Million approx.**, and capacity of project will be **1500 Mt/M**. The project under consideration of this EIA is the establishment of Re-Rolling Mills which will be constructed at 17 km Lahore Sheikhupura Road Sheikhupura & Project Name is M/S Batala Steel Industries. Beyond this scope no other development activities have been covered in this EIA study.

1.5 The major impacts & recommendations for mitigation measures

The potential impacts associated with the proposed project construction and operation activities

Included: increase in water consumption; surface water contamination, air pollution from vehicle; vehicle movement, noise and disturbance, soil contamination and waste generation.

Proposed installations are automated machineries to be laid on concrete fortifications. The machinery installation does not require water while only water use will be during washing and domestic activities. Water conservation practices will be utilized to reduce the overall water consumption during proposed project activities. Surface or groundwater quality may deteriorate if pollutants are mixed with surface runoff during rain and carried to water resources in the vicinity or seeped in the ground. The impermeable septic tank will prevent untreated sewage from polluting surface water.

The ambient air quality of the area can be affected by exhaust emissions, vehicles and combustion process in construction equipment. The pollutants can seriously impair human health and ecological environment and other materials. The emissions include Sulphur dioxide, oxides of nitrogen, carbon monoxide, carbon dioxide, and particulates. The emission levels depend on the type and size of activity, the type and quality of fuel and the manner in which it is burned. A significant impact will be interpreted if the concentration of pollutants in the ambient air exceeds the PEQS or recognized international guidelines for ambient air quality.

The sources of emissions during construction activities will not be significantly enough to alter the ambient air quality at regional level. All vehicles, equipment and machinery will be properly tuned and maintained to minimize emissions. Cleaner fuels if required (less 1% Sulphur content) will be preferred to procure. Monitoring of Ambient air parameters and emissions should be carried out on to ensure compliance with the PEQS.

Noise has the potential to cause an impact to nearby communities and working personnel. To avoid the impact of noise, it will be ensured that, vehicles and other potentially noisy equipment used are in good condition. The noise level monitoring results would be compared with Punjab Environmental Quality Standards (PEQS) for Noise to meet the permissible limits. All on-site personnel will use required personal protective equipment (PPE) in high noise areas that will be clearly marked.

All the waste generated during construction & installation activities will be disposed-off through implementation of an effective waste management plan to ensure that any impact resulting from waste generation shall be minimal. The recyclable waste will be sold to waste contractors, as per waste management plan. No hazardous chemical will be uncontrollably discharged into the Environment.

Table 2: Impacts and mitigation measures

Environmental Aspect	Potential Impacts	Mitigation Measures
Water Resources	Depletion in groundwater, contamination of water resources by surface runoff, spillage of fuel	<ul style="list-style-type: none"> ▪ Water extraction will be kept at minimum and water conservation measures will be practiced. ▪ Sewerage Wastewater from project site will be directed to settling tanks. ▪ Fuels and lubricants will be stored in covered and with bund walls, underlain with impervious lining. ▪ Spill prevention plan shall be followed to mitigate any kind of spill.
Air Quality	Dust, combustion emissions, vehicular emissions used for project- related activities.	<ul style="list-style-type: none"> ▪ Water will be sprinkled daily on all exposed surfaces to suppress emission of dust. ▪ Regular maintenance of project vehicles and equipment to ensure that engines are in sound working condition to minimize air emissions. ▪ Use of cleaner fuels for combustion ▪ Ambient monitoring should be carried out to ensure compliance with the PEQS.
Noise	Disturbance to the site workers, Nuisance for surrounding communities and wildlife	<ul style="list-style-type: none"> ▪ Proper maintenance of vehicles and potentially noisy equipment. ▪ Minimize/avoid unnecessary use of noisy machinery. ▪ Blowing of horn will be prohibited. ▪ Provision of Personal Protective Equipment (PPE) to the on-site personnel in high noise areas.
Solid Waste	Soil contamination, air pollution, odor, health hazards, aesthetic issues	<ul style="list-style-type: none"> ▪ Recyclable material will be separated at source and will be used again in manufacturing process.
Worker's Health and Safety	Health problems or immediate risk may take place, Occupational health of workers and community may be affected.	<ul style="list-style-type: none"> ▪ Compliance to emergency response plan for emergencies and accidents will be ensured to avoid health safety risks. ▪ Work safety measures and good workmanship practices are to be followed by the contractor to ensure no health risks for laborers. ▪ Protection devices (earmuffs) will be provided to the workers operating in the vicinity of high noise generating machines. ▪ Proper maintenance of facilities for workers will be monitored. ▪ Provision of protective clothing for laborers e.g. helmet, adequate footwear, protective goggles, gloves ▪ Ensure strict use of wearing PPE during work activities. ▪ Provision of proper safety signage at sensitive/accident prone spots.

1.6 Proposed monitoring

To monitor actual impacts of the project on selected sensitive receptors so that impacts not anticipated in the EIA or impacts which exceed the levels anticipated in the EIA can be identified and appropriate mitigation measures can be adopted in time. This objective will be achieved through effects monitoring.

Considering the environmental conditions of the project area and the assessment of potential impacts of the project made in the EIA, the following environmental parameters will be monitored at identified locations.

Air Quality Monitoring – Air quality monitoring will be done during the construction and operation phase of the project at the representative locations. Ambient air quality parameters will include NOX, SOX, CO and PM10,

Water Quality Monitoring – Ground and surface water quality monitoring will be done during the construction and operation phase of the project at the representative locations.

Groundwater Quality Parameters: Total Coliforms, Total Colonial Count, E-Coli, pH, TDS, Total Hardness, Nitrate, Chloride, Fluoride, Color, Manganese, Aluminum, Chromium, Cadmium, Boron, Barium, Antimony, Arsenic, Cyanide, Mercury, Nickel.

Wastewater Quality Parameters: pH, DO, TSS, Alkalinity, BOD5, COD, Turbidity.

Noise Monitoring - The monitoring will be carried out at key locations covering all receptors

2 INTRODUCTION

This chapter of the report provides a brief description of nature, size and location of the project. A defined scope of study, the magnitude of efforts and concise description of project proponent is also included in this chapter. The project is being proposed with the objectives to meet the consumers' increased demand for high quality steel products, keeping in view the business sustainability and to maintain workplace safety. Project proponent aims to deliver sustainable, industry leading financial performance and earn trust through enhancing quality of life and contributing to a healthier future.

The study has been carried out to estimate the potential environmental impacts, both positive and negative, on the environment as well as socio-economic fabric of the surrounding environment during construction as well as operational phase. This report intends to provide satisfactory mitigation measures to avoid/eliminate any chance of adverse environmental impact on the socio-cultural, economic and environmental components. This report also intends to fulfill the regulatory requirements set under Punjab Environmental Protection Act, 1997 (Amended 2012) and its consequent legislative framework for IEE/EIA Regulations 2022 and the guidelines drafted for IEE and EIA under numerous sectorial heads. The entire set of legislative framework requires any new development project to undergo an IEE or EIA based on the categorization of the project under Schedule I and/or Schedule II.

2.1 Purpose of report

As per Punjab Environmental Protection Act, 1997 (Amended 2012) and the IEE/EIA Regulations, 2022 it is mandatory for the proponent of any development project to obtain Environmental Approval before commencing construction from EPA Punjab by filing an IEE or EIA as the case may be before the Agency. This EIA Study presents the findings of this proposed unit. For this purpose, the proponent has engaged environmental consultants, M/s EnvironTech Consultants (Private) Limited. The purpose of this study is to identify the environmental baseline i.e. physical, biological and socio- economic/cultural conditions and assess all possible impacts arising during the construction and operation phase of the project with the aim to find out appropriate measures for their mitigation, to either eliminate those impacts or to bring them to acceptable level and formulate Environmental Management and Monitoring Plan (EMMP) for implementation of the project in environment-friendly manner. This EIA Report provides relevant information, as required under the officially approved format, to facilitate the decision makers i.e. EPA Punjab for the issuance of Environmental Approval/NOC.

2.2 Identification of project and proponent

2.2.1 Project

The project to which this Environmental Impact Assessment (EIA) relates is entitled as “M/S Batala Steel Industries.

2.2.2 Proponent

Muhammad Tahir S/O Fazal Ahmed

House No17, Bridge Colony Abid Majeed Road, Lahore Cantt, District Lahore.

CNIC No: 35202-1126140-9

2.3 Details of consultant

The EIA study was carried out by team of EnvironTech Consultant Private Limited comprising of environment scientists and engineers, sociologist, environmental chemist and environmental auditors with diversified experience on local and international assignments. The detail of the project team deputed on this assignment is attached to this report.

2.4 Brief description of nature, size and location of project

The proposed project to which this Environmental Impact Assessment (EIA) relates is entitled as M/S Batala Steel Industries. The total area of proposed project is **80724.00** SFT with total cost of Pkr 300 Million approx. capacity of project will be 1500 Mt/M. The project under consideration of this EIA is the establishment of Re-Rolling Mills which will construct at Batala Steel Industries 17 km Lahore Sheikhpura Road Sheikhpura. Beyond this scope no other development activities have been covered under this EIA study.

3 SCREENING

According to the Section 12 of Punjab Environmental Protection Act, 1997 (amended 2012) which states;

“No proponent of a project shall commence construction or operation unless he has filed with the Government Agency designated by Federal Environmental Protection Agency or Provincial Environmental Protection Agencies, as the case may be or where the project is likely to cause an adverse environmental effects an Environmental Impact Assessment (IEE) and has obtained from the Government Agency approval in respect thereof.”

As per Punjab Environmental Protection Act 1997 (amended 2012) and Initial Environmental Examination (IEE) & Environmental Impact Assessment (EIA) Regulations, 2022 proposed project falls under Category B (17) **“Iron and steel rolling mills”** mentioned in Schedule-II. Thus, requires an EIA Report is being prepared for duly submission in EPA, Punjab.

3.1 EIA process

3.1.1 Overview of EIA

EIA is a systematic process to identify, predict and evaluate the environmental impacts of proposed actions and projects. The process is applied prior to major decisions and commitments being made. Wherever appropriate, social, cultural and health effects are considered as an integral part of EIA. Particular attention is given to practical implementation of EIA to prevent and mitigate significant adverse effects of proposed undertakings.

3.1.2 Objectives of EIA

The overall objective of the EIA is as follows:

- Description of the proposed project, including an estimate of emissions, effluent and waste and consideration of the project alternatives;
- Identify and investigate all impacts of the proposed project on the physical, biological, and socio- economic environment;
- Evaluation of the baseline environmental conditions in the impact zone to provide a basis for assessing the incremental impacts of the proposed project, including existing pollution levels and nuisance conditions;
- Identification and assessment of the potential impacts on the environment during each of the project phases;
- To propose mitigation measures that would help the Project Proponent in conducting the operation in an environmental sustainable manner; and
- To develop an Environmental Management Plan that would assist the Project Proponent in the effective implementation of the recommendations of the EIA.K

4 SCOPING

Project land is owned by project proponent. Impacts have been assessed for the immediate and direct area of influence of the project defined as:

- Immediate Area of Influence: Within the proposed project site boundary.
- Direct Area of Influence: Within 5 Km from the proposed project site boundary.

Effects on socioeconomic receptors and resources have been assessed for the construction and operational phases of the proposed project. The proposed project activities are predicted to last for a period of 3-4 months within which the potential impacts have been assessed. The operational impacts have been assessed for the entire lifespan of the facility. The impacts related to the decommissioning of the proposed project will be assessed at the time of decommissioning which will involve carrying out site assessment study at the proposed project location.

Project location is given in below figure:

4.1 Scope of EIA

This consolidated EIA report covers the examination of physical, biological, environmental and socioeconomic impacts of the proposed project

The spatial and temporal scope of the project is described below:

4.1.1 Spatial scope

Impacts have been assessed for the immediate and direct area of influence of the project defined as:

- Immediate Area of Influence: Within the proposed project site boundary.
- Direct Area of Influence: Within 5 Km from the proposed project site boundary.

4.1.2 Temporal scope

Effects on socioeconomic receptors and resources have been assessed for the construction and operational phases of the proposed project. The proposed project activities are predicted to last for a period of 3-4 months within which the potential impacts have been assessed. The operational impacts have been assessed for the entire lifespan of the facility. The impacts related to the decommissioning of the proposed project will be assessed at the time of decommissioning which will involve carrying out site assessment study at the proposed project location.

4.1.3 EIA methodology

The EIA project passes through series of stages prior to attaining approval from relevant environmental protection agency. The EIA process and the approach followed for the proposed project is defined below:

4.1.4 Scoping

Scoping is an early stage in the process and is designed to ensure that the environmental studies provide all the relevant information on:

- The impacts of the project, in particular focusing on the most important impacts;
- The alternatives to the project;
- Other environmental sensitivities to be addressed at early stage.

The EIA process started with the scoping study. The purpose of scoping was to identify:

- Important issues to be considered in an EIA;
- Appropriate time and space boundaries of the EIA study;
- Information necessary for decision-making;
- Significant effects and factors to be studied in detail.

The scoping was followed by data collection describes in subsequent section.

4.1.5 Data collection

Following literature reviews and data collection was carried out for EIA:

- A generic description of the proposed project and its related activities was collected from the proponent.
- Legislative review of the applicable laws, regulations, guidelines and standards from literature search.
- Baseline of the area's environmental and socio-economic settings was collected through literature search and field surveys.

4.1.6 Baseline

The environmental impact is measured through a change in the environment, resulting from a designated action or activity. In order to identify such a change, it is essential to have as complete as practicable understanding of the nature of the existing environment, prior to its interaction with the proposed activity. This translates into the need to characterize the existing baseline environmental conditions, including establishing prevailing conditions for a range of environmental media, particularly air, water, soil and groundwater, flora and fauna and the human environment.

This was achieved through a detailed review of all secondary resources (i.e. existing documentation and literature); and the undertaking of project specific baseline studies and surveys to collect supplementary data in the following areas:

- Geology;
- Flora and fauna;
- Water quality characteristics;

- Traffic;
- Ambient air quality;
- Noise conditions;
- Socio-economic conditions;
- Archaeology.

Both the existing secondary sources and literature studies were conducted and integrated into one coherent description of baseline characteristics.

4.1.7 Evaluation of alternatives

To establish an environmentally sound preferred option for achieving the objectives of the proposed project, different alternatives including site selection, raw material and technology alternatives were studied in collaboration with the project proponent. Technology selection was made taking in to consideration environmentally, economically and socially suitable as well as technically feasible options.

4.1.8 Stakeholder consultation

Stakeholder consultation was carried out for the proposed project with primary and secondary stakeholders of the project. Following steps were involved to attain stakeholder consent:

- Providing information on the proposed project activities;
- Identifying the stakeholder’s concerns, expectations and apprehensions about the proposed project;
- Summarizing the process outcome.

4.1.9 Impact assessment and mitigation

The information collected in the previous phases was used to assess the potential environmental impacts of the proposed project activities. The impact assessment approach is provided in **Table 3. Impacts of project activities on environment**. The issues studied during impact assessment include potential impacts on:

- Physical environment of the area
- Biological environment of the area
- Socio-economic environment of the area

Impact Characteristics	Categorise
Nature of the Impact	Direct: The environmental parameter is directly changed by the project. Indirect: the environmental parameter changes as a result of change in another parameter.
Duration of the impact	Short term: Lasting only till the duration of the project such as noise from the construction activities. Medium term: Lasting for a period of few months to a year after the project before naturally reverting to the original condition.

	Long term: Lasting for a period much greater than medium term impacts before naturally reverting to the original condition.
Geographical Location of the impact	Local: Within the area of project i.e. operation site and access road. Regional: Within the boundaries of the project area. National: Within the boundaries of the country. Global: Trans-boundary impacts
Timing	Construction Operation
Likelihood of the impact	High: High likelihood of occurrence during lifetime of operation, Regular/continuous part of operations. Moderate: Moderate possibility of occurrence during lifetime of operation, Periodic/occasional part of operations. Low: Unlikely to occur during lifetime of operation.

Impact Characteristics	Categorise
Reversibility of the impact	Reversible: When a receptor resumes its pre-project condition. Irreversible: When a receptor does not or cannot resume its pre-project condition.
Significance of the impact	Major, Moderate, Minor, Negligible and Beneficial Based on the consequence, likelihood, reversibility, geographical extent, duration, level of public concern and conformance with legislative or statutory requirements.
Consequence severity of impact	High: <ul style="list-style-type: none"> ▪ Serious/catastrophic damage to environment ▪ Direct legislative requirement ▪ Corporate requirement ▪ Serious threat to corporate reputation/profitability/ability to do business. Medium: <ul style="list-style-type: none"> ▪ Measurable damage to the environment ▪ Subject to potential future legislation ▪ Potential to affect reputation/cost ▪ Implication/reduced efficiency Low: <ul style="list-style-type: none"> ▪ Negligible damage to the environment No risk to business

Important issues and concerns raised during consultation

During consultation it was observed that maximum of people was in favor of project and following issues and concerns were raised. Stakeholder Consultation it is mentioned in detail in

Chapter 10.

- During survey following concerns of the local community, Government Departments and Environmental Practitioners and experts were noted:
- Nuisance must be controlled.
- Latest/State of the art technology must be adopted.

- Locals should be preferred for the job opportunities.
- Monitoring should be done regularly to check efficiency of treatment plant and to comply with PEQS.
- Solid waste should be managed effectively by adopting the standard practices of the area.
- Cleanliness of the area should be ensured.
- An effective EMMP should be designed and enforced with true spirit.
- Health of the workers should be ensured.

4.2 Significant impacts and factors to be determined

Main impacts and factors to be determined are:

- Occupational Health and safety
- Site Security
- Traffic Management
- Hygiene management
- Job opportunities for locals
- Resource conservation
- Avoid excessive water consumption
- Energy efficient techniques must be adopted
- Proper site restoration after construction
- Tree plantation at designated green areas
- Emergency preparedness

5 CONSIDERATION OF ALTERNATIVES

This chapter will discuss alternative and their selection and rejection criteria.

5.1 Site alternatives (selection and rejection criteria)

For installation of steel manufacturing unit, it is important that site must be selected at suitable location.

- Selected site is located in non-negative and non-agricultural area.
- Transportation infrastructure (road network) is available.
- Safe distance from sensitive receptors (residential area & protected area)
- The selected site is under the ownership of the proponent.

5.2 Design/technology alternatives (selection and rejection criteria)

The project technology will be up to date and will also environment and eco-friendly. So, no other technology will be taken under consideration.

5.3 Environmental alternatives (selection and rejection criteria)

Environmental considerations are of utmost importance in selecting site. Being in a small industrial zone there is no sensitivity in the area from environmental setting point of view. Thus there is no ecologically sensitive or declared protected area such as territorial waters, forest, game reserve or biodiversity parks within a 10 km radius of the project site, requiring the proponent to look for site alternatives.

5.4 Economic alternatives (selection and rejection criteria)

The technology selected for establishment of above stated project will be economical viable than alternatives present as compared to majority of the other available production technologies but it will be most efficient and convenient to use.

6 DESCRIPTION OF PROJECT

This chapter provides the description of “Re-Rolling Mills s, type and category of project, location and layout, vegetation features of site, project schedule of implementation and complete description of proposed project related to its process and steps.

6.1 Type & category of project

As per Punjab Environmental Protection Act 1997 (amended 2012) and Initial Environmental

Examination (IEE) & Environmental Impact Assessment (EIA) Regulations, 2022 proposed project falls under Category B (17) “**Iron and steel rolling mills**” mentioned in Schedule-II. Thus, requires an EIA Report is being prepared for duly submission in EPA, Punjab.

6.2 Objectives of project

The objective of this project is to make affordable and user-friendly products (steel) that everyone can use. To fulfill this, management of project will strive to provide with innovative, competitive and sustainable solutions, and in order to reduce the impacts on environment, while always taking patient needs into account. With technology, proponent will be able to assist customers at any and every stage of the development process to help ensure the product’s success.

6.3 Location and site layout of project

The project site is at Batala Steel Industries 17 km Lahore-Sheikhupura Road Sheikhupura. Google Earth map of site is given in **Fig-1**.




Figure 1: Location map of site

6.4 Land use on the site

The site is self-develop industrial area. Layout map is attached with report. Further, there are no mountains or hills of any kind could be seen in the area.

6.5 Road access

The site is accessible through Lahore-Sheikhupura. Road access map is given in Fig-2




Figure 2: Road access map

6.6 Vegetation features of the site

There is no vegetation, as the current project site is a vacant plot. However, proponent will make arrangements to plant trees, building green belts, and garden and plant ornamental plants.

6.7 Cost and magnitude of operation

Total cost of the proposed project is estimated to be around **300 million PKR** which includes the provision of installation, associated amenities and cost for utilities and equipment/machinery. Thus, falls under Schedule II for which Environmental Impact Assessment (EIA) report is required. Production capacity of proposed Re-Rolling Mills will be 1500 Mt/M.

6.8 Schedule of implementation

It is projected that the construction phase of entire project will be started after getting environmental approval from EPA Punjab and complete in the period of 5-6 months. Activities involved are:

- Assessment of environmental impacts and its mitigation measures
- EIA approval, other local issues
- Implementation of recommended alteration in system, if required

- Commencement of operation

6.9 Description of the project (process flow chart/steps, technology, raw material and products, by-products)

The project will include installation of electric arc furnaces in order to make steel.

6.9.1 Raw materials & list of machineries

Table 3: Raw materials

Description of raw material	Source	Quantity
Steel Scrap	Local purchase (imported/scrap yard)	1500 Mt/M
Storage capacity of yard		3000 Mt/M

6.9.2 List of machineries to be installed

List of machineries is attached with report

6.9.3 Production process and by-products & technology

Electric Induction Furnaces (EIFs) will be installed at the plant. The production process is as follows:

The induction furnace is an efficient and modern melting apparatus widely used in the steel industry. It operates on the principle of electromagnetic induction, where electrical energy is converted into heat energy within the metal charge. The furnace consists of a crucible surrounded by a water-cooled copper coil through which alternating current (AC) passes, generating a magnetic field. This magnetic field induces eddy currents in the metallic charge, which cause rapid heating and melting of the scrap metal.

Steel scrap, either locally procured or imported, will be charged into the induction furnace. The heating and melting process begins as electrical energy is supplied to the induction coil. As the magnetic field builds up, eddy currents generated in the scrap cause it to heat uniformly and eventually melt into molten metal. The process is continuous and efficient, as there is minimal energy loss and no direct contact between the heating coil and the molten metal.

During melting, temperature and composition of the bath are continuously monitored to achieve the desired metallurgical properties. Once the molten metal reaches the target temperature, refining agents such as fluxes (e.g., lime or fluorspar) may be added to remove impurities like slag, silicon, and phosphorus. The slag formed on the surface of the molten bath is periodically removed.

After refining, the molten metal is tapped from the furnace into ladles and poured into ingot molds. These ingots are allowed to cool and solidify. Once solidified, the ingots are removed and transferred to the re-rolling mill for further processing.

In the re-rolling section, the ingots are reheated and passed through a series of revolving rolls to achieve the desired shapes and sizes. The rolling process may involve plain or grooved rolls depending on the product specifications. Products such as MS bars, MS T-iron, angles, billets, and girders will be produced through this process. Depending on the required reduction ratio, one or more roll stands may be used. The final steel products will be cooled, straightened, and cut to the desired lengths before dispatch

a) Products

The products will be MS Bars, MS T-Iron/Angle, Billets & Grader.

6.9.4 Process Flow

1. Importing Scrap

First, scrap steel collected, stored and cleansed from various sources at the steel mill and put into a large ladle where the steel is then melted at temperature up to 1,800 Fahrenheit,

2. Collection

Scrap steel is collected stored and cleansed from various sources at the steel mill and put into a large ladle where the steel is then melted at temperature up to 1,800 Fahrenheit.

3. Molten Steel

The molten steel is poured into the tundish to make to feed into the caster and avoid splashing. It is then poured into a series of casters that give the steel its shape.

4. Continuous Casting

The refined molten steel is poured into a continuous casting machine to from billets. Billets are long rectangular section of steel that serve as the intermediate product.

5. Rolling

The heated billets pass through roughing mills to reduce their shape into intermediates which are further reduced and shaped into rebar. The rolling process imparts the characteristic which enhance its bonding with concrete.

6. Cutting & Bending

The bars enter the cutting section where a flying share is used to cut standard and custom lengths it is even bent into specific shapes for particular construction application.

7. Quality Control

Each finished rebar at Batala Steel Industries undergoes rigorous quality control tests & are all ASTM certified setting industry standards in quality.

8. Packaging

The gards are bundled together and each labelled with Batala Steel Industries stickering with relevant information such as size, grade, & batch number. These are then transported to construction sites or distributors.

9. Delivery

Batala Steel Industries ensures fast, efficient delivery of steel to distributors and construction sites meeting project deadline with ease.

6.9.5 Process flow diagrams

The process flow diagram with is given below in Fig




Figure 3: Process flow diagram

6.9.6 Pollution control technologies

Pollution control technologies will be installed to reduce the pollution load on environment. Below are given pollution control techniques.

6.9.6.1 Emission control

Air emissions will be generated while burning the scrap to convert it into billets. The generated emissions will have high concentration of the PM, CO and CO₂. These emissions generate a dense cloud of the smoke. To control this, dry scrubber will be installed on chimneys which will reduce up to 95% of emissions. Furthermore, the furnaces will work on electricity and no fuel will be used to gaseous emissions will be negligible. For dust control arising from combustion of raw material will be control via dry scrubbers. Moreover, for surface dust abatement, water showering will be practiced.




Figure 4: Dry Scrubber working principle




Figure 5: Dry scrubber preliminary design

6.9.6.2 Waste water

Only grey water will be produced from kitchen, staff offices and washrooms. This water will be treated in settling tanks prior to disposal.

6.9.6.3 Solid waste

The solid waste will be generated during the cooking in the worker's mess. The amount of the solid waste generated will be quite low, which will be disposed of by using sustainable practices of the compost manufacturing. The generated waste will be collected in the bins and at the end of the day it will be dumped in the ground. The generated compost will be used for the horticultural practices at site.

6.10 Restoration and rehabilitation plans

There will be no any matter of rehabilitation as the site is already owned by the project proponent. However, at the end of the life of the unit, it will be duly dismantled with special precautions to avoid/minimize pollution and at the same time taking all safety precautions to protect human life and property around the project site. Debris or any other wastes resulting from demolishing will be disposed-off in environmentally sustainable fashion. The materials capable of recycling/reuse will be either sold in the market or to be reused for other suitable purposes. While dismantling, Government rules and regulations as applicable to such activities will be strictly adhered. Safety measures as desired under the code of demolition will be adopted to avoid any harm to humans, property around, or the environment in the project area. Dust to be generated will be minimized by constant sprinkling of water. After completion; all demolishing matrix, debris and garbage will be removed off immediately from the site within the minimum possible time under safe conditions. Any minor spillover of these materials will be cleared adequately. The land, if and where pitted will be adequately levelled. On the whole, the project site and the area in its near vicinity will be made neat and clean.

6.11 Government approvals

The environmental approval according to the Section 12 of Punjab Environmental Protection Act is the mandatory requirement of the project.

7 DESCRIPTION OF ENVIRONMENT

This chapter provides baseline data (physical, biological and socio-economic parameters) related to the project and study area. The information has been compiled by using primary and secondary data resources. This chapter also refers to the theoretical analysis of the methodology adopted for collection of baseline data. The underlying principles and practices adopted in this regard are also discussed.

7.1 Methodology

The methodology employed to collect the baseline data and information regarding the social structure and various related parameters as discussed in sub-sections below:

7.1.1 Data Collection

The primary data was collected by visiting the project area and its communities in its nearby vicinity. The secondary data regarding physical parameters (topography, geology, seismology, and climate) was obtained by visiting relevant various government departments and their official websites. The biological parameters such as flora and fauna were studied by preparing a floristic list based on visual observation and fauna was studied by using opportunities approach. The species were recorded with reference to their existence in the project area. Information on wildlife fauna species (mammals, amphibians, reptiles, birds, etc.) in the assessment area was compiled based on opportunistic observation, gathering the existing information and consultation with local experts, community members and government and Non-Government Organizations (NGOs). The socioeconomic aspects were studied and analyzed by studying detailed village profile and by conducting household surveys.

7.1.2 Social Survey

The purpose of social survey was to record the present condition of the people living in the project area and to assess the expected project impacts on their life, subsistence systems and socio-cultural conditions. Prior to conducting the field surveys, the following steps were taken:

- Clear boundaries of the project area were identified
- Decided the sampling procedure in order to draw a representative sample size of the target population and households
- Developed the tools for data collection i.e. questionnaires to access the socio-economic status of the area

7.1.3 Sampling Design

Social baseline data of the persons residing in the study area has been estimated and collected through random sampling by using pre-developed questionnaires.

7.1.4 Questionnaires

In order to test the validity and reliability of the proposed questionnaires, they were reviewed to assess whether questions needed to be clarified, changed or re-sequenced and then a final editing of questionnaires was conducted prior to their application in the project area. The sample of socio-economic questionnaires used is attached as Annexure.

7.1.5 Data Editing and Analysis

The filled questionnaires and recorded information were compiled by the same field investigators who were involved in the data collection. This was done immediately after completing the field investigations. Data sets were processed. Analysis of the data and preparation of conclusions in the minimum possible time was done using statistical techniques of data analysis.

7.2 Review of Legal and Administrative Framework

The objective of reviewing legal and administrative framework is to obtain information on all legislation pertaining project development. The Socio-Environment Team of EnvironTech Consultants (PVT) Ltd. reviewed the environmental policies, national, international and provincial laws and guidelines relevant to the development of project which helped in systematic identification of impacts.

7.3 Baseline Conditions

This chapter provides baseline data (physical, biological and socio-economic parameters) related to the project and study area

7.4 Physical Environment

Pakistan Can be divided into five broad physiographical regions. These are the mountainous regions of the north, the western highlands and plateaus, the sub-mountains Indus region, the Potohar Plateau, Salt Range, and the Indus Plain. Brief description of these regions is given below:

Region	Characteristics	Location	Height
Northern Mountainous	Hindu Kush Karakoram and Himalayan Mountain Ranges	Northern Part of KPK, Gilgit Agency, Northern Areas and Kashmir.	Rises above 8,000m

Western Highlands and Plateaus	Toba Kakar, Sulaiman, Central Baruhi, Saihan, Central Makran, Makran Coastal and Kirthar Ranges	Mainly in Baluchistan, also parts of Sindh and KPK	Between 1,200 to 3,000 m
Sub-Mountains Indus	Alluvial filled Basins	Plains of Peshawar Kohat and Bannu	Less than 1,000 m
Potohar Plateau and Salt Range	Flat to gently undulating surface, broken by gullies,	Mainly northern parts of Punjab, some parts of KPK	Less than 1,000 m
Indus Plain	Flood plains of the Indus, Jhelum, Chenab Ravi and Sutlej Rivers	Punjab and Sindh	Less than 1,000 m

7.4.1 Topography

Sheikhupura the city of [Punjab](#) province, eastern [Pakistan](#). In the town center stands a fort of the Mughal emperor [Jahangir](#) (completed 1619) that also served as the 19th-century residence of one of [Ranjit Singh's](#) queens; outside the city, the massive Hiran Minar tower overlooks the countryside. Shekhupūra is connected by road and rail with [Lahore](#) (25 miles [40 km] southeast) and various other cities. It is an industrial center that makes food products and textiles. The city is in a section of [alluvial plain](#) known as the Bar tract, which is irrigated by the Chenab Canal system.

Sheikhupura is an industrial city in the northwest of Punjab province, Pakistan. The city is also the administrative headquarter of the Sheikhupura district and is approximately 38 km from Punjab's provincial capital, Lahore. The town is famous for its historical monuments and also known as the city of Mughals, where emperors come for hunting. The city is also well-known for its booming industry. District Sheikhupura is bounded on the North by Gujranwala and Hafiz Abad districts, on the North-East by Narowal district, on the West and South-West by Nankana Sahib District, on the East by Lahore district.

Project Site:

The proposed project site is located in District Sheikhupura.

7.4.2 Hydrology

Groundwater from depth of 100ft can be used for drinking and other purpose. Groundwater is the major source of water in the study area, which is extracted with the help of pumps and motors. The groundwater extracted is used to fulfill various domestic, irrigation and industrial needs. Ground water quality report of area is annexed. No surface water body is present within 5 km radius of the project site.

7.4.3 Seismicity

According to Seismic Zoning of Pakistan, the project area lies in Zone 2A and represents minor to moderate damage due to earthquakes.




Figure 6: Seismic Zoning Map of Pakistan

7.4.4 Climate

Due to its high evaporation rate, Sheikhupura features hot desert-like climatic conditions according to Koppen-Geiger classification. The climate of the district can see extremes, with a summer maximum temperature 44°C and a winter temperature of 4.0°C. The mean maximum and minimum temperature in summer are 43.5°C and 18.0°C respectively. In winter it peaks at around 19.4°C and 4.1°C respectively. The summer season starts from April and continues till October. May, June and July are the hottest months. The winter season starts from November and continues till March. December, January and February are the coldest months. “The bulk of monsoon precipitation occurs in July and August, with monthly averages of 115.0 mm and 89.8 mm respectively. Minimum rainfall occurs in the month of November which is 3.0 mm” (PMD).




Figure 7: Average Annual Temperatures and precipitation in Sheikhupura

The "mean daily maximum" (solid red line) shows the maximum temperature of an average day for every month for Sheikhupura. Likewise, "mean daily minimum" (solid blue line) shows the average minimum temperature. Weather in Sheikhupura is influenced by Subtropical Dry Semiarid Steppe climate. Low-latitude dry climate. Evaporation exceeds precipitation on average but is less than potential evaporation.




Figure 8: Maximum temperature ranges in Sheikhupura

The graph shows the monthly number of sunny, partly cloudy, overcast and precipitation days. Days with less than 20% cloud cover are considered as sunny, with 20-80% cloud cover as partly cloudy and with more than 80% as overcast.




Figure 9: Annual Precipitation amounts in Sheikhupura

7.4.5 Wind

The diagram for Sheikhupura shows the Max and Average Wind speed and Wind Gust.




Figure 10: Annual average wind speed in Sheikhupura

(<https://www.worldweatheronline.com>)




Figure 11: Wind Rose diagram of Sheikhupura

The wind rose for Sheikhupura shows how many hours per year the wind blows from the indicated direction. Example SW: Wind is blowing from South-West (SW) to North-East (NE).

7.5 Ecological Environment

Sheikhupura is enriched with the presence of natural flora and fauna, although with the growing population and development activities, the presence of some has been somewhat affected. They are discussed in detail below.

7.5.1 Aquatic Flora & Fauna

No aquatic ecosystem (i.e. canal, stream, river or pond) observed within or around the study area, which omits the possibility of any kind of aquatic species that may be harmed due to the establishment of proposed project.

7.5.2 Flora

The project is located in industrial area. The project site has no vegetative cover, hence, no trees or vegetation will be removed. The dominant tree species in study area include; Eucalyptus, Neem, and Kikar. The crops present around project site include wheat, sugarcane and common grass. The nomenclature including common, English, local and botanical names of the flora found in the study area are presented in Table

Table 4: Flora of the Study Site

S#	Common Name	Scientific Name
1	Neem	<i>Azadirachta indica</i>
2	Kikar	<i>Vachellia nilotica</i>
3	Safeda	<i>Eucalyptus globulus</i>

7.5.3 Fauna

For study of fauna in the project area, field guides and books were consulted. On the other hand field observations were conducted along with the interviews of local community members

about the fauna of the area. The equipment used in field included cameras, binoculars and GPS device (wherever required). It is important to note that there is a number of factors which can change the findings of such survey. It may be pointed out that the pattern of seasonal migration of small birds varies depending upon each specie. During the construction activity in project area, no important biological feature will be damaged or disturbed as the project falls in industrial area.

The fauna commonly found in District Sheikhpura includes; Hares, Falcon, Eagle, Quail, Starling, Jungle Pigeon, Russian Sparrow, Doves, King Fisher, Parrot, Crow and Local Sparrow.

Commonly found mammals in the area include; dogs, cats, horses, house-rats, squirrels, porcupines and bats. However, Small Indian Mongoose and Indian Palm Squirrel are also found in the District Sheikhpura.

Table 5: Mammals in Study Area

S#	Common Name	Scientific Name
1	Rat	<i>Rattus</i>
2	Bat	<i>Chiroptera</i>
3	Small Indian Mongoose	<i>Herpestes javanicus</i>
4	Indian Palm Squirrel	<i>Funambulus palmarum</i>
5	Porcupines	<i>Erethizon dorsatum</i>
6	Squirrels	<i>Sciuridae</i>

The commonly found bird's species include; House Sparrow, Crow and some of them are mentioned below with scientific names.

In District Sheikhpura reptiles such as Snakes (Cobra and Kraits), Spiny Tailed Lizard and Fringed Toed Lizard are common in the tract, but cases of snake bites are very rare, as these reptiles have been either killed by expanding urbanization or they have moved away.

Table 6: Birds in Study Area

S#	Common Name	Scientific Name
1	House Sparrow	<i>Passer domesticus</i>
2	House Crow	<i>Corvus splendens</i>
3	Pigeon	<i>Columbidae</i>
4	Bulbul	<i>Pycno notidae</i>

5	Teetar	<i>Francolinus francolinus</i>
6	Parrot	<i>Psittaci forms</i>
7	Titodi	<i>Vanellus indicus</i>

Table 13: the Study Area Reptiles

S#	Common Name	Scientific Name
1	Snake	<i>Serpentes</i>
2	Spiny Tailed Lizard	<i>Uromastix hardwickii</i>
3	Fingered Toed Lizard	<i>Acanthodactylus cantoris</i>
4	Earthworm	<i>Lumbricina</i>

The amphibians commonly seen around the project area, especially during the rainy season includes;

Table 7: Amphibians in the Study Area

S#	Common Name	Scientific Name
1	Common Frog	<i>Rana temporaria</i>
2	Indus Valley Toad	<i>Bufo stomaticus</i>

A large number of insects are present due to open fields in the project site. Few of these insects are known to cause diseases in local population. Following is a list of commonly observed insects at the site:

Table 8: Insects in Study Area

S#	Common Name	Scientific Name
1	Black Ants	<i>Paratracheaiognicornis</i>
2	Dragon Fly	<i>Dragon Fly</i>
3	House Flies	<i>Musca domestica</i>
4	Butter Flies	<i>Parnassiusbalucha</i>
5	Honey Bees	<i>Apismellifera</i>
6	Wasps	<i>Anagyrus pseudococci</i>
7	Grasshopper	<i>Melanoplus differentialis</i>
8	Mosquito	<i>Anophlese sp.</i>

No endangered species are found at the site. The area has not been identified as ecologically sensitive area by wildlife department.

7.5.4 Ambient Air Quality

Ambient air quality monitoring was carried out on the project site. The Impinges Method and Dragger Miniwarn, Germany manufactured ambient air quality monitoring equipment was used. Monitoring carried out for Sulfur dioxide (SO₂), Nitrogen oxides (NO_x, NO and NO₂) and Carbon monoxide (CO).

The degradation of air quality in all the large cities is a major environmental concern these days. Air pollution levels in urban centers have either crossed safe limits given in the PEQS or have reached the threshold values.

About 60 to 200 % of the deterioration in the air quality is due to the vehicular emissions. The parameters which have proved to be the major threat are particulate matter and concentration of oxides of nitrogen that are relatively higher in all the large cities of Punjab.

Atmospheric pollution particularly in urban area has a strong impact upon daily life. Sheikhupura is the main city of Pakistan. Its economic growth, industrial progression & transport have risen to grounds responsible for growing energy consumption leading ultimately to the consequences of increase in air pollution. The main sources of air pollution are exhaust from motor vehicles and industries. The main exhaust gases include SO₂, NO₂, CO, etc. Particulate Matter (PM) and noise which are inspected as the pollution indicators.

It was observed during the visit that Petrol and Diesel operated vehicles are emitting smoke and exhaust gasses in excessive quantity which are the leading sources of environmental pollution and responsible for the air quality worsening. In fact, exhaust emissions (including dangerous gases such as carbon monoxide, oxides of nitrogen, hydrocarbons and particulates) and Evaporative emissions (including vapors of fuel which is released into the atmosphere, without being burnt) are the prime reasons of deterioration of air quality. It was however observed during the visit that environment of the project area is clean.

7.5.5 Noise

Noise is described as an unwanted sound emitted from un-avoidable sources of anthropogenic activities. Daily based natural induced sources of noise are rare to none but human induced noise sources are plenty and un-avoidable. Physically, there is no distinction between sound and noise. Sound is a sensory perception and the complex pattern of sound waves is labeled noise, music, speech, low altitude aero plane flying etc.

Environmental noise is a common cause of hearing loss of people indulged in industrial activities. Noise pollution in the city is on the rise with most residents complaining that the noise is becoming a public nuisance.

Project Site:

Noise level was monitored at the time of field survey.

7.5.6 Water Resource

The main source of the water consumption is the ground water which is being pumped from 200 ft borehole and its being used in the study area for domestic purposes. To check the quality of the water in the area, ground water was collected and analyzed. The ground water was collected from bore hole adjacent to the project area.

7.6 Socio-Economic Resources

This section provides collective information about the existing socio-economic and environmental condition of the project area within the AOI. The different types of socio-economic aspects were covered such as demographic profile, occupation, education and health facilities. This data helped in identifying major interventions for the development of Environmental Management and Monitoring Plan (EMMP). The study also helped to assess the positive or adverse impacts on local community.

7.7 Socio-Economic Profile of Study Area

This topic provides an overview of the baseline information relating to the socio-economic environment of the project area and the AOI. The socio-economic study gives information about the demographic profile, occupation, education and health facilities in the project area.

7.8 Demographic Profile

The Demographic Studies are the major source of any city's Socio-Economic profile. Demographic Studies relate to population. Population studies are extremely important from Town Planning point of view. Until and unless we know about population in detail, we cannot do successful planning. All aspects of population, such as sex-age composition, trend of migration, social, cultural, political, economic and administrative works, values and facilities have to be related to planning considerations and decisions. Individuals are the raw material of society; therefore, society is directly affected by size, growth, composition and distribution of its individuals. The term population refers to the number of individuals living within a geographical area at a given time.

Different community individuals in the vicinity of the project area have different family sizes depending upon their living setups. Average family size is however 5-7 individuals per family with 1-2 earning hands per family.

7.8.1 Health Facilities

As the project site is in an Industrial zone. DHQ Hospital Faisalabad is located at the distance of approx. 16 Km radius. Some other private health center is present as Villages area present in the vicinity of the project site.

7.8.2 Educational Facilities

As the project site is not located in any residential area. However, the villages located around project site have few government primary schools.

7.8.3 Demographic Characteristics of the Population

The field survey (including interviews, focus group discussions, census, and area profile) was carried out to collect the socioeconomic data from the project affected people as well as other general population to accomplish the baseline information, which will provide the basis for subsequent monitoring and evaluation studies.

The demographic features include the information on household’s profile, gender composition, occupations, and literacy status of the population residing in the project area. The information relating to the demographic profile of the people in the project area are described below.

7.8.4 Family Size

Based on the field survey of local population, the average family size computed to be 5-6.

7.8.5 Age Groups

Ages of the consulted population were also recorded. The people interviewed for the socio-economic assessment belongs to different age groups i.e. 20-35 years, 36-45 years, 46-55 years, and 56 years and above.




Figure 12: Consulted age groups in the area near project site

7.8.6 Occupation of Respondents

Majority of the respondents (55%) are attached with agriculture, 20% shopkeepers and remaining 15% are labors. During survey, efforts were made to interact with people representing all walks of life. The detailed graphic representation of occupational status is given below:




Figure 13: Occupation of Respondents

7.8.7 Literacy Rate

From survey results, it was found that 75 % of the studied population was illiterate, 15% was up to primary level, 10% studied up to middle level.




Figure 14: Literacy Rate

7.8.8 Common Diseases

According to the survey the common disease recorded in the project area is Hepatitis.

7.8.9 Cultural, Religious & Other Structures

No cultural, religious and other structures are present in the close proximity of the project area that needs to be relocated. Villages present around the project site have mosques and imam bargah.

7.9 Lab Reports of Environmental Analysis

Testing of different parameters was done from a certified laboratory named SEAL to check the quality of different environmental parameters. The copy of the lab reports of these parameters (ambient air analysis, water quality analysis and noise) is attached at Annexure of this EIA Report.

7.10 Suitability of Site:

Comprising all assessment of above baseline data there will be no significant ecological/ environmental impact expected in and around the present selected project site, hence it is suitable for the proposed project

8 IMPACT ASSESSMENT

This section discusses the potential environmental impact of proposed project, methodologies for impact identifications and characteristics of impacts including nature, magnitude, extent and location, timing, duration, reversibility, risk. The assessment carried out in this Section is based on potential impacts on overall environmental receptors within the project area.

8.1.1 Methodologies for impact identification

The potential impacts due to establishment of Re-Rolling Mills are mostly beneficial. During construction phase, adverse environmental & social impacts are depending on the resources and receptors involved along with other parameters such as; geographical scope (magnitude and extent), temporal scope (duration) and reversibility. It is anticipated that this project will have maximum positive impacts as it is environmentally friendly project to reduce pollution load.

Moreover, the project is expected to result in negative impacts of short-term duration and transient in nature. Having identified and characterized the potential significant impacts during design, construction and operation phase of project an Environmental Impact Severity Matrix & checklist to summarize all the identified impacts as mentioned below in tables.

Table 9: Impact significance criteria

Impact	Criteria
No Impact	When the proposed activity will have no impact
Long Term	When the impact is of high intensity with high spread and high duration or of high intensity with medium spread and medium duration
Moderate Term	When the impact is of moderate intensity with high spread and high duration or of high intensity with low/ moderate spread and low duration
Short Term	When the impact is of low intensity but with moderate spread and moderate duration or of moderate intensity
Insignificant	When the impact is of low intensity, low spread and low duration
Adverse	When the impact is of large intensity, spread easily and long-term
Beneficial	When the impacts are positive and improve the environmental conditions

8.1.2 Checklist

Table 10: Impact matrix checklist for construction phase

Environmental Sensitivities	Intensity of Impact						Impact Nature		Impact Significance				
	Low Intensity	Moderate Intensity	High Intensity	Local	Moderate	Regional	Beneficial	Adverse	Insignificant	No Impact	Short Term	Moderate	Long Term
Physical Parameters													
Air Quality		<input type="checkbox"/>		<input type="checkbox"/>									
Noise		<input type="checkbox"/>			<input type="checkbox"/>								
Water Quality		<input type="checkbox"/>			<input type="checkbox"/>								
Biological Parameters													
Land Environment													
Flora													
Fauna													
Physical Parameters													
Local Economy	<input type="checkbox"/>												
Social Impacts	<input type="checkbox"/>												
Health & Safety	<input type="checkbox"/>												

Table 11: Impact assessment checklist for operational phase

Environmental Sensitivities	Intensity of Impact						Impact Nature		Impact Significance				
	Low Intensity	Moderate Intensity	High Intensity	Local	Moderate	Regional	Beneficial	Adverse	Insignificant	No Impact	Short Term	Moderate	Long Term
Physical Parameters													
Noise		<input type="checkbox"/>											
Water Quality													
Odor	<input type="checkbox"/>												
Biological Parameters													
Land Environment													
Flora													
Fauna													
Physical Parameters													
Local Economy													
Social Impacts													
Health & Safety													

8.2 Characteristics of impacts (nature, magnitude, extent and location, timing, duration, reversibility and risk)

The impact characteristics are identified to screen out potentially insignificant environmental and social impacts from potentially significant adverse environmental and social impacts during planning & designing, construction and operational phases of the project. The objective of impact screening process is to assess the significance of issues related to the air, water, noise, soil, transportation, civil work, communication, the hazards and external constraints. The beneficial and adverse impacts of project during planning & designing, construction and operational phases are identified based on their duration, location, frequency, extent, significance and reversibility. The impact of each activity on various environmental parameters is given below:

Table 12: Impact assessment characteristics

Sr#	Environmental Component	Impact Characteristics												
		Duration		Location		Frequency		Extent		Significance			Reversibility	
		Long	Short	Direct	Indirect	Cont.	Intermittent	Wide	Local	Large	Moderate	Minor	Rev.	Irrev.
Beneficial Impacts														
1	Employment Opportunity	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
2	Solid Waste Management	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
3	Land Value	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
4	Tree Plantation	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
5	Wastewater		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
Adverse Impacts														
1	Solid Waste	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	

BATALA STEEL INDUSTRIES, SHEIKHUPURA

2	Health and Safety		•		•		•		•			•		•
3	Physical Hazards		•	•			•		•			•		•
4	Security Risks		•		•		•		•		•		•	

9 SCREENING OF POTENTIAL ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

This Chapter identifies the potential impacts (positive and adverse) on the physical, biological and socio-economic environment of project area due to proposed project. It also identifies measures that will help to mitigate the adverse environmental and social impacts (if any) and it will enhance positive impacts of the project. Impacts are assessed by analyzing their magnitude and sensitivity, which is a legal requirement.

9.1 Impacts associated with project activities

- Environmental Impact - Construction and Operation Activity
- Socioeconomic Impact - Construction and Operation Activity

9.2 Project location

There will be no impacts due to project location as the land is owned by project proponent. For the establishment the Re-Rolling Mills an open plot in industrial area has been selected. In the project area or its vicinity no ecologically important area is present. However, no human settlement or infra-structure will be dislocated due to the establishment of project. So, no adverse impact is being envisaged. Hence, there is no need to change the design of project is required.

9.2.1 Compensation in money terms

There is no damage envisaged to fauna, flora or any other biological source due to the establishment proposed project. However, agricultural land is being converted to the built-up area. So, no compensation in monetary terms will be needed as the land is owned by the project proponent.

9.2.2 Replacement/relocation/rehabilitation

The proposed project is located in open land where there is no sensitive area, population or natural resource is present which could be impacted due to the establishment of project. No replacement, relocation and rehabilitation is requiring for the proposed project establishment. However, at the end of the life of the unit, it will be duly dismantled with special precautions to avoid/minimize pollution and at the same time taking all safety precautions to protect human life and property

around the project site. Debris or any other wastes resulting from demolishing will be disposed-off in environmentally sustainable fashion. The materials capable of recycling/reuse will be either sold in the market or to be reused for other suitable purposes.

9.3 Project design

The proponent has planned to construct the unit on modern lines, meeting international standards, with incorporation of imported technology. The design, if maintained and operated in an environment-friendly manner, is expected to cast positive impact on the environment and will not pose any adverse impact or threat on any component of the environment.

The design of the proposed project will be sustainable and will follow the principles of energy conservation. The design of the main public buildings will follow the green building designs such as; maximum utilization of the sunlight, high roofs to keep the building cool, etc. Moreover, the building will be designed by keeping in consideration all the technical standards to avoid adverse impacts on the environment and society.

9.4 Construction phase

Following impacts could be impacts during constructional phase of project. The proposed project area is located in well-developed smaller scale industrial area and existing built-up area categorized as the commercial/ industrial area (referring to the google earth view). The roads of the area are metaled. During the transportation of the raw-material such as cement, bricks, sand, gravels, etc. The dust clouds may be generated which could impact the local climatic conditions on temporary basis. This impact is considered in-significant because of the metaled road structure.

9.4.1 Mitigation measures

Impacts of raw materials transportation can be reduced significantly by adopting better management and monitoring practices. Following management and monitoring practices will be adopted to reduce the impacts:

- Proper tuning of vehicles should be done on the regular basis in order to control the air pollution generated by the burning of the fossil fuels in the vehicles
- Restrict excessive transportation of the vehicles as well as the speed of the haulage trucks that shall not exceed the speed limit of 40km/hour

- Careful site planning and managing the transportation routes for the vehicles carrying raw-materials
- Cover the vehicles with tarpaulin carrying sand and loose material
- The wind prone loose material should be covered and sprinkled with water on the regular basis.

9.4.2 Impacts on vegetation

There is no vegetation present on site so no mitigation measures are required.

9.4.3 Impacts on water sources

During construction phase, water will be used for the preparation of the raw material, for watering under-construction buildings and consumption by the workers in various domestic activities. It will cause negative impact on underground water resource. The consumption of the water will be high causing minor negative impact on the water resource of the area. The groundwater may get polluted due to the presence/consumption of the chemicals and petroleum products on-site

9.4.4 Mitigation measures for water

Following mitigation measures will be required for water sources:

- Avoid un-necessary consumption of the water and close the tap when water isn't in use
- Special care will be required to protect the chemicals and petroleum products from spillage and contaminating the ground water sources
- Proper knowledge regarding the watering of the under-construction building should be given to the workers in order to conserve water
- Water efficient equipment and process will be used
- Awareness regarding the water conservation techniques should be carried out
- The wastewater that is being consumed from the use of the labour on-site will be disposed off in the wastewater drains.

9.4.5 Impacts on air quality

During construction phase, the machinery working on project site may cause air pollution due to release of the pollutants such as; carbon dioxide, methane, NO_x and SO_x from the burning of the fossil fuels in the vehicles. Dust may be generated due to the excavation activity and filling activities. No other impact is envisaged that may deteriorate the ambient air quality of the area.

9.4.6 Mitigation measures for ambient air quality

Following mitigation measures will be adopted to reduce the impact on the air quality:

- Proper tuning of vehicles should be done on the regular basis in order to control the air pollution
- It should be ensured that the high quality fuel is being used in the vehicles that are working on-site
- The material prone to wind should be covered with tarpaulin
- Avoid unnecessary movement of the trucks carrying raw-materials to avoid unnecessary air emissions
- Avoid excavation and filling activity on the windy days
- Impact can be minimized through a management programs which ensure dust will be controlled by regular watering the dusty and wind areas
- Abandoned excess laterite and stone aggregate littered around stock pile areas after construction completed changes the soil structure
- Regular water sprinkling may be done to control the dust generation

9.4.7 Impacts due to noise

During construction phase, heavy construction machinery will be use. The machines are noisy and can cause a certain degree of nuisance to the nearby residents. The noise levels of machines and vehicles vary widely depending on the type of noise generated and level of activity. Some common impacts of noise nuisance include annoyance, sleep disturbance and interference with communication. Acceptable levels of noise are regarded to be 40 dB(A) during the night and 50 dB(A) during the day. Since construction will take place during the day only the 50 dB(A) level is of importance. As the proposed project is not located in the residential zone so the noise related impacts will cause insignificant impact on the nearby community

9.4.8 Mitigation for noise

Following mitigation measure will be adopted to reduce the noise;

- The noise related activities should be done during the day time to ensure minimum disturbance to the local community
- Proper tuning of the vehicles should be done on the regular basis, so that the noise level will be reduce up to the acceptable limits
- Noise related activities should be done speedily and completed as soon as practically possible

- Construction activity will be confined to the small reserved area

9.4.9 Impacts on socio-economic environment

During this phase, skilled and unskilled labor will be required. Employment opportunities for the un-skilled workers will therefore increase which will enhance the positive benefits for the local people who are in dire need of income for sustenance. Furthermore, indirect opportunities for employment will arise from the provision of services to the construction teams; sale of raw-material such as cement, bricks, sand etc., as well as food and beverages for the labor. After completion of construction phase serve as a permanent business opportunity.

9.4.10 Mitigation measures

No mitigation is required.

9.5 Operational phase

The environmental and socio-economic impacts associated with the operation phase are had been studied in detail. Following is the detailed description:

9.5.1 Water consumption

The increased withdrawal of surface water for the proposed project may affect the water availability for the other users of the project area. A significant impact will be interpreted, if water extracted for the project directly affects the ability of the community and other users to meet their water needs. The water usage will be the water required for domestic use of workers, for floor cleaning.

9.5.2 Mitigation measures

Following mitigation measures will be adopted:

- Water conservation program will be initiated to prevent wastage of water
- The management will ensure maximum recycling of washing water, so that overall consumption could be reduced
- Reusing the water for sprinkling purpose after floor cleaning

9.5.3 Wastewater

The building operations will generate wastewater in the form of domestic wastewater. The wastewater can be a potential source of pollution to surface and groundwater resources of the area. Domestic wastewater generated during building operation is estimated to be approximately

1.4m³/day. Implementation of the proposed mitigation measures and regular monitoring is not likely to leave any significant impact of the wastewater from the proposed facility.

9.5.4 Mitigation measures

Following mitigation measures will be adopted for effective management of wastewater:

- The grey water will be treated through settling tank which will be recycled to be re-used in irrigation purposes
- Waste segregation measures would be employed to minimize entry of solid waste into the wastewater stream
- Water conservation strategies will be employed to avoid wastage of water
- Periodic sampling and monitoring of key parameters for wastewater effluent into the receiving body (drain or sewerage system) and for this purpose samples will be collected at the discharge point to ensure effective treatment

9.5.5 Noise

Noise cause stressful effect on the ears, nervous system and heart; especially to people exposed to noise above 85 dB (A) for long period of time. Due to the operation of the proposed project heavy machines can serve as the potential noise sources. This noise will depend upon the machine efficiency, their maintenance level and the nature of room housing it, and the atmospheric conditions. No significant increase in noise level in the community is envisaged under normal operation. Moreover, implementation of the below-stated mitigation techniques will also keep the noise impacts at minimum to the workers as well as to the community.

9.5.6 Mitigation measures

Noise management and mitigation plan should follow the underlying strategy:

For people working in noisy installations, ear-protection aids like ear-plugs, ear-muffs, noise helmets, headphones etc. must be provided to reduce occupational exposure. This is possible if working methods are improved by:

- Proper designing and fabrication
- Proper lubrication and better maintenance of machines
- Covering noise-producing machine parts with sound-absorbing materials to check noise production

- Reducing the noise produced from a vibrating machine by vibration damping i.e. making a layer of damping material (rubber, neoprene, cork or plastic) beneath the machine
- Using silencers to control noise from automobiles, ducts, exhausts etc. and convey systems with ends opening into the atmosphere
- Using glass wool or mineral wool covered with a sheet of perforated metal for the purpose of mechanical protection

Noise can also be controlled with barriers by enclosing the source of the noise, by placing sound-reducing barriers between the worker and the source, or by increasing the distance between the worker and the source

- Tree plantation helps to block the propagation of sound. Proponent has planned tree plantation in and around the unit premises
- Sound-proof materials will also be used for construction
- During the project operation, it should be ensured that the noise level does not exceed prescribed limits as set by WHO or Pak-EPA; for which regular monitoring must be carried out.

9.5.7 Waste management

Improper disposal off the solid waste generated during the operational phase of proposed project can pose a health hazard; pollute soil, surface and ground water. Proper implementation of the mitigation measures will ensure that the residual impact from improper management and disposal of the waste is minimal. Monitoring and inspection will be undertaken to ensure compliance and minimize any residual impact.

Following mitigation measures will be adopted:

- Waste generation will be minimized by adopting waste management strategy of reduce, reuses and recycle
- A waste management plan will be prepared, implemented and monitored for the safe collection, storage and treatment/disposal of the building waste
- Quantities of waste disposed, recycled, or reused will be logged on a Waste Tracking Register
- Records of all waste generated will be maintained
- Training will be provided to personnel for identification, segregation, and management of waste

- Various waste containers for waste collection should be placed at appropriate locations in the building
- Waste management inspections will be undertaken on a regular basis of onsite waste management and of waste disposal contractors to ensure that the waste management procedures are being followed

Monitoring measures will include:

- Record of all waste generated
- Quantities of waste disposed, reused at site or sold should be logged on the waste tracking register
- Audit of waste management on annual basis
- The areas around the project boundary and access roads should be periodically inspected to verify that no project related waste is scattered in these areas

9.5.8 Air emissions

The air emissions will release dust and particulate matter in the environment. If these emissions are not handled may damage the health of workers, may be the cause of public nuisances and the wear& tear of the shelling machinery is fast.

9.5.9 Mitigation measures

Following mitigation measures will be adopted:

- PPEs such as; dust mask will be provided to the workers
- Pre-cleaning will be carried out to reduce the dust emission
- Water sprinkling will be carried out as and when required

9.5.10 Emergency response

Incidents and accidents may take place unexpectedly during project operations no matter how effective, strong and efficient the mitigation measures for all adverse impacts; especially the safety issues may be adopted. These may include; fire hazard which may poses a serious threat.

9.5.11 Mitigation measures

Following mitigation measures will be adopted:

- Fire extinguishers should be properly maintained and checked periodically
- Adequate fire hydrant system should be installed
- Flammable materials should be prohibited in the premises

- Fire alarm systems should be maintained for detection and warning of fire
- Adequate training of workers on use of fire-fighting system to deal with the situation.
- Administration of the unit will make a proper evacuation plans for emergency escape from all halls
- Emergency call service must be made available
- Fire-fighting team must remain ready at all times

9.5.12 Occupational hazards

It includes occupational hazards like physical injuries arising from accidents such as being hit by falling weak structures, being overrun by heavy equipment. The major safety issues in operational phase are:

- Electrical Hazards
- Machine Guarding
- Eye, Head and Foot Protection
- Fire and Explosion Hazards
- House-Keeping Issues

9.5.13 Mitigation measures

Following mitigation measures will be suitable:

- Care will be taken to properly ground and insulate all equipment
- Proper machine guarding, which is critical for the prevention of injuries to workers by isolating them from moving machinery, will be provided
- Head, arms and foot PPE's will be provided
- Fire-fighting equipment will be available and their locations will be clearly marked
- Exits from work places will be well marked and visible in dim light
- Fire water will be located throughout the plant in well-marked piping
- Housekeeping will be frequent and thorough to prevent slips, trips, and falls
- Workers will be told and encouraged to use PPEs as may be standardized
- Workers' awareness and safety wall chart showing safety symbols will be displayed.
- First Aid Box will be kept in easy approach of all in case of any injury or mishap.
- Basic medical and health facilities will be provided to all employees
- Safety and warning devices such as reflectors, lights, etc. shall be installed at designated spots
- Visual monitoring of hazards and accidents will be done in order to control the potential hazard

9.6 Potential environmental enhancement measures

Tree plantation within and outside the premises is a potential environmental enhancement measure. A large area will be reserved for tree plantation and among plants native flora like Peepal, Kikar and Amaltas will be planted in the specified green zone which will have the maximum capacity to reduce noise pollution and tolerance index of these species are more than 10. Some floral species like roses and other ornamental evergreen plants will also be introduced in the lawn which will enhance aesthetic beauty. In addition, trees like Amaltas will be planted as boundary wall inside the lawn which will look like green wall. The proponent will also make arrangements for protection and maintenance of trees

9.7 Building enhancement

The introduction of an ecologically effective and efficient design of a commercial building is the environmental enhancement measures planned by the proponent to be incorporated into the design of the intended project.

9.7.1 Social enhancement measures

Following measures will be adopted to improve the socio-economic condition of the area:

9.7.2 Employment/poverty alleviation

The employment opportunities in the project area will be increased due to the establishment of project at the proposed location. During establishment un-skilled workers will be required as labors, sanitary workers and sweepers as well as for the skilled workers such as; accounts and managers to run the administration office local community will be considered on the priority basis. In totality, the overall economic conditions of the area will be improved due to the establishment of the proposed project.

9.7.3 Local economy

The employment opportunities and/or income sources generated by the project construction and operation will be long term in nature. These will be enhanced once the construction phase is completed. The local economy will experience a slight boom during development and operational period.

10 ENVIRONMENTAL MANAGEMENT AND MONITORING PROGRAM

The potential environmental impacts are identified from the planning stage of proposed project through the Environmental Impact Assessment (EIA) process. The EIA has identified potential impacts that are likely to arise during the project. The EIA has examined in detail both negative and positive impacts at each stage of the project covering both construction and operations phase. To minimize the effects of adverse impacts the EIA has recommended mitigation measures. The proposed mitigation measures have been based on the understanding of the sensitivity and behavior of environmental receptors in the project area, the legislative controls that apply to the project and a review of good industrial practices while operating in similar environments.

For effective implementation and management of the mitigation measures an Environmental Management Plan (EMP) has been prepared. The EMP satisfies the requirement of the Punjab Environmental Protection Department Review of Initial Environmental Examination and Environmental Impact Assessment Regulations, 2000.

The EMP is a tool that serves as to manage environmental impacts and specifically focuses on implementation of mitigation measures in its true sense against likely environmental impacts.

10.1 Purpose and objective of the EMP

The primary objectives of the EMP are to:

- Facilitate the implementation of the mitigation measures identified in the EIA.
- Define legislative requirements, guidelines and best practices that apply to the project.
- Define the responsibilities of the project proponent.
- Define a monitoring mechanism and identify monitoring parameters in order to:
 - Ensure the complete implementation of all mitigation measures.
 - Ensure the effectiveness of the mitigation measures.
- Define requirements for environmental monitoring and auditing.
- Provide a mechanism for taking timely action in the face of unanticipated environmental situations.
- Identify training requirements at various levels.

10.2 Components of the EMP

The EMP consists of the following:

- Legislation and guidelines

- Organizational structure; roles and responsibilities
- Monitoring/Management plan
- Environmental monitoring
- Communication and documentation
- Change management Plan
- Training program/schedule

10.3 Legislation and guidelines

The EIA has discussed national and international legislation and guidelines that are relevant to the project; proponent will ensure that the project is conducted in conformance to the project proponent corporate environmental policy, national legislation and relevant international conventions and that guidance is sought from national and international guidelines. Project proponent will also ensure that its key project management staff and all its assigned contractors are aware of these legislation and guidelines prior to the start of project activities

10.4 Description of proposed mitigation actions

It lists all the mitigation measures identified in the EIA and the associated environmental or social aspect in line during construction and operational phase with the administrative framework involving all the responsible implementing authorities who are required to take the planned actions/measures and monitor it accordingly. It enhances project benefits by reducing its impacts and making it environmental friendly. The environmental management and monitoring plan is given below in table.

Table 13: Description of proposed mitigation actions

S r. N o.	Project Activity	Impacts	Mitigation Measures	Responsibility
1	Water Resources	<ul style="list-style-type: none"> ▪ Depletion in groundwater aquifer ▪ Water contamination 	<ul style="list-style-type: none"> ▪ Water extraction will be kept at minimum and waste management plan will be developed. ▪ Wastewater from construction & installation site will be directed to settling tanks. ▪ Fuel and chemicals will be stored in covered and with bund walls, underlain with impervious lining. ▪ Spill prevention plan shall be followed to mitigate any kind of spill. 	Proponent & Contractor
2	Air Quality	<ul style="list-style-type: none"> ▪ Dust emissions during construction activities. ▪ Combustion products from vehicles used for project-related activities. 	<ul style="list-style-type: none"> ▪ Water will be sprinkled daily on all exposed surfaces to suppress emission of dust. ▪ All construction equipment used during the project will be properly tuned and maintained in good working condition. ▪ Regular maintenance of project vehicles to ensure that engines are in sound working condition and are not emitting smoke; 	Proponent & Contractor
3	Noise	<ul style="list-style-type: none"> ▪ Noise Pollution ▪ Disturbance to the site workers ▪ Nuisance for surrounding communities and wildlife 	<ul style="list-style-type: none"> ▪ Proper maintenance of vehicles and potentially noisy equipment. ▪ Minimize/avoid unnecessary use of noisy machinery. ▪ Blowing of horn will be prohibited. ▪ Provision of Personal Protective Equipment (PPE) to the on-site personnel in high noise areas. 	Proponent & Contractor
4	Solid Waste	<ul style="list-style-type: none"> ▪ Surface and groundwater pollution ▪ Soil contamination 	<ul style="list-style-type: none"> ▪ Recyclable material will be separated at source and will be sold to waste contractor. ▪ Hazardous waste will be segregated and stored in closed 	Proponent & Contractor

Sr. No.	Project Activity	Impacts	Mitigation Measures	Responsibility
		<ul style="list-style-type: none"> ▪ Air pollution, odor ▪ Health hazards ▪ Aesthetic issues 	<p>containers in a fenced storage area with paved floor;</p> <ul style="list-style-type: none"> ▪ On-site audits of the waste management will be undertaken on a regular basis during the period of project activity. ▪ Records of all waste generated during the project activity period will be maintained. Quantities of waste disposed, recycled, or reused will be logged on a waste tracking register. ▪ Training will be provided to personnel for identification, segregation, and management of waste. ▪ No waste will be dumped at any location. 	
5	Traffic Control	<ul style="list-style-type: none"> ▪ Disturbance to local community 	<ul style="list-style-type: none"> ▪ Movement of vehicles (trucks) will remain confined to defined access and limited to a specific duration. ▪ Regular maintenance of vehicles to reduce exhaust emissions. ▪ Parking at NO PARKING areas shall not be allowed. 	Proponent & Contractor
6	Worker's Health and Safety	<ul style="list-style-type: none"> ▪ Health problems or immediate risk may take place. ▪ Occupational health of workers and community may be affected. 	<ul style="list-style-type: none"> ▪ Compliance to emergency response plan for emergencies and accidents will be ensured to avoid health safety risks. ▪ Work safety measures and good workmanship practices are to be followed by the contractor to ensure no health risks for laborers. ▪ Protection devices (earmuffs) will be provided to the workers operating in the vicinity of high noise generating machines. ▪ Proper maintenance of facilities for workers will be monitored. ▪ Provision of protective clothing for labors e.g. helmet, adequate footwear, protective goggles, gloves ▪ Ensure strict use of wearing PPE during work activities. ▪ Provision of proper safety signage at sensitive/accident prone spots. 	Proponent & Contractor
7	Socio-Economic / Local community	<ul style="list-style-type: none"> ▪ Community disturbance ▪ Community awareness ▪ Skilled and un-skilled jobs for local community 	<ul style="list-style-type: none"> ▪ All community grievances will be recorded and maintained in a Community Complaint's Register. ▪ Maximum number of unskilled and semi-skilled jobs will be reserved for the local communities. ▪ An increase in the income of locals may occur due to employment during project activ 	Proponent & Contractor

Table 14: Management and Monitoring Plan – Operation

Sr. No.	Project Activity	Impacts	Mitigation Measures	Responsibility
1	Water Use / Wastewater	<ul style="list-style-type: none"> ▪ Surface water contamination ▪ Pollution risk from accidental spillage 	<ul style="list-style-type: none"> ▪ Wastewater from the proposed activities will be contained in settling tanks and will be reused. ▪ Compliance of effluent with PEQS will be ensured prior to discharge in water body. ▪ Water conservation practices will be followed to minimize the water usage. ▪ Water use will be monitored periodically to ensure that water is not wasted. ▪ In case of any accidental spillage, emergency plan should be implemented. 	Proponent & Contractor
2	Air Emissions	<ul style="list-style-type: none"> ▪ Compliance with prescribed PEQS for ambient air 	<ul style="list-style-type: none"> ▪ Proper ventilation and exhaust system for air passages; ▪ Control of processing exhaust emissions by proper maintenance of production unit/equipment; ▪ Proper maintenance of machinery is required to control emissions; ▪ Daily maintenance of transport vehicles is required to control air emissions. 	Proponent & Contractor
3	Noise	<ul style="list-style-type: none"> ▪ Noise Pollution ▪ Disturbance to the personnel handling the installations 	<ul style="list-style-type: none"> ▪ The noise generating area at the operations will be lined with boundary wall to reduce impact on the workers. ▪ Operators of proposed developments will wear ear protections while operating or working nearby high noise emission sources. ▪ Tree plantation to reduce the effect of noise pollution. ▪ The proposed project will be placed such that the cumulative noise levels at walkways and worker locations will not exceed PEQS for noise. 	Proponent & Contractor
4	Waste Management	<p>If not managed properly;</p> <ul style="list-style-type: none"> ▪ Surface and groundwater pollution ▪ Soil contamination ▪ Air pollution, odor ▪ Health hazards ▪ Aesthetic issues 	<p>Solid waste management plan will be implemented and following mitigation measures will be taken:</p> <ul style="list-style-type: none"> ▪ Only municipal solid waste will be produced which will be segregated and disposed off using environment friendly techniques ▪ Area supervisor will mark the quantity/weight and nature of the material on the drums and logbook. ▪ Training will be provided to personnel for identification, segregation, and management of waste. 	Proponent & Contractor

BATALA STEEL INDUSTRIES, SHEIKHUPURA

5	Occupational Health and Safety	<ul style="list-style-type: none"> ▪ Health problems or immediate risk may take place. ▪ Occupational health of workers and community may be affected. 	<ul style="list-style-type: none"> ▪ Providing basic medical training, safety training to work staff and basic medical service during operations. ▪ Firefighting equipment, safe storage of hazardous material, first aid, security, fencing, and contingency measures in case of accidents. ▪ Provision of adequate sanitation, washing, cooking and dormitory facilities including light up to satisfaction; ▪ Adequate signage, safety cones, lightning devices, barriers, yellow tape and persons with flags. ▪ Adequate signage, safety cones, lightning devices, barriers, yellow tape and persons with flags during operations. 	Proponent & Contractor
---	--------------------------------	--	---	------------------------

10.5 Schedule of implementation and environmental budget

10.5.1 Schedule of implementation

This project will be completed in 05-06 months after getting Environmental Approval. The total cost of the project is **PKR 300 Million approx.** which includes; the cost of civil work, purchase of machinery and its installation, implementation of mitigation measures, site rehabilitation, etc.

10.5.2 Environmental budget

Environmental budget will be allocated for protection of environment. PKR 1.0 million will be allocated as environmental budget in both constructional and operational phase of project.

Table 15: Cost breakup of environmental budget

Constructional Phase		
Serial No.	Activity	Environmental Budget
1.	Air Quality Monitoring/Emission monitoring	Pkr/- 200,000
2.	Noise Monition	Pkr/- 50,000
3.	Waste Water Monitoring	Pkr/- 200,000
4.	Fire Safety	Pkr/- 200,000
5.	PPE's	Pkr/- 50,000
6.	Potential Environment Enhancement Measures	Pkr/- 200,000
Total		Pkr/- 100,000,0
Operational Phase		
Serial No.	Activity	Environmental Budget
1.	Air Quality Monitoring/Emission monitoring	Pkr/- 200,000
2.	Noise Monition	Pkr/- 50,000
3.	Waste Water Monitoring	Pkr/- 200,000
4.	Fire Safety	Pkr/- 200,000
5.	PPE's	Pkr/- 50,000
6.	Potential Environment Enhancement Measures	Pkr/- 200,000
Total		Pkr/- 100,000,0

10.6 Environmental management team along with their roles and responsibilities

Proponent shall hire environmental management team in operational phase of project. The roles and responsibilities of environmental management team are given below in table.

Table 16: Roles & responsibilities of environmental management team

Roles and Responsibilities		
Sr#	Concerned Persons	Duties

1	The Project Manager	<p>Following will be the responsibilities of the Project Proponent:</p> <ul style="list-style-type: none"> ▪ Ensure that the contractor is aware of all specifications, legal constraints, standards and procedures pertaining to the project specifically with regards to environment. ▪ Ensure that all stipulations within the EMMP are communicated and adhered to by contractor(s) ▪ Monitor the implementation of the EMMP throughout the project by means of site inspections and meetings. This will be documented as part of the minutes of the site meeting documents ▪ Ensuring project execution within defined budget and timelines ▪ Conducting regular check of the project status and meetings with project team ▪ Provide support and guidance to project team as and when needed ▪ Project proponent is expected to continually monitor and improve the overall performance of their operation
4	HSE Manager	<p>In addition to the health and safety responsibilities held by staff, managers and supervisors must do whatever is reasonably practical to ensure that both the workplace and the work itself are safe. This includes:</p> <ul style="list-style-type: none"> ▪ Ensuring that staff are appropriately trained and supervised ▪ Identifying, assessing and managing health and safety risks ▪ Consulting with workers (including staff, affiliates and contractors) ▪ Health and safety risk assessments ▪ Decisions are made about the measures to be taken to eliminate or control these risks ▪ Health and safety risk assessments ▪ Implementing health and safety risk management programs relevant to their operations, teaching, research and consulting functions and work environment ▪ Reporting investigating and responding to all hazards, accidents, incidents and taking action to control the risk ▪ Assisting with the development, implementation and maintenance of a return to work program for injured staff. ▪ Be fully conversant with the EIA and conditions of its approval ▪ Be fully conversant with the EMMP ▪ Be fully conversant with all relevant environmental legislation, policies and procedures, and ensure compliance ▪ Convey the contents of this document to the contractor site staff and discuss the contents in detail with the Project Manager and Contractor <ul style="list-style-type: none"> ▪ Undertake regular and comprehensive inspection of the site and surrounding areas in order to monitor compliance with the EMMP ▪ Take appropriate action if the specifications contained in the EMMP are not followed ▪ Monitor and verify that environmental impacts are kept to a minimum, as far as possible ▪ Review and approve construction methods, with input from the Site Manager, where necessary ▪ Ensure that activities on site comply with all relevant environmental legislation ▪ Compile progress reports on regular basis, with input from the Site Manager, for submission to the Project Manager, including a final post excavation audit ▪ Liaise with the Site Manager regarding the monitoring of the site ▪ Report any non-compliance or remedial measures that need to be applied

		<ul style="list-style-type: none"> ▪ All environmental problems arising on the construction area will be reported to the Site Manager by the Environmental Manager. Reports on such problems will be submitted to the Project Manager by the Site Manager
--	--	--

10.7 Proposed monitoring program to assess performance or output of EMP

For effective monitoring, management and documentation of the environmental performance during the construction and operational phase of the project, environmental matters will be discussed during meetings held on-site. Environmental concerns raised during the meetings will be mitigated after discussions between project proponent and the contractors. Any issues that require attention of project proponent higher management will communicate to them for action. Project proponent and its contractors will ensure that the communication and documentation requirements specified in the EMP are fulfilled during the project.

Environmental monitoring can be categorized into two types; 1) compliance monitoring and 2) effects monitoring. The environmental monitoring program is summarized in **Table 11** which identify the roles and responsibilities of project monitoring, further described in detail in following section

10.8 Compliance monitoring

Compliance monitoring will be carried out to ensure compliance with the requirements of the EIA. The objectives of the EIA compliance monitoring will be to:

- Systematically observe the activities undertaken by the contractors or any other person associated with the project.
- Verify that the activities are undertaken in compliance with the EIA and other conditions identified by project proponent.
- Document and communicate the observations to the concerned person(s) of project proponent so that any corrective measures, if required, can be taken timely.
- Maintain a record of all incidents of environmental significance and related actions and corrective measures.

Compliance monitoring will be the responsibility of all teams involved in the project activities i.e. project proponent and the contractors. Project proponent staff and contractors will carry out the inspections on a set frequency.

10.9 Effects monitoring

To monitor actual impacts of the project on selected sensitive receptors so that impacts not anticipated in the EIA or impacts which exceed the levels anticipated in the EIA can be identified and appropriate mitigation measures can be adopted in time. This objective will be achieved through effects monitoring.

Considering the environmental conditions of the project area and the assessment of potential impacts of the project made in the EIA, the following environmental parameters will be monitored at identified locations.

Air Quality Monitoring – Air quality monitoring will be done during the construction and operation phase of the project at the representative locations. Ambient air quality parameters will include NOX, SOX, CO, PM10, and Smoke.

Water Quality Monitoring – Ground and surface water quality monitoring will be done during the construction and operation phase of the project at the representative locations.

Groundwater Quality Parameters: Total Coliforms, Total Colonial Count, E-Coli, pH, TDS, Total Hardness, Nitrate, Chloride, Fluoride, Colour, Manganese, Aluminium, Chromium, Cadmium, Boron, Barium, Antimony, Arsenic, Cyanide, Mercury, Nickel.

Wastewater Quality Parameters: pH, DO, TSS, Alkalinity, BOD5, COD, Turbidity.

Noise Monitoring - The monitoring will be carried out at key locations covering all receptors

Table 17: Environmental monitoring plan

Component	Parameters	Monitoring Frequency		Responsibility	
		Construction	Operation	Construction	Operation
Ambient Air Quality	SO _x , NO _x , CO, PM ₁₀ , Smoke	Quarterly	As per EPA, Punjab Guidelines	Project Contractor	Proponent
Ground Water Quality	pH, TDS, Chloride, Fluoride, Colour, NO ₃ ⁻ , Selenium, Residual chlorine, Lead, Total hardness, Turbidity, Zinc, Manganese, Aluminium, Chromium, Cadmium, Boron, Barium, Antimony, Aresenic, Cyanide, Mercury, Nickel, Total Coliform, E.Coli, Total count.	Monthly	As per EPA, Punjab Guidelines	Project Contractor	Proponent
Surface & Waste Water Quality	pH, DO, TSS, Alkalinity, BOD ₅ , COD, Turbidity.	Quarterly	As per EPA, Punjab Guidelines	Project Contractor	Proponent
Noise Level	Using noise level meter (minimum dB and maximum dB)	Quarterly	As per EPA, Punjab Guidelines	Project Contractor	Proponent
Occupational Health & Safety	Proper provision of PPEs to workers	Daily	Daily	Project Contractor	Proponent

10.10 Proposed EMP reporting and reviewing procedures

During construction, EMP reporting and reviewing will be done by the contractor/HSE department. Regular monitoring will be done and reports will be submitted in EPA as per condition of Environmental Approval of construction phase.

- Monitoring reports will be reviewed by EMP team and HSE department
- Photographic records will also be maintained
- Recorded data will be reviewed by supervisory contractor/proponent so that it can be further improved if required.

10.11 Training needs

Environmental training will help to ensure that the requirements of the EIA and EMP are clearly understood and followed by all project personnel throughout the project period. Environmental training will form part of the environmental management system. The training will be directed towards all personnel for general environmental awareness

10.12 Objectives of the training program

The key objective of training program is to ensure that the requirements of the EMP are clearly understood and followed throughout the project. The trainings to the staff will help in communicating environmental related controls specified in the EIA and EMP.

10.13 Objectives of the training program

The key objective of training program is to ensure that the requirements of the EMP are clearly understood and followed throughout the project. The trainings to the staff will help in communicating environmental related controls specified in the EIA and EMP.

10.14 Training schedule

The training modules will include air, noise and water pollution monitoring, social awareness, Environmental Laws, Environmental Quality Standards usage of personal protection equipment, and health and safety related issues on the construction site.

The contractor will train all construction workers in basic sanitation and health care issues and in general health and safety matters, and on the specific hazards of their work. Training should also consist of basic hazard awareness, site specific hazards, safe work practices, and emergency procedures for fire, evacuation. A generic scope of the training which covers the requirements of the EIA and the EMP is discussed below in **Table 12** while site contractor will prepare site specific

training plan considering these training contents.

Table 18: Training needs

Target Audience	Contents	Schedule
Selected management staff of contractor and selected staff	<ul style="list-style-type: none"> ▪ Introduction to project EIA and EMP. Key findings of EIA ▪ Mitigation measures ▪ EMP ▪ Social and cultural values of the area. 	Prior to the start of project activities
All site personnel (including locally hired staff)	<ul style="list-style-type: none"> ▪ Environmental sensitivity of the project area ▪ Waste disposal ▪ Community issues/ Social and cultural values 	Prior to the start of project activities
Construction supervisor/ Installation crew	<ul style="list-style-type: none"> ▪ EMP communication, documentation and monitoring requirements. ▪ Good construction & installation practices. ▪ Dust emissions control 	Prior to the start of construction & installation activities
Drivers	<ul style="list-style-type: none"> ▪ Safety provision ▪ Road access restrictions ▪ Dust reduction ▪ Waste disposal ▪ Emergency response preparedness 	Before and during field operations
Selected staff o	Safety provision Hazardous waste disposal Emergency response preparedness	Prior to start of project operations

11 STAKEHOLDER'S CONSULTATION

Public consultation refers to the process by which the concerns of local affected persons and others who have plausible stake in impacts assessment of the project or activity are ascertained with a view to taking into account all the material concerns in the project or activity design as appropriate. According to the IEE and EIA Review Regulations, 2000 public consultation is mandatory for any socio-environmental study. For this purpose, assessment survey and public consultation sessions held with different stakeholder groups that may be impacted. The consultation process was carried out in accordance with the guidelines laid by EPA, Punjab. The objectives of this process were to:

- Share information with stakeholders on proposed project installation and operation.
- To access the impacts on the physical, biological, and socio-economic environment.
- Understand stakeholder concerns regarding various aspects of the project.
- Understand the perceptions, assessment of social impacts and concerns of the communities of the project area.
- Find out the awareness level and situation of acceptability to identify any issues for the implementation of said project.
- To invite people to express their views about the positive/negative impacts on their life styles and environment.

This report includes all the comments, which were taken into account in preparing the definitive development concept for the installation of the proposed unit.

11.1.1 Consultation mechanism

Primary stakeholders were consulted during informal and formal meetings. The consultation process was carried out in the Urdu language. During these meetings a simple, non-technical, description of the project was given, with an overview of the project's likely human and environmental impact. This was followed by an open discussion allowing participants to voice their concerns and opinions. In addition to providing communities with information on the proposed project, their feedback was documented during the primary stakeholder consultation. The issues and suggestions raised were recorded in field notes for analysis, and interpretation.

By reaching out to a wider segment of the population and using various communication tools such as participatory needs assessment, community consultation meetings, focus group

discussions, in-depth interviews, and participatory rural appraisal EIA involved the community in active decision-making. This process will continue even after this EIA has been submitted, as well as during future EIA in which similar tools will be used to create consensus among stakeholders on specific environmental and social issues.

Secondary stakeholder consultations were more formal as they involved government representatives and local organizations, consulted during face-to-face meetings. They were briefed on the EIA process, the project design, and the potential negative and positive impact of the project on the area's environment and communities. It was important not to raise community expectations unnecessarily or unrealistically during the stakeholder consultation meetings in order to avoid undue conflict with community's leaders or local administrators. The issues recorded in the consultation process were examined, validated, and addressed in the EIA report.

This section involves communication of possible impacts and concerns with

- Proponents Environmental Management Team
- The responsible authority
- Other departments and agencies
- Environmental Practitioners and experts
- Affected and wider community

11.2 Proponent's environmental management team

Consultation regarding establishment of Re-Rolling Mills was done with stakeholders and anticipated impacts were discussed. Concerns of locals, Environmental Practitioners & experts and Government departments were discussed and asked to consider them while construction of above-said project. Locals will be preferred for employment after providing proper training. Mitigations measures mentioned in EMP will be truly implemented.

11.3 The responsible authority

Overall responsibility for implementation of EMP will be that of project proponent. He will appoint an HSE/Project Manager of relevant qualification. HSE/Project Manager will act as Environmental Manager and will manage the all HSE condition at the PEQS.

11.4 The other departments and agencies

Different Government departments were consulted regarding establishment of proposed project. Government officer were consulted by the socio-environmental team of the consultants and

concerned details about the project were noted down through personal interviews, group meetings, etc., in their offices.

11.5 Environmental practitioners and experts

Consultation with Environmental Practitioners and experts was done and following comments and suggestions were observed.

Table 19: Consultation with environmental practitioners and experts

Name	Qualification	Comments/suggestions
Dr. Sabiha Khurram	Ph.D. Environmental Sciences	Following comments are summarized: <ul style="list-style-type: none"> ▪ Latest technology must be preferred ▪ Regular monitoring should be conducted
Ms. Nusrat Ehsan	Ph.D. (scholar) Environmental Sciences	<ul style="list-style-type: none"> ▪ She said that current project must be installed as : ▪ Quality steel will be available ▪ Import cost will be reduced ▪ Good household practices must be practiced
Mr. Danial Zaib	BS Environmental Sciences	He said that: <ul style="list-style-type: none"> ▪ Locals should be preferred for employment. ▪ In case of outsider’s residence must be provided ▪ Proper mitigation measures must be adopted while construction and operation of this project

11.6 Affected and wider community

Social survey was conducted to consult with local community. Their concerns were noticed and discussed with proponent and their team. Majority was in favor of project their details are given.

12 CONCLUSION AND RECOMMENDATION

Re-Rolling Mills respects the environment, supports sustainable development and is committed to environmentally sound business practices. The proposed project will provide affordable and high-quality steel to consumers. This study was carried out to assess the environmental and socioeconomic impacts of the proposed project. The assessment was carried out in keeping with the legislation of Pakistan, as well as national and international guidelines.

Baseline environmental and socioeconomic information was collected from a variety of sources, including reports of previous studies, published literature, and field surveys. The information collected was used to compose profiles of the natural, socioeconomic, and cultural environment likely to be affected by the project.

The proposed activities were reviewed, and an assessment was made of the potential impacts of these activities on the area's natural and socioeconomic environments, using both qualitative and quantitative assessment methods. Where appropriate, mitigation measures were recommended to keep the environmental impacts within acceptable limits.

It was analyzed that most of the aspects related with the proposed project have very minor impacts. It is therefore concluded that if the implementation of all mitigation measures is carried out as described in this report, the anticipated impact of the project on the area's natural and socioeconomic environment will be well within acceptable limits.

Proponent of subject project has expressed strong commitment to protection of the social and natural environment from any potential adverse impact of the project. A preventive maintenance philosophy supported by robust inspection plans and sound operational practices will be adopted to ensure sustainable and sound functioning of the proposed project. Therefore, it is recommended that the competent authority may please be issues Environmental Approval for the operation of this project.

13 APPENDICES

13.1 Glossary

Air Quality	Measurement of the pollutants in the air; a description of healthiness and safety of the atmosphere.
Consultation	Consultation refers to two-way transfer of information or joint discussion between project staff and the affected population. Systematic consultation implies a sustained and rigorous sharing of ideas. Bank experience shows that consultation often yields the best resettlement alternatives, fruitful procedures for continued participation, and independent information on actual conditions for implementation.
Closure	The action of making new or secret information known.
Env. Management	Attempt to control human impact on and interaction with the environment in order to preserve natural resources
Effluent	Wastewater - treated or untreated - that flows out of a treatment plant, sewer, or industrial outfall. Generally, refers to wastes discharged into surface waters.
Evaluation	The making of a judgment about the amount, number, or value of something; assessment.
Geology	A science that studies rocks, layers of soil, etc., in order to learn about the history of the Earth and its life.
Ground Water	Aquifers currently being used as a source of drinking water or those capable of supplying a public water system. They have a total dissolved solid content of 10,000 milligrams per liter or less and are not "exempted aquifers."
Hazardous	Substance or material, which could adversely affect the safety of the public, handlers or carriers during transportation.
Household	People residing under one roof, using the same hearth and operating as a single economic unit.
Impact	Effect on someone or something
Jurisdiction	The extent of the power to make legal decisions and judgments.
Land Acquisition	The process whereby a person is compelled by a public agency to cede all or part of the land a person owns or possesses, to the ownership and possession of that agency, for public purpose in return for

compensation

Supervising activities in progress to ensure they are on-course and on schedule in meeting the objectives and performance targets.

Occupational Health Maintenance of the highest degree of physical, mental and social wellbeing of workers in all occupations by preventing departures from health, controlling risks and the adaptation of work to people, and people to their jobs.

pH pH is a measure of how acidic/basic water is.

Project Area The area specified by the funding and/or implementing agency according to the Official Gazette Notification and includes the areas within the administrative limits of the Federal or a Provincial Government.

Proponent A person who advocates a theory, proposal, or course of action.

Capacity The volume of products or services that can be produced by an enterprise using current resources.

Quality Control A system of maintaining standards in manufactured products by testing a sample of the output against the specification.

Rehabilitation Include all compensatory measures to re-establish; at least lost incomes, livelihoods, living and social systems. It does not include the payment of compensation for required assets.

Scope The extent of the area or subject matter that something deals with or to which it is relevant.

Social Environment It includes the culture that the individual was educated or lives in, and the people and institutions with whom they interact.

Stakeholders Include affected persons and communities, proponents, private and public businesses, NGOs, host communities and EPA.

Topography Details of the surface features of land. It includes the mountains, hills, creeks, and other bumps and lumps on a particular hunk of earth.

13.2 LIST OF ABBREVIATIONS

EIA	Environmental Impact Assessment
EMMP	Environment Mitigation and Monitoring Plan
EMP	Environmental Management Plan
EPAs	Environmental Protection Agencies
PEPC	Pakistan Environmental Protection Council
NEP	National Environmental Policy
IEE	Initial Environmental Examination
NGO's	Non-Government Organizations
NOC	No Objection Certificate
O&M	Operation and Maintenance
PEPA	Pakistan Environmental Protection Act 1997
PEQS	Punjab Environmental Quality Standards
CBD	Convention on Biological Diversity
CITES	Convention on International Trade in Endangered Species
IUCN	International Union for Conservation of Nature
UNDP	United Nations Development Programmed
DO	District Officer
PKR	Pak Rupees
hr	Hour
mg/l	Milligram per Liter
mg/m ³	Milligram per Cubic Meter
PPE	Personal Protective Equipment
MEPCO	Multan Electric Power Company
QC	Quality Control
SEO	Site Environment Officer

SH&E	Safety Health & Environment
APHA	American Public Health Association
BOD	Biochemical Oxygen Demand
COD	Chemical Oxygen Demand
SPM	Suspended Particulate Matter
WWTP	Wastewater Treatment Plant
SMART	Self-Monitoring and Reporting Tool
NOX	Oxides of Nitrogen
SOX	Oxides of Sulphur
NCS	National Conservation Strategy
PM	Particulate Matter

13.3 LIST OF INDIVIDUALS AND ORGANIZATIONS CONSULTED ALONG WITH THEIR WRITTEN FEEDBACK

Sr No.	Interviewer's Name	Contact	
1.	MUHAMMAD IRFAN	34101-8754734-1	<p>The survey in the study area following concerns of the local community were noted:</p> <ul style="list-style-type: none"> ▪ Wastewater should be properly treated prior to final disposal in nearby drain. ▪ Solid waste should be managed effectively by adopting the standard practices of the area. ▪ Cleanliness of the area should be ensured. ▪ An effective EMMP should be designed and enforced with true spirit. ▪ Health of the workers should be ensured. ▪ Plantation should be carried out at extensive scale. ▪ Construction activity should be carried out during day hours. ▪ Noisy activities should be confined. ▪ Workers should be hired from local community. ▪ PPE's must be provided to workers ▪ Indigenous trees around the facility should be planted to control air pollution. ▪ Safeeda can be planted in the project area as the area is known to be affected by the logging and salinity. ▪ Removal of shrubs and bushes should be avoided to the extent possible.
2.	AHMAD	34101-7035024-1	
3.	BABAR BUTT	34601-3184932-1	
4.	AZAM JAVED	34101-3118065-9	
5.	MUHAMMAD IDREES	34101-2626672-1	
6.	AHSAN IQBAL	34101-7304213-5	
7.	MUHAMMAD DILAWAR	31201-7314614-9	
8.	UMAR FAROOQ	14201-9275846-5	
9.	HAMMAD WAHEED	36302-4205109-3	
10.	JAMSHAD YOUSAF	34101-7683748-9	
11.	MUHAMMAD JUNAID	34101-3402766-3	
12.	MUZAMMAL AMIN	34101-2240239-9	
13.	MUZAMMIL AKBAR	34101-8171975-5	
14.	ISHTIAQ RASHEED	34101-6266509-9	
15.	MUHAMMAD NOUMAN KHAN	34101-9621287-7	
16.	MUHAMMAD SUFYAN	34101-0775011-5	
17.	IFTIKHAR ALI	35404-7212533-9	
18.	MUHAMMAD KHALID MAHMOOD	34101-1992191-3	
19.	CH. MUHAMMAD YOUSAF	35401-6595576-7	
20.	ZAKA ULLAH	34104-2235142-7	
21.	ZEESHAN MUJAHID	34101-4175822-3	
22.	ALI RAZA	34101-1054833-1	
23.	SUFIAN AHMAD	34101-7432307-9	
24.	MUBASHAR KHALID	34101-2733211-5	
25.	FALAK SHER	34101-5490755-3	

13.4 SOURCES OF DATA AND FULL LIST OF ALL REFERENCE MATERIAL USED

Data was collected by:

- Field visits
- Published articles
- Stakeholder's consultation
- Client meetings'

13.5 TERMS OF REFERENCES

The consultants is required to carry out an environmental impact assessment study of the project under Section-12 of Pakistan Environmental Protection Act 1997/ Punjab Environmental Protection (Amendment) Act 2012.

The Study should be comprehensive and should cover all aspects which are envisaged under the relevant national and provincial laws & regulations including but not limited to:

- Identification and recommendation for suitable solution/treatment/mitigation measures for emissions and effluents such as wastewater and sludge etc. in accordance with Punjab Environmental Quality Standards (PEQS).
- Identification and recommendation for suitable solution/treatment/mitigation measures of solvents, oils (tar), hazardous waste, organic compounds, steam, flue gases, particulate matter and chemical compounds harmful for the environment and other substances leading to air, noise, water and soil pollution in accordance with PEQS.

The Study should be acceptable to the relevant national and/or provincial authorities (relevant authorities) in Punjab.

**13.6 LIST OF NAME, QUALIFICATION AND ROLES OF TEAM MEMBERS
CARRYING OUT IN IEE/EIA STUDY**

Sr.No.	Name	Designation	Role and Responsibility
1.	Dr. Mateen Shafqat		Technical Peer Review
2.	Mr. Kamal Ahmed Cheema	Lead Environmentalist	Technical Peer review
3.	Ms. Maham Ayesha	Manager Operations	Legal framework review and Stakeholder consultation IEE/EIA Expert, Environmental & Social Baseline, Report Writing.
4.	Arslan Iqbal	Environmentalist	Project Coordination and management, Impact Assessment and Mitigation Measures, Environmental Management Plan, Technical Report Writing.
5.	Mr. Jawad Shafiqe	Zoologist	Legal framework review and Stakeholder consultation, IEE/EIA Expert, Environmental & Social Baseline, Report Writing.
6.	Ms. Amna Hafeez	Environmentalist & GIS Expert	Legal framework review and Stakeholder consultation, IEE/EIA Expert, Environmental & Social Baseline, Report Writing. Project GIS Mapping
7.	Ms. Rahma Butt	GIS Expert	Legal framework review and Stakeholder consultation, IEE/EIA Expert, Environmental & Social Baseline, Report Writing.