

Table of Contents

| | |
|--|-----------|
| CHAPTER 1: INTRODUCTION | 12 |
| 1.1 Purpose of Report..... | 12 |
| 1.2 Screening:..... | 12 |
| 1.3 The Proponent | 12 |
| 1.4 Project Nature and Size | 13 |
| 1.5 Project Location | 13 |
| 1.6 Regulatory Compliance..... | 13 |
| 1.7 Details of Consultant..... | 14 |
| CHAPTER 2: PROJECT DESCRIPTION..... | 15 |
| 2.1 Screening/Type and Category of Project | 15 |
| 2.2 Objectives of Project | 15 |
| 2.3 Alternatives | 15 |
| 2.3.1 Relocation Option | 16 |
| 2.3.2 Project Alternatives | 16 |
| 2.3.2 Site Alternatives | 16 |
| 2.4 Location and Layout of Project..... | 17 |
| 2.5 Land Use on Site | 17 |
| 2.6 Road Access | 17 |
| 2.7 Vegetative Features | 18 |
| 2.8 Cost and Magnitude of Operation | 18 |
| 2.9 Schedule of implementation..... | 19 |
| Preconstruction phase..... | 20 |
| Construction phase | 20 |
| Operational phase..... | 20 |
| 2.10 Project Description | 20 |
| 2.10.1 Project's Construction Activities | 20 |
| 2.10.2 Project's Operational Activities | 22 |
| 2.10.3 Process flow | 23 |
| 2.11 Amenities | 23 |
| 2.11.1 Electricity | 23 |
| 2.11.2 Ground Water Resource | 23 |
| 2.11.3 Construction Material..... | 24 |
| 2.12 Management Plans | 24 |
| Air Emissions..... | 24 |
| Wastewater Management and Disposal | 25 |
| Waste Management..... | 25 |
| 2.13 Staff/Manpower..... | 26 |
| 2.14 Emergency Preparedness..... | 26 |
| 2.14.1 Safety Trainings | 26 |
| 2.14.2 Use of Drugs and Narcotics | 26 |
| 2.14.3 Personal Protective Equipment | 26 |

| | | |
|--|---|------------------------------|
| 2.14.4 | Emergency Response Plan | 27 |
| 2.14.5 | Fire Management..... | 27 |
| 2.15 | List of Machinery | 27 |
| 2.16 | Relocation and Rehabilitation Plan | 28 |
| 2.17 | Land ownership Documents..... | 28 |
| 2.18 | Government Approvals | 28 |
| CHAPTER 3: DESCRIPTION OF THE ENVIRONMENT | | 29 |
| 3.1 | PHYSICAL RESOURCES | Error! Bookmark not defined. |
| 3.1.1 | Geography..... | Error! Bookmark not defined. |
| 3.1.2 | Geology and Soils | Error! Bookmark not defined. |
| 3.1.3 | Climatology | Error! Bookmark not defined. |
| 3.1.4 | Surface Water & Ground Water | Error! Bookmark not defined. |
| 3.1.5 | Seismology..... | Error! Bookmark not defined. |
| 3.1.6 | Flooding | Error! Bookmark not defined. |
| 3.1.7 | Water Logging and Salinity | Error! Bookmark not defined. |
| 3.1.8 | Air Quality..... | Error! Bookmark not defined. |
| 3.1.9 | Noise Level Determined..... | Error! Bookmark not defined. |
| 3.2 | Ecological Resources | Error! Bookmark not defined. |
| 3.2.1 | Marine and Aquatic Ecology..... | Error! Bookmark not defined. |
| 3.2.2 | Flora | Error! Bookmark not defined. |
| 3.2.3 | Fauna..... | Error! Bookmark not defined. |
| 3.2.4 | Endangered Species | Error! Bookmark not defined. |
| 3.3 | Economic Development | Error! Bookmark not defined. |
| 3.3.1 | Agriculture, Industries and Tourism | Error! Bookmark not defined. |
| 3.3.2 | Transportation..... | Error! Bookmark not defined. |
| 3.3.3 | Energy Sources..... | Error! Bookmark not defined. |
| 3.4 | Quality of Life Values..... | Error! Bookmark not defined. |
| 3.4.1 | Communities Population and Features..... | Error! Bookmark not defined. |
| 3.4.2 | Socioeconomic Conditions | Error! Bookmark not defined. |
| 3.5 | Stakeholder Consultation | Error! Bookmark not defined. |
| 3.5.1 | Methods of Public Consultation..... | Error! Bookmark not defined. |
| 3.5.2 | Project Response..... | Error! Bookmark not defined. |
| 3.5.3 | Concerns and Solutions | Error! Bookmark not defined. |
| CHAPTER 4: IMPACT ASSESSMENT MITIGATION | | 41 |
| 4.1 | Objectives..... | 41 |
| 4.2 | Methodology | 41 |
| 4.2.1 | Magnitude..... | 41 |

| | | |
|---|--|----|
| 4.2.2 | Immediacy | 41 |
| 4.2.3 | Sustainability and Reversibility | 42 |
| 4.3 | Purpose of Mitigation Measure | 42 |
| 4.3.1 | What is the problem?..... | 42 |
| 4.3.2 | When problem will occur and when it should be addressed? | 42 |
| 4.3.3 | Where problem should be addressed? | 42 |
| 4.3.4 | How the problem should be addressed?..... | 42 |
| 4.3.5 | Ways of Achieving Mitigation Measures?..... | 42 |
| 4.3.6 | Changing in Planning Design..... | 42 |
| 4.4 | Improved Management and Monitoring Practices | 43 |
| 4.5 | Impacts Associated with Project Location | 43 |
| 4.6 | Impact Assessment Methodology | 43 |
| 4.6.1 | Screening of Potential Impacts..... | 44 |
| 4.6.2 | Identification of Mitigation Measures..... | 44 |
| 4.6.3 | Evaluation of the Residual Impacts..... | 44 |
| 4.6.4 | Identification of Monitoring Requirements..... | 44 |
| CHAPTER 5: SCREENING OF IMPACTS AND THEIR MITIGATION MEASURE | | |
| 45 | | |
| 5.1 | Impact Evaluation | 45 |
| 5.1.1 | Methodology for Impact Evaluation | 45 |
| 5.2 | Impact and Mitigation Management | 49 |
| 5.2.1 | Approaches for Mitigation Measures..... | 49 |
| 5.3 | Expected Positive Impacts | 50 |
| 5.3.1 | Increase in Employment Opportunities during Construction Phase | 50 |
| 5.3.2 | Efficient and Economic Residential Availability..... | 50 |
| 5.4 | Adverse Impacts and Mitigation Measures | 50 |
| 5.5 | Impacts Due to Project Location | 50 |
| 5.5.1 | Relocation of People | 50 |
| 5.5.2 | Loss of Vegetation | 50 |
| 5.5.3 | Shifting of Utilities..... | 50 |
| 5.5.4 | Impact on Archaeological/Cultural Property | 51 |
| 5.6 | Impacts Due to Project Design..... | 51 |
| 5.7 | Impacts Due to Project Construction | 51 |
| 5.7.1 | Contamination of Soil and Water Quality Degradation | 51 |
| 5.7.2 | Impact on Air Quality | 52 |
| 5.7.3 | Soil Erosion | 53 |
| 5.7.4 | Noise Pollution..... | 54 |
| 5.7.5 | Traffic Congestion..... | 54 |
| 5.7.6 | Solid Waste | 55 |
| 5.7.7 | Ecological Impact..... | 55 |
| 5.7.8 | Social Impacts | 56 |
| 5.8 | Impacts Due to Project Operation | 57 |
| 5.8.1 | Air Environment..... | 57 |
| 5.8.2 | Noise..... | 58 |
| 5.8.3 | Water Environment | 58 |

| | | |
|---|---|----|
| 5.8.4 | Solid Waste | 58 |
| 5.9 | Potential Environmental Enhancement Measures..... | 59 |
| 5.9.1 | Tree Plantation | 59 |
| CHAPTER 6: ENVIRONMENTAL MANAGEMENT AND MONITORING PLANS 60 | | |
| 6.1 | Objectives..... | 60 |
| 6.2 | Management Approach | 60 |
| 6.2.1 | Proponent | 61 |
| 6.2.2 | Contractors | 61 |
| 6.3 | Components of EMMP..... | 61 |
| 6.3.1 | Remedial and Mitigation Measures..... | 61 |
| 6.4 | Environmental Management and Monitoring Framework..... | 61 |
| 6.4.1 | Environmental Management Team | 75 |
| 6.4.2 | Impacts Management and Monitoring Plans..... | 77 |
| 6.6 | Proposed EMP Reporting and Reviewing Procedures | 87 |
| 6.6.1 | Meetings | 87 |
| 6.6.2 | Changes-Record Register..... | 88 |
| 6.6 | Training and Capacity Building | 88 |
| 6.7 | Impacts and their Mitigation Summary..... | 89 |
| 6.8 | Equipment Maintenance Details | 90 |
| 6.9 | Environmental Budget..... | 90 |
| CHAPTER 7: PUBLIC CONSULTATION AND INFORMATION DISCLOSURE 91 | | |
| 7.1 | Proponent's Environmental Management Team..... | 91 |
| 7.2 | The Responsible Authority..... | 93 |
| 7.3 | Objectives of Consultation | 94 |
| 7.4 | Identification of Stakeholders | 94 |
| 7.4.1 | Direct Stakeholders | 94 |
| 7.4.2 | Indirect Stakeholders | 95 |
| 7.4.3 | Other Departments and Agencies..... | 95 |
| 7.5 | Public Disclosure..... | 95 |
| 7.6 | Consultation Process | 95 |
| 7.7 | Environmental Practitioners and Experts | 96 |
| 7.8 | Affected and Wider Community | 96 |
| 7.8.1 | Views, Concerns and Suggestions of Various Stakeholders | 97 |
| 7.9 | Addressing Public Concerns | 97 |
| 7.10 | Acceptance Level of the Project..... | 98 |
| CHAPTER 8: CONCLUSION & RECOMMENDATIONS 99 | | |
| 8.1 | Merits and Demerits | 99 |
| 8.2 | Recommendations | 99 |

LIST OF TABLES

| | |
|--|----|
| Table 1: Salient Features of Project | 7 |
| Table 2: Details of Proponent | 12 |
| Table 3: Consultant Details..... | 14 |
| Table 4: Vegetative Features of the Project Area | 18 |
| Table 5: Cost Breakup | 19 |
| Table 6: Breakup of Environmental Budget | 19 |
| Table 7 List of Chemicals and Dyes | 22 |
| Table 8: Concerns and Solutions | 31 |
| Table 9: Impact Screening Checklist | 46 |
| Table 10: Impact Evaluation Matrix | 48 |
| Table 11: Approaches for Mitigation Measures | 49 |
| Table 12: Environmental Management & Monitoring Plan | 62 |
| Table 13: Environmental Management and Monitoring Plan..... | 73 |
| Table 14: Roles and Responsibilities | 75 |
| Table 15: Environmental Monitoring Plan | 78 |
| Table 16: Air Quality Management and Monitoring Plan | 80 |
| Table 17: Wastewater Management and Monitoring Plan | 82 |
| Table 18: Health and Safety Plan Management and Monitoring Plan..... | 85 |
| Table 19: Training and Capacity Building Plan | 88 |
| Table 20: Impacts Summary | 89 |

EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

LIST OF FIGURES

| | |
|--|----|
| Figure 1: Demarcated Area of Mega Fabric Processing | 13 |
| Figure 2: Design of Dry Scrubber..... | 26 |
| Figure 3: Manufacturing process..... | 31 |
| Figure 4: Agro-Ecological Zones of Pakistan..... | 36 |
| Figure 5: Seismic Zones of Pakistan..... | 37 |
| Figure 6: Projected Population of Multan..... | 41 |
| Figure 7: Literacy Rate of Project Area..... | 42 |
| Figure 8: Income Level..... | 43 |
| Figure 9: Occupation of the locals..... | 43 |
| Figure 10: Percentage of people in favor or against the project..... | 46 |
| Figure 11: Impact Assessment Hierarchy..... | 58 |



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

EXECUTIVE SUMMARY

This executive summary presents an overview of the main findings of the Environmental Impact Assessment Report for Mega Fabric Processing at Peeran Ghaib Pull Chawan, Mushtaq Colony, Canal Road Tehsil & District Multan. The main goal of this project is to establish a dyeing unit to cope with growing market need and remain competitive in the market.

1. Introduction

The said project is the establishment of “**Mega Fabric Processing**”. According to Schedule-II of IEE and EIA Regulations, 2022; the proposed project falls under Category B (6) Textile Unit Comprising of Dyeing & Printing i.e., the project requires an EIA Study. Thus, an EIA Report is being prepared and submitted accordingly for environmental approval.

The estimated project cost is **PKR 65 Million**, the breakdown of the project cost is given in Chapter 2 of this EIA Report.

2. Project Description

The project comprises of dyeing unit. The raw material will be ecru fabric and the final product will be a dyed fabric which will be made in environmentally and economically friendly manner. The total area of the project is 14175 SFT and area around the project is self-develop industrial land. It is located at Peeran Ghaib Pull Chawan, Mushtaq Colony, Canal Road Tehsil & District Multan. Hence, the EIA of Mega Fabric Processing is being submitted for environmental approval.

3. Name of Organization Preparing the Report

EnvironTech Consultants (Pvt) Ltd.

Office No. 11, 2nd Floor, Center Point Plaza, Main Boulevard Gulberg, Lahore.

Phone: 0303-4342302

Table 1: Salient Features of Project

| Sr# | Project Salient Features | |
|------------|---------------------------------|--|
| 1. | Project Title | Mega Fabric Processing. |
| 2. | Purpose of Project | The primary objective of dyeing is to apply uniform color to the substrate (fabric) with required color fastness. |
| 3. | Project Location | Peeran Ghaib Pull Chawan, Mushtaq Colony, Canal Road Tehsil & District Multan. Coordinates: 31°38'11.5"N 73°11'39.1"E |
| 4. | Total Area of Project | 14175 SFT |

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore

Contact +92-303-4342302

| | | |
|--|-----------------------------|--|
| 5. | Capacity | 30 Ton/day |
| 6. | Cost of the Project | PKR 65 Million |
| 7. | Proponent Name | Muhammad Yousaf S/O Muhammad Maqbool |
| 8. | CNIC Number | 36302-0394222-7 |
| 9. | Address of Proponent | House No1799, Muhalla Purana Salli Khana, T.B Hospital Road Multan. |
| 10. | Consultant Name | EnvironTech Consultants |
| 11. | Nature of Area | Self-develop Industrial |
| 12. | Seismicity | 2A-Medium Intensity Level |
| 13. | Tree Planation | At Designated Green Areas |
| 14. | Water Source | Groundwater |
| 15. | Water Requirements | During construction works water is used for concrete preparation, watering the construction sites, as well as for ensuring proper conditions for workers. Taking into account that construction activities will be implemented on one working site. In total water consumption for construction phase will be 5m ³ /day. Water used for concrete preparation and watering the construction site is considered as non-return water. Water required for drinking and domestic purpose would be 6-7 m ³ /day. |
| 16. | Wastewater | Process wastewater generated will be treated through Wastewater Treatment Plant. However, wastewater originated as a result of domestic use is estimated at 0.56m ³ /day. The wastewater generated will be treated in septic tank. After treatment it will be discharged in the Municipal drain. |
| 17. | Solid Waste | During the construction and operation phases, solid waste will be transported to the city's waste dumping site through solid waste bunkers. |
| 18. | Source of Power | WAPDA (MEPCO) |
| 19. | Manpower/Staff | 20-25 employees |
| *WAPDA= Water and Power Development Authority; | | |

4. Major Impacts and Recommended Mitigation Measures

In order to identify all the impacts associated with the project during constructional/operational activity with potential to cause adverse environmental impacts, a thorough review has been conducted. Although, there is very low chances of any adverse impact's occurrence on the surrounding environment. However, in case of impact arises from the project activity possible necessary measures will be adopted to control the same. Overall, the project has positive social impacts specifically on the local population and generally contributes in Pakistan GDP. The project may have some adverse environmental impacts of minor to moderate magnitude which will be controlled through mitigation measures proposed in Environmental Management and Monitoring Plan (EMMP). Moreover, clearing of the vegetation will be done during site clearance but restoration and reclamation will be carried out by the plantation of native species in specified green areas. Environmental impacts have been identified and mitigation measures are recommended within the Project Area of Influence; which lies within 1 km boundary of the proposed project facilities. The major impacts on physical, biological and social environments are described as under:

Impact Summary

| Environmental Parameters | Impact Assessment during Different Phases | |
|--------------------------------|---|-------------|
| | Construction | Operational |
| A: Physical | | |
| Land Resources | | |
| Soil Erosion and Contamination | -2p | 0 |
| Transportation | -1t | -1t |
| Solid Waste and By-Products | -2t | -2p |
| Land Use | -2p | NA |
| Air Resources | | |
| Noise Pollution | -1t | -1t |
| Air Emission | -1t | -1t |
| Dust | -1t | -1t |
| Odor | NA | -2t |
| Water Resources | | |
| Ground Water | -1p | -1p |
| Surface Water | NA | NA |
| Wastewater | -1p | -2p |
| B: Ecological | | |
| Flora | | |
| Tree Cutting | -1p | +1p |

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore
Contact +92-303-4342302

| Fauna | | |
|---|-----|-----|
| Terrestrial Fauna | -1p | +1p |
| C: Socio-Economic | | |
| Employment Opportunities | +1t | +1p |
| Land Value Appreciation | +1t | +2t |
| D: Hazards | | |
| Biological Hazards | NA | NA |
| Physical Hazards | -1t | -1p |
| Chemical Hazards | 0 | -1p |
| Health and Safety | -1t | -1p |
| <i>Legends: 1= Low; 2= Medium; 3= High; 4= Extremely High; NA= Not Applicable; t= Temporary; p= Permanent; app= Applicable; 0= Negligible</i> | | |

5. Environmental and Social Monitoring Plan

Environmental Management and Monitoring Plan (EMMP) were developed for effective implementation of the recommended mitigation measures. The EMMP includes check and balance to control and minimize the identified impacts and monitoring programs to oversee residual impacts, if any, during the operational phase. The EMMP describes procedures to be followed throughout the operation of the project. It also identifies the roles and responsibilities of all concerned personnel, including the persons reporting during the different project phases. Mitigations for physical, biological and socio-economic parameters will be measured to determine compliance with standards established in EMMP. The Monitoring Plan will record the inputs provided by various participants in the environmental and social management process. It will also check whether the prescribed national and provincial guidelines and plans are being followed and that the required mitigation measures and activities are being accomplished in time.

6. Monitoring Plans

During operational phase, monitoring is required to be carried out at least once in a month during rainy season to check the soil contamination and surface water level/condition. Moreover, periodic monitoring should also be carried out regarding ambient air quality, noise and dust level and worker safety. A detailed site monitoring plan has been developed and given in Chapter-6 of this EIA Report.

7. Conclusion

The findings of EIA Report showed that although the project is expected to have significant minor to moderate negative impacts on the environment during the operational phase, but the severity of these adverse impacts can be reduced significantly by adopting EMMP with true

spirit as proposed in the Chapter 6 of this EIA Report. The impacts were assessed by frequent site visits, studying related projects and by reviewing the documents. Generally, the project is planned to follow efficient environmental management systems. Specific environmental and social benefits have been mentioned below which depend on the proper application of mitigation measures suggested in EMMP and best engineering practices.

8. Recommendations

The intensity and severity of impacts occurred due to establishment of Mega Fabric Processing varies with change in the nature and magnitude of the project as well as depends upon the baseline environmental conditions of the area. The mitigation measures will require constant information flow and consultation with the stakeholders to ensure the least adverse social-economic impact to outweigh the “no project development” scenario.

- ⊗ The adverse environmental impacts can be reduced significantly by adopting best management and monitoring practices as well as by implementation EMMP with true spirit.
- ⊗ Proper PPEs including gloves, face masks, head gear etc. will be provided.
- ⊗ No compromise on public health and environment should be allowed.
- ⊗ Waste minimization practices should be introduced to workers by conducting lectures on spot to aware the workers about the long-term benefits of the same in lieu of surrounding environment.
- ⊗ A proper tree plantation plan should also be developed in order to make the process environment friendly.
- ⊗ Small domestic waste storage bins should be placed at different locations for proper collection and disposal of the solid waste.
- ⊗ It is recommended that the Proponent should obtain an Environmental Approval (NOC) from the Punjab-EPA before proceeding further.

CHAPTER 1: INTRODUCTION

1.1 Purpose of Report

The main objectives of this EIA Study were:

- ⊙ To determine and record the state of the environment of the project area to establish a baseline to assess the suitability of the project in that proposed area.
- ⊙ To identify pre-construction/design, construction, and operation activities and to assess their impacts on environment.
- ⊙ Aid the proponent for planning, designing and implementing the project in a way that would eliminate or minimize the negative impact on the biophysical and socio-economic environment and maximizing the benefits to all parties in the cost-effective manner.
- ⊙ To present mitigation and monitoring plan for smooth implementation of the suggested mitigation measures and supervise their efficiency and effectiveness.
- ⊙ To provide opportunity to the public for understanding the project and its impacts on the community and their environment in the context of sustainable development
- ⊙ Prepare an EIA Report for submission to the EPA, Punjab for Environmental Approval (NOC)

1.2 Screening:

As per Review of Environmental Impact Assessment (IEE) and Environmental Impact Assessment (EIA) Regulations, 2022 According to Schedule-II of IEE and EIA Regulations, 2022; the proposed project falls under **Category B (6) Textile Unit** Comprising of Dying & Printing i.e., the project requires an EIA Study.

1.3 The Proponent

The details of the proponent of the proposed project are given below:

Table 2: Details of Proponent

| | | |
|----|---------|---|
| 1. | Name | Muhammad Yousaf S/O Muhammad Maqbool CNIC No: 36302-03994222-7 |
| 2. | Company | Mega Fabric Processing. |
| 3. | Address | House No1799, Muhala Purana Salli Khana, T.B Hospital Road Multan |

1.4 Project Nature and Size

The proposed project is the establishment of “Mega Fabric Processing” at Peeran Ghaib Pull Chawan, Mushtaq Colony, Canal Road Tehsil & District Multan. The proponent’s objective is to develop the 14175 SFT of area into a Dyeing unit.

The estimated project cost is **PKR 65 million**, the breakdown of the project cost is given in Chapter 2 of this EIA Report.

1.5 Project Location

The proposed location for the establishment of proposed project of **Mega Fabric Processing** is at Peeran Ghaib Pull Chawan, Mushtaq Colony, Canal Road Tehsil & District Multan. The geographical location of the proposed area $31^{\circ}38'11.5''N$ $73^{\circ}11'39.1''E$. The total demarcated 2 area is given below;




Figure 1: Demarcated Area of Mega Fabric Processing

Environmental sensitivity of the project includes the distance between the project area periphery from ecologically important features and socially significant infrastructures present in the study area. No ecology sensitive receptor such as; forest or reserved area is present within 4-5 km vicinity that could be impacted due to the installation and operation of the proposed project.

1.6 Regulatory Compliance

As per IEE/EIA Regulations 2022, it is mandatory for the proponent of any development project to obtain Environmental Approval (NOC) from EPA by filing an IEE or EIA as the

case may be. For this purpose, the proponent has decided to engage environmental consultants, **M/S EnvironTech Consultants Pvt Ltd** to prepare EIA Report. The purpose of this study is to identify the environmental and social baseline of the project and study area i.e., physical, biological, socio-economic, cultural changes and to assess all possible impacts anticipated during the installation and operation phases of the proposed project with the aim to find out appropriate mitigation measures to either eliminate those impacts or to bring them to acceptable level as well as to formulate Environmental Management and Monitoring Plan (EMMP) for implementation in sustainable manner. This EIA Report provides relevant information as required under the officially approved format, to help the decision makers i.e., EPA Punjab before issuing for the Environmental Approval.

Following rules, regulations and acts are considered for the commencement of the proposed project:

- ⇒ Punjab Environmental Protection Act, 1997 (Amended 2012)
- ⇒ Punjab Environmental Quality Standards (PEQS)
- ⇒ Self-Monitoring and Reporting Rules (SMART)
- ⇒ Environmental, Health and Safety Guidelines

1.7 Details of Consultant

The proponent of **Mega Fabric Processing** has engaged **EnvironTech Consultant** to carry out the IEE Study for the installation and operation of aforesaid project in accordance with Punjab-EPA guidelines. For this purpose, the company engaged the group of professionals which comprises of environmental specialists and social scientists. The details of the consultant are given below:

Table 3: Consultant Details

| Consultant Details | |
|---------------------------|---|
| Consultant | EnvironTech Consultants |
| Address | Office no.11 (2 nd floor) Centre point Plaza, Main Boulevard Lahore. |
| Contact No. | 0301-8176593 |
| Focal Person | |
| Name | Amna Hafeez |

CHAPTER 2: PROJECT DESCRIPTION

This section of the study concentrates on details of the project and its salient features, such as its location, site layout, objectives, selection of alternative sites and technology, cost, and magnitude of operation.

2.1 Screening/Type and Category of Project

Section 12 of Punjab Environmental Protection Act, 1997 (amended 2012) states “No proponent of a project shall commence construction or operation unless he has filed with the Government Agency designated by Federal Environmental Protection Agency or Provincial Environmental Protection Agencies, as the case may be, or, where the project is likely to cause an adverse environmental effects an Environmental Impact Assessment (IEE), and has obtained from the Government Agency approval in respect thereof.” Punjab Environmental Protection Act provided the guidelines for categorizing the projects. According to Schedule-I of IEE and EIA Regulations, 2022; the proposed project falls under **Category B (6) Textile Unit** Comprising of Dying & Printing) i.e., the project requires an EIA Study. Thus, an EIA Report is being prepared and submitted accordingly for approval.

The proposed project is the establishment of Dyeing unit. Total cost of the project 65 million.

2.2 Objectives of Project

Although the principal purpose of the building relates to the economic development of the city at national level, the proposed development also aims to:

- The primary objective of dyeing is to apply uniform color to the substrate (fabric) with required color fastness
- Be fully integrated with and supplement the existing infrastructure in the city.
- Enable working and recreation within a self-contained location.
- Become fully self sufficient to meet customer needs.
- Defend market share opposite an ambitious competitor & realize efficiency of scale.
- Remain competitive.
- Create new employment opportunities as a part of the project activities scope.

2.3 Alternatives

The details of the site alternatives and technology alternatives are discussed below:

2.3.1 Relocation Option

Relocation option to a different site is an option available for the project implementation. At present the proponent does not have an alternative site. Looking for the land to accommodate the scale and size of the project and completing official transaction on it may take more than three years although there is no guarantee that the land would be available. This would also lead to a situation like No Project Alternative option.

The other consequence of this is that it would be a discouragement for private/local investors. In consideration of the above concerns and assessment of the current proposed site, relocation of the project is not a viable option.

2.3.2 Project Alternatives

The No Project option in respect to the proposed project implies that the status quo is maintained. This option is the most suitable alternative from an extreme environmental perspective as it ensures non-interference with the existing conditions.

The No Project Option is the least preferred from the socio-economic and partly environmental perspective due to the following factors:

- I. Local skills would remain under-utilized.
- II. Reduced interaction both at local, national, and international levels.
- III. Discouragement for investors

From the analysis above, it becomes apparent that the No Project alternative is no alternative to the local people and proponent.

2.3.2 Site Alternatives

Since the proposed project is to be located in an industrial area, under the undisputed lease of proponent the site is most feasible in context of environment as well as in achieving the intended objectives. The selected site also houses no ecologically sensitive area within a 10 km radius and status of current Environment is satisfactory, so, it is best suited for the project.

Moreover, the site is considered suitable because of the following features:

- The proposed site falls under the jurisdiction of the proponent and has been acquired for construction of a unit. It has been observed to be almost level in topography, with sparse vegetation located inside the site area.
- No endangered fauna/flora has been observed near the project site.
- The proposed site does not fall in any category of protected or environmentally sensitive area.

The location of project is best suited for proposed activities. So, no alternative for site is analyzed.

2.4 Location and Layout of Project

The proposed location for the establishment of proposed project of **Mega Fabric Processing** at Peeran Ghaib Pull Chawan, Mushtaq Colony, Canal Road Tehsil & District Multan. The geographical location of the proposed area $31^{\circ}38'11.5''N$ $73^{\circ}11'39.1''E$. The total demarcated project area is given below:



Figure 2: Project Area

The surface land in and around the project area is leveled and fertile being reserved for industrial purpose. No ecology sensitive receptor such as; forest or reserved area is present within **10 km** vicinity that could be impacted due to the establishment of this project.

2.5 Land Use on Site

Open Industrial Land

2.6 Road Access

The project site is well connected to road network **i.e., M-3 Industrial City Road**. The road network is shown below in Figure.




Figure 3: Road Access Plan

2.7 Vegetative Features

The area around the project area is industrial. There are no such vegetative features in or around the area include except some self-growing trees of kikar and wild grass.

Table 4: Vegetative Features of the Project Area

| Sr.# | Local Name | Type | Biological Name |
|------|--------------|-------------|---------------------------|
| 1 | Kikar | Throne Tree | <i>Prosopis juliflora</i> |
| 2 | Wild Grasses | Grass | -- |

2.8 Cost and Magnitude of Operation

Following fixed and working capital requirements have been identified for operations of the proposed business. The activities will include:

- Land
- Building and Infrastructure
- Furniture and Fixture
- Office Equipment Health and Safety Management at site
- Transportation of raw-material and final product
- Plantation of trees

The cost for the proposed project would be 65 million PKR. Breakdown of cost is given in Table below. Environmental Budget: Approximately 0.1 million.

Table 5: Cost Breakup

| S# | Kinds of Cost | Amount |
|----|--|-------------------|
| 1 | Land cost | 26 million |
| 2 | Machinery Cost | 20 million |
| 3 | Land Development, Infrastructure & Construction Cost | 18.9 million |
| 4 | Environmental Budget | 0.1 million |
| 5 | Total Cost | 65 million |

Table 6: Breakup of Environmental Budget

| Environmental Budget: 1 million | |
|--|----------|
| Construction | |
| Ambient air monitoring | 25,000/- |
| Noise monitoring | 10,000/- |
| Water quality monitoring | 25,000/- |
| Health & safety | 25,000/- |
| Worker's training | 15,000/- |
| Operation | |
| Environmental Monitoring (Ambient Air, Noise) | 25,000/- |
| Solid waste management | 20,000/- |
| Wastewater management | 25,000/- |
| Plantation/green belt development | 30,000/- |

2.9 Schedule of implementation

The completion duration of Mega Fabric Processing is about 1 year. There will be a symmetrical process. The process is divided in to 3 phases.

Preconstruction phase

This phase includes:

- Site investigation & Evaluation
- Budgeting
- Design
- Schedules of working
- Obtaining all relevant NOC

Construction phase

This phase includes:

- Management team & Construction Crew
- Excavation
- Construction of building
- Provision of allied facilities
- Mitigation process
- Amenities Development
- Managing safety
- Monitoring & Evaluation

Operational phase

This phase includes:

- Implementation of fire safety, emergency evacuation plans
- Security management
- Finishing of amenities
- Availability for buying and rental purpose

2.10 Project Description

The main goal of this project is to establish a dyeing unit to cope with growing market need and remain competitive in the market. It is envisaged that the building will provide the benefits of proximity to jobs and/or public transportation to become the ultimate convenient place for work and live with ease.

2.10.1 Project's Construction Activities

The following key steps will be mainly involved:

a. Site Preparation Works



EPA librarian.epa
101.53.201.71
20/06/2026 12:03:30 PM

The proposed project site will be prepared for construction. This will involve excavation works and transportation of construction materials. This will be undertaken in a phased approach to mitigate soil erosion and the impacts of excessive dust generation. Due to the nature of the proposed project, construction will involve the use of heavy machinery such as excavators. The engineers will also utilize human labor where necessary so as to create employment to the local residents especially the youth.

b. Storage of Materials

Building materials will be stored on site. Bulky materials such as stones, ballast, sand, and steel will be carefully piled at designated areas on site. To avoid piling large quantities of materials on site, the proponent will order bulky materials such as sand, gravel, and stones in quotas.

c. Masonry, Concrete Work and Related Activities

The construction of the building walls, foundations, floors, pavements, drainage systems, and parking silo among other components of the project involves a lot of masonry work, laying of plumbing and related activities. General masonry and related activities include, concrete mixing, plastering, slab construction, construction of foundations, and erection of building walls and curing of fresh concrete surfaces. These activities are known to be labor intensive and will be supplemented by machinery.

d. Structural Steel Works

The building will be reinforced with structural steel for stability. Structural steel works involve steel cutting, welding, and erection.

e. Roofing Works

Roofing activities will include raising the roofing materials such as tiles and structural timber to the roof and fastening the roofing materials to the roof.

f. Electrical Work

Electrical work during construction of the premises will include installation of electrical gadgets and appliances including electrical cables, lighting apparatus, sockets etc. In addition, there will be other activities involving the use of electricity such as welding and metal cutting.

g. Plumbing

Installation of pipework will be done to connect sewage from the ablution blocks to a sewer system. Plumbing activities will include metal and plastic pipe cuttings, the use of adhesives, metal grinding and wall drilling, among others.

2.10.2 Project's Operational Activities

2.10.2.1 Dyeing Process

a) Raw material Availability:

The raw materials i.e., ecru fabric (fabric that is undyed /raw) will be outsourced and the final product will be a dyed fabric

Table 7 List of Chemicals and Dyes

| SR. | CHEMICALS | DYES |
|-----|--------------------------|------------------------------|
| 1 | ACETIC ACID | BAD ACTIVE BLACK CNN |
| 2 | CRYSTAL SALT/COMMON SALT | BAD ACTIVE NAVY GB |
| 3 | HYDROGEN | BAD ACTIVE YELLOW C4GL |
| 4 | POLY CREASE | COLVAZOL BLACK B 150 % |
| 5 | SODA ASH ICI | DISPERSE LEMON YELLOW |
| 6 | SULPHURIC ACID | COLVAZOL BLUE KNRXN |
| 7 | SODIUM HYDRO SULPHATE | DISPERSE ORANGE S4RL |
| 8 | FORMIC ACID | SYNOZOL RED HF GD |
| 9 | POLYESTER LECO | REMAZOL MID NIGHT BLACK RGBN |
| 10 | GLOBAL SALT/SODIUM SALT | REMZOLULTRA BLUE RGB |
| 11 | WET CROWING | REMZOL CORMICEN RGB |
| 12 | XYLENE | SYNOLON ROBINE SGFL |


b) Dyeing

Dyeing is the process of adding Color to Fabric. It will be done by soaking the fabric in a liquid that contains a dyestuff.

c) Finishing

This process will include checking of the dyed fabrics by the quality checker to ensure that fabric have been dyed as per buyer quality standards.

2.10.3 Process flow



2.11 Amenities

The following social amenities are present at site and the management of the waste (solid waste and effluents) is explained in sub-sections below:

2.11.1 Electricity

During construction and Operational phase, Electricity will be supplied by industrial estate which will be purchased from WAPDA (FESCO).

2.11.2 Ground Water Resource

During construction works water is used for concrete preparation, watering the construction sites, as well as for ensuring proper conditions for workers. In total water consumption for construction phase will comprise 5m³/day. Water used for concrete preparation and watering the construction site is considered as non-return water. Water required for drinking and domestic purpose and processing would be 6-7 m³/day. To supply the anticipated demand during operations, and for firefighting purpose 2 overhead water tanks of 75000 gallons each (one reserved for firefighting) & 1 underground water tank (15000 gallons capacity) for personal and industrial use will be constructed.

2.11.3 Construction Material

The major materials required for construction of the proposed project will be steel, cement, bricks, metal, flooring tiles/stones, wood, sanitary and hardware items, electrical fittings, water, and roof materials.

2.12 Management Plans

Following management plans will be employed to reduce the impact of the proposed activity:

Air Emissions

Particulate dust will be generated during construction phase there will be no air pollutants emissions during the operational phase are anticipated. For safety purpose the workers dealing with the process activities will be provided with masks, safety shoes and all other necessary PPEs. To reduce the public nuisance native trees will be planted on the boundary to reduce the nuisance and to reclaim the disturbed soil effectively.

Dry Scrubber design and working principle

Dry scrubbers work similarly to other scrubbers. The system sprays a collection of dry reagents into an exhaust stream. These chemicals can react differently depending on which material they are specifically targeting for removal. Some of these materials neutralize harmful pollutants in the stream through a chemical reaction, while others cause a material to react and turn into a different substance. That substance then falls out of the gas stream or is caught in a particle screen.

Dry scrubbers remove acid gases, this is done by introducing a series of dry reactants to exhaust gas at high speeds. This neutralizes the pollutants in the gas. This task is done in three steps: gas cooling, reagent injection, and filtering. First, gas cooling will be done to prepare exhaust gases. In the gas cooling system, emission gases are cooled to make it easier to remove pollutants and other toxins from the gas. The exhaust gas is diluted using an evaporative cooler. Once the gas has been significantly cooled the reagent injection can begin. It is in this step that the harmful components are actually removed from the gas. Components of the dry reagent are generally chosen because of their neutralizing properties; thus, sodium bicarbonate is included for the said project scrubber. A variety of powders are mixed together and fired at high pressures into the exhaust gas. Chemical reactions occur that reduce the acidity of the gas and remove harmful pollutants. The final step is using a fabric filter to capture the used scrubbing powder as the cleaned gas exits the scrubbing chamber.

Dry scrubbing has been embraced widely, and one of the biggest advantages to using it is the positive environmental impact. The removal of hazardous substances from exhaust gas is important as it prevents a large number of pollutants from escaping into the air. Dry scrubbers

are also more commonly used than wet scrubbers mainly because they produce comparatively little waste material. Most of this material that is sprayed into the exhaust is burned off in the heat of the stream or is caught in a filter. The use of dry scrubbers is less expensive as there is no associated cost with removing, transporting, and storing waste water from wet scrubbers.




Figure 4: Design of Dry Scrubber

Wastewater Management and Disposal

The wastewater generated from the operation of proposed project would be of two types one is from process activities and second will be municipal in nature. For treatment of wastewater generated by the process activities a Wastewater Treatment Plant (WWTP) will be installed whose capacity will be 60m³/hour while the chemical used for treatment will be alum and Polyelectrolyte, complete design and specification of Wastewater are attached as Annexure of this EIA Report. Municipal wastewater will be treated through septic tanks. This involves the construction of concrete-made tanks (septic tanks) to store the sludge. The wastewater from the septic tanks is then channeled to main sewer. Given the size and magnitude of the project, this is a viable option to treat wastewater. The detailed design of septic is given in layout plan attached as Annexure.

Waste Management

Most of the solid wastes that will be generated during the daily work can be divided into 3 main categories:

- i. The ordinary household wastes that the workers and the staff generate all-day around, e.g., kitchen and food residues, papers je sort, personal unneeded articles, etc.
- ii. Municipal residues, e.g., cardboard, strings, scraps, sort, etc.
- iii. While during operational phase household waste and processing waste (cuttings of fabrics) will be generated.

An integrated solid waste management system is recommendable. First, the proponent will give priority to Reduction at Source of the materials. Recycling and reuse will be the second alternative in priority. The recyclable waste includes cuttings of fabrics that will be sold to authorized waste buyers (furniture manufacturing vendors). It will be used in fillings of sofas and cushions etc. The waste that is not recyclable will be sent to designate sanitary landfilling.

2.13 Staff/Manpower

20-25 workers will be hired for construction phase. The staff for operational phase will be hired with respect to concern department according to their qualification and almost 100-150 persons will be required.

2.14 Emergency Preparedness

Emergency response preparedness committee will be formulated consisted of heads of all departments and nominated members. Project Manager will be the head of the team who will chair the Committee. In the case of emergency, he will immediately inform the concerned authorities. HSE Manager will be responsible for on-site HSE management.

First aid facilities will be available at facility which will include blankets, hot water bottles, sterilized dressing, snake bite kit, cotton, and iodine (2% alcohol).

2.14.1 Safety Trainings

Skilled, semi-skilled and un-skilled staff will be provided with proper training about the work and safety practices that need to adopt during the process activities.

2.14.2 Use of Drugs and Narcotics

Drugs and narcotics are strictly prohibited during working hours in working area. Smoking will be only allowed during rest timings at properly isolated places.

2.14.3 Personal Protective Equipment

Following Personal Protective Equipment (PPEs) will be provided to the workers:

- ➔ Safety Helmet
- ➔ Safety Shoes/Dry Shoes
- ➔ Dust Mask
- ➔ Safety Gloves

- ➔ Safety Jackets
- ➔ Earmuffs
- ➔ Insulating Gloves and Suits

2.14.4 Emergency Response Plan

Emergency response will be determined in corresponding instructions.

- ⊙ There would be an evacuation plan, technical means/equipment necessary for handling small-scale emergency situations, protective and communication means (phone, fax machine) for personnel to protect themselves and call for corresponding emergency services (fire-fighting squad, ambulance).
- ⊙ Every accident will be registered, and its causes will be investigated. If necessary, remediation will also be ensured.

2.14.5 Fire Management

The Management shall ensure that:

- The Fire Safety Management needs are considered for all areas.
- Hydrants and fire extinguisher will be available at site.
- Layout plan will be displayed at the site.
- Fire exit will be readily accessible which would not be used otherwise.
- Necessary emergency lighting system along with emergency power back up system shall be provided. In addition, emergency public address system arrangement and signage for emergency exit route shall be provided.
- Necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during the unforeseen emergency and untoward conditions.
- Training to the staff for the first aid and firefighting along with regular mock drill shall be made.

2.15 List of Machinery

Details of machinery that will be used in the proposed project is described in a list.

| Sr. | List of Machinery | Quantity | Fuel |
|-----|-------------------|----------|-----------------------------|
| 1 | Fong 2004 | 3 | Electricity |
| 2 | Boiler | 2 | Oil heated/ Steam heated |
| 3 | Open Jiggers 95” | 3 Nos | |

| | | |
|---|------------------------|-------|
| 4 | Pressure Jiggers 96” | 2 Nos |
| 5 | Fabric Rolling Machine | 1 Nos |
| 6 | Fabric Folding Machine | 1 Nos |
| 7 | Bale Pressing Machine | 1 Nos |

2.16 Relocation and Rehabilitation Plan

There exists no human settlement of the selected project site to be displaced owing to the commencement of the proposed project. Moreover, no structure of any significance stands at the site is proposed to be relocated or dismantled. The project area is allotted to the proponent. The allotment letter is attached with the EIA report so, no restoration and rehabilitation are required.

2.17 Land ownership Documents

Land ownership documents have been attached as Annexure of this EIA Report along with the form-29, which clearly shows that the selected area for the establishment of Mega Fabric Processing has been allotted to the proponent.

2.18 Government Approvals

They have applied for environmental approval from EPA Punjab.



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

CHAPTER 3: DESCRIPTION OF THE ENVIRONMENT

This section covenants with the prevailing environmental conditions of the project area. Information that has been collected from different sources, including public literature, reports of other studies conducted in this area, knowledge with the proponent and the concerned government departments and the first-hand surveys and field measurements has been presented in this section. This encompasses all the important aspects of local environment; such as biological resources, socioeconomic development and quality of living values.

3.1 Project Area

Proposed project will be constructed on 14175 SFT of land in Multan District. The proposed project site is cleared land; therefore, no tree cutting is involved. Land is owned by the proponent.

3.2 Methodology

The methodology employed to collect the baseline data and information regarding the social structure and various related parameters as discussed in sub-sections below:

3.3 Data Collection

The primary data was collected by visiting the project area and its communities in its nearby vicinity. The secondary data regarding physical parameters (topography, geology, seismology, and climate) was obtained by visiting relevant various government departments and their official websites. The biological parameters such as flora and fauna were studied by preparing a floristic list based on visual observation and fauna was studied by using opportunities approach. The species were recorded with reference to their existence in the project area. Information on wildlife fauna species (mammals, amphibians, reptiles, birds, etc.) in the assessment area was compiled based on opportunistic observation, gathering the existing information and consultation with local experts, community members and government and Non-Government Organizations (NGOs). The socioeconomic aspects were studied and analyzed by studying detailed village profile and by conducting household surveys.

3.4 Social Survey

The purpose of social survey was to record the present condition of the people living in the project area and to assess the expected project impacts on their life, subsistence systems and socio-cultural conditions. Prior to conducting the field surveys, the following steps were taken:

- Clear boundaries of the project area were identified
- Decided the sampling procedure in order to draw a representative sample size of the target population and households

- Developed the tools for data collection i.e. questionnaires to access the socio-economic status of the area

3.5 Review of Legal and Administrative Framework

The objective of reviewing legal and administrative framework is to obtain information on all legislation pertaining project development. The Socio-Environment Team of reviewed the environmental policies, national, international and provincial laws and guidelines relevant to the development of project which helped in systematic identification of impacts.

3.6 Baseline Conditions

Baseline conditions refer to the existing physical, environmental and socio-economic status of the project area. On the basis of baseline information, the project interventions are assessed and mitigation measures are proposed. The baseline information also helps to indicate the specific issues to be monitored during construction and operational phases. The baseline data (physical, biological and socio-economic parameters) related to the project area is described below. Information provided is based on primary and secondary data collected by site visits, desk studies and consultation with locals respectively. This section gives the overview of the topology, geology, seismology and meteorological conditions of whole city whereas, it gives detailed information about the surface water, ground water and air quality of the project area. The detail of each parameter is discussed in sub-sections below:

3.7 Physical Environment

Pakistan Can be divided into five broad physiographical regions. These are the mountainous regions of the north, the western highlands and plateaus, the sub-mountains Indus region, the Potohar Plateau, Salt Range, and the Indus Plain. Brief description of these regions are given below:

| Region | Characteristics | Location | Height |
|--------------------------------|---|--|-------------------------|
| Northern Mountainous | Hindu Kush Karakoram and Himalayan Mountain Ranges | Northern Part of KPK, Gilgit Agency, Northern Areas and Kashmir. | Rises above 8,000m |
| Western Highlands and Plateaus | Toba Kakar, Sulaiman, Central Baruhi, Saihan, Central Makran, Makran Coastal and Kirthar Ranges | Mainly in Baluchistan, also parts of Sindh and KPK | Between 1,200 to 3,000m |
| Sub-Mountains Indus | Alluvial filled Basins | Plains of Peshawar Kohat and Bannu | Less than 1,000 m |
| Potohar Plateau and Salt Range | Flat to gently undulating surface, broken by gullies, | Mainly northern parts of Punjab, some parts of KPK | Less than 1,000 m |

| | | | |
|-------------|--|------------------|-------------------|
| Indus Plain | Flood plains of the Indus, Jhelum, Chenab Ravi and Sutlej Rivers | Punjab and Sindh | Less than 1,000 m |
|-------------|--|------------------|-------------------|

Topography and soil

Multan is located in Punjab. The nearest major cities are Dera Ghazi Khan and Bahawalpur. Multan is located in a bend created by five rivers of central Pakistan. The Sutlej River separates it from Bahawalpur and the Chenab River from Muzaffar Garh. The area around the city is a flat, alluvial plain that is used for citrus and mango farms. Multan is Pakistan's 5th most populous city and is the premier cultural and economic center of southern Punjab. Multan is a commercial and industrial center, as it is connected with the rest of the country through rail and air. The city occupies expanding area of around 781 square kilometers of the land with an elevation of 122 m. The project area comprised of soil in the surrounding which is fertile thereby supports cultivation. There is no presence of rocks in the vicinity of the project area.




Figure 5: Topography of District Multan

The soil of the Multan is of alluvial in nature and sand is everywhere met up to a few feet below the surface. District Multan is destitute of mineral wealth. Saltpetre (potassium nitrate) is manufactured on a small scale and a little kankar is found here and there on the surface. Soil of Multan is enriched with Illite, Quartz, Calcite, Vermite, Chamosite, Dolomite and Epidote constituents. No impact on soil envisaged because no excavation or deep ditching activities are under scope of work of this scheme.


3.7.1 Climate

The climate of Multan is typical of that of southern Punjab. Multan has one of the most extreme climates in Pakistan. Summers are very hot and arid while winters can be very cold at night.


Dust storms are a common occurrence in the city, and the monsoon rains, from June to September, can be severe.

3.7.1.1 Temperature:

The maximum temperature in summer reaches 42°C. In winter the minimum temperature is 4.5°C. The mean maximum and minimum annual temperatures in summer are 32.6°C and 28.6°C respectively. The summer season starts from April and continues till October. May, June and July are the hottest months. The winter season starts from November and continues till March. December, January and February are the coldest months.




The average monthly total hours of sunshine over the year



3.7.1.2 Rainfall:


The rainy season starts in July and ends in September. Annual rainfall is 398 millimeters. More rains occur in July and August than in any other months. Monthly precipitations above 150mm

are mostly wet, below 30mm mostly dry. Most of the winter rains are received in the months of March and April. The climate in Multan is called a desert climate. Following graphs show the average temperature and rainfall in Multan.



3.7.1.3 Humidity:

On average, August is the most humid in Multan, while on average, May is the least humid month. The average annual percentage of humidity is: 48.0%. The mean monthly relative humidity over the year in Multan is given below in the figure.




3.7.1.4 Wind Direction and Speed:

This section discusses the wide-area hourly average wind vector (speed and direction) at 10 meters above the ground. The wind experienced at any given location is highly dependent on local topography and other factors, and instantaneous wind speed and direction vary more widely than hourly averages.

The average hourly wind speed at Multan experiences significant seasonal variation over the course of the year. The windier part of the year lasts for 3.6 months, from May 21 to September

8, with average wind speeds of more than 6.9 miles per hour. The windiest day of the year is June 28, with an average hourly wind speed of 9.1 miles per hour. The calmer time of year lasts for 8.4 months, from September 8 to May 21. The calmest day of the year is October 19, with an average hourly wind speed of 4.7 miles per hour.



The diagram for Multan shows the days per month, during which the wind reaches a certain speed.




Figure 6: Wind Rose Diagram of Multan

The wind rose for Multan shows how many hours per year the wind blows from the indicated direction. Example SW: Wind is blowing from South-West (SW) to North-East (NE).

3.7.2 Ground Water and Water Supply

The chemical quality of ground water in the district varies in different areas and at different depths. The strata near the project site are water bearing and alluvial deposits, giving

groundwater potential throughout the project area and the water table is about 550 ft below the surface. There is no surface water body present on or near the project site. Therefore, there should be no impact on these sources of water during the construction. Groundwater sample was taken from the project site and later sent to the Lab for testing. Lab Report is attached as Annexure.

3.7.3 Seismicity and Geology:

Multan is located in Punjab province. Located on the banks of the Chenab River, Multan is Pakistan's 5th most populous city, and is the premier cultural and economic centre of southern Punjab. Multan is a commercial and industrial centre, as it is connected with the rest of the country through rail and air. The city occupies expanding area of around 781 square kilometer of the land with an elevation of 122 m. The project area comprised of soil in the surrounding which is fertile thereby supports cultivation. There is no presence of rocks in the vicinity of the project area.

According to Seismic Zoning Map of Pakistan the proposed project area falls in Seismic Zone 2A. This map indicates zones according to the Building Code of Pakistan – 2007. Figure 6 presents the WHO Seismic Hazard Map of Pakistan clearly depicting Multan in a category of medium intensity level.




Figure 7: Seismic Zoning Map of Pakistan

3.8 Ecological Resources

A survey of the local biological environment was conducted which includes the study of flora and fauna of the project area. Section below explains the findings based on the social survey conducted during site visit.

3.8.1 Flora

No threatened or endangered species and medicinal plants are present in the project area. No vegetation or plants will be removed due to commencement of project. However proper tree

plantation and green belts are planned by the proponent. Greenery and trees are present in surroundings of site too.

3.8.2 Fauna

No threatened or endangered species found in the project site. No wildlife was present there. Only cats, dogs, sparrows and crows passed by temporarily. No permanent habitat of any fauna was found.

3.9 Socio-Economic Resources (Quality of Life Values)

Socioeconomic status (SES) is often measured as a combination of education, income and occupation. It is commonly conceptualized as the social standing or class of an individual or group. SES is a key factor that influences quality of life for children, youth and families.

Detailed survey was conducted to identify the socioeconomic status for analyzing quality of life of the respondents of the area. The results are evaluated on the basis of education, income and occupation, which are discussed below:

3.9.1 Study Area Profile

The village profile reflects the basic socio-economic conditions of local people. These parameters indicate the needs of society while planning the the aforesaid project. The village profile has been obtained by meeting with community representatives who are well aware about their surroundings. The consultant, with his team, visited project area and study area in order to identify the socio-economic and environmental aspects of project. The following information is obtained by surveying the community.

Table 8: Study Area Profile

| S# | Socio-Economic Indicators | Qutba |
|----|----------------------------|--|
| 1 | Language Spoken | Punjabi/Siraiki |
| 2 | Distance from Project Area | 1.8 km |
| 3 | Accessibility of Road | Metaled Road |
| 4 | Transport | Public and Private Transport |
| 6 | Population | 4000 |
| 7 | Livelihood | Agricultural, Livestock and Labor |
| 8 | Houses | More than 200 |
| 9 | Educational Facilities | Primary School, Secondary School and Govt. & Private Schools |
| 10 | Institutional Facilities | Mosque |
| 11 | Civil Facilities Available | Electricity, Water Supply & Graveyard |
| 12 | Source of Water | Groundwater |
| 13 | Common Diseases | Fever, Hepatitis, Common Cold, TB, Typhoid, Diarrhea and Malaria |

| | | |
|----|----------------------------------|---|
| 14 | NGO Working in Study Area | NIL |
| 15 | Historical Place | NIL |
| 16 | Summable industries | 10 |
| 17 | Saw | 15 |
| 18 | Types of Trees | Neem, Kikkar and Eucalyptus |
| 19 | Disaster Management | NIL |
| 20 | Major problems of the Study Area | Safe Drinking Water, Sanitation and Sewerage System, Roads Access, Educational and Medical Problems |

3.9.2 Literacy Rate/Education

According to the data collected with the help of a questionnaire, education level of the people living there was as follows:

As regard to the level of Educational attainment 15% respondents were having informal education (1-4 years). Another 18% and 20% of respondent were up to primary and middle level, respectively. However, 25% of respondents were matric, while remaining 15% of respondents were had education upto intermediate and 7% were B.A and above.




Figure 8: Graph showing Literacy Rate of the Area

3.9.3 Income

It is to notify that people living in the vicinity mostly belong to a middle class. Most of the people own small shops and work privately. Monthly income of the residents living in the proposed project area is given in Figure 8.




Figure 9: Graph showing Average Income

3.9.4 Occupation

Majority of the people belong to medium socio-economic level. They are mostly working privately while some had government jobs but the percentage was very low. Mostly people in the area are shops owners, drivers etc. Percentage of the locals having different occupations is given in graph below.




Figure 10: Occupation of the Locals

3.9.5 Economic Development

3.9.5.1 Agriculture and Industries

Cropping Pattern

The main crops in the area during winter are wheat, gram, barley, oil seeds, Taramira, Sarson and Toria. In summer sugarcane, cotton, Jawar, Bajra and rice are grown.

- **Horticulture**

The main fruits grown in the area are date, orange and mango.

- **Industry**

There are no industries present near the project site.

3.9.5.2 Transportation

Multan is linked with the rest of the country by rail and roads. It lies on the National Highway, which connects Karachi with rest of the country. The district headquarters Multan is connected with metaled roads to its entire subsidiary headquarters. The eastern and south-eastern belt of the district is comparatively developed with good road transportation. All major villages are connected with the district headquarters through metaled roads. The district is also served by railway line which runs north-south near the main road of this district. Multan is connected with rest of the country by air.

3.9.5.3 Energy Sources

The distribution lines for electrical power run to a main grid sub-station in Multan. The existing 500kV Multan Grid Station owned by NTDC and 132 KV grid stations owned by MEPCO, transmits power to the load centres. In the study area there is no source of hydropower and other energy sources such as kerosene and LPG are progressively more common in major towns. There are numerous petrol stations and LPG dealers in the district.

3.9.6 Social and Cultural Resources

3.9.6.1 Demographic Profile

According to Punjab Development Statistics 2009, total population of district Multan estimated as on December 2009 based on District Census Report 1998, is 3925 thousand persons (i.e. 3.925 million).

3.9.6.2 Languages

Saraki and Punjabi are the predominant languages spoken in the district.

3.9.6.3 Dress

Majority of the people wear Qamiz and Shalwar. English dress; shirt and trousers are also.

3.9.6.4 Health Facilities

The nearest hospital is Dilshad Health Care about 5.9 km away from the project site

3.9.6.5 Educational Facilities

There are Govt. primary and high schools are present near the project site as well as private schools and colleges are also present near to the proposed project site nearly 6-7 Km.

3.9.6.6 Residential Areas

The nearest residential areas are:

- Gharbibabad (1194 Meters)
- Al-Quresh Housing Scheme (1396 meters)

3.9.6.7 Religious, Archaeological and Historical Sites

There are no officially protected heritage sites or historic, religious or archaeologically important sites located in the project work area. There are no major historic or archaeological features of note but there are a few places of worship within about 2km of the works.

3.10 Site Suitability

Above facts and figure shows that the site is suitable for the project activities as no endangered or sensitive environmental conditions were seen in or around the proposed site.



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

CHAPTER 4: IMPACT ASSESSMENT MITIGATION

This section discusses the potential environmental impact of Dyeing unit. The impacts may include the disturbance of area's geomorphology, soil, water resources, air, biological resources, and socio-economic condition and, where applicable, identifies mitigation measures that will reduce, if not eliminate, its adverse impact. The assessment carried out in this Section is based on potential impacts on overall environmental receptors within the project area.

4.1 Objectives

The objective of screening is identification of the adverse as well as beneficial impacts and then mitigating the effect of adverse impacts up to acceptable limits or within PEQS. Following are the objectives of screening out all significant environmental and social impacts:

- To find different alternatives and ways of carrying out the project activities which may cause adverse impacts.
- To enhance the Environmental and Social benefits of project
- To avoid, minimize and remediate adverse impacts.
- To ensure that residual adverse impacts are kept within acceptable limits.

In the sub-sections below the impact's assessment methodology for the establishment of Dyeing Unit located in Multan has been defined. It includes the magnitude, the extent of the impact and the nature of the anticipated impact.

4.2 Methodology

This Section discusses the project's potential environmental impact of establishment of unit on the area's geomorphology, soil, water resources, air resource, biological resources, and socioeconomic condition and, where applicable, identifies mitigation measures that will reduce, if not eliminate, its adverse impact. The assessment carried out in the sub-sections below is based on potential impacts on overall environmental receptors within the project area. Impacts are evaluated based on magnitude, immediacy and sustainability. Evaluation criteria are as follows:

4.2.1 Magnitude

The magnitude of the impacts associated with the establishment of the Mega Fabric Processing, include the type of impact project commencement will cause to its immediate environment and social structure. It could be direct, indirect, and cumulative.

4.2.2 Immediacy

Immediacy of the impact focus on the following parameters:

- Temporal Extent (during operation)

- Spatial Extent (local or widespread)

4.2.3 Sustainability and Reversibility

Sustainability and reversibility of the impact focused on the following parameters:

- Mitigability (Fully/Partially)
- Monitoring (Fully/Partially)

4.3 Purpose of Mitigation Measure

The basic purpose of mitigation measures is to reduce the impacts of the establishment of Mega Fabric Processing on the socio-environment up to the maximum possible extent. The mitigation measures are suggested based on the following parameters:

4.3.1 What is the problem?

The proposed project is the establishment of a Mega Fabric Processing. The study area is leveled and industrial land. In addition, to the noise and fugitive dust emissions during the development phase solid waste also requires proper management. The major impact associated with the operation of building includes wastewater and the management of the solid waste.

4.3.2 When problem will occur and when it should be addressed?

The impacts from the establishment of Mega Fabric Processing will occur during the construction and operation due to the civil work involved and the processes involved in activity. These issues include noise generation, fugitive dust emissions, solid waste management, wastewater disposal, top-soil removal, Health and Safety issues and change in the geographic features of the area. These all problems should be addressed on-site where they are being generated, to avoid the residual or adverse impacts.

4.3.3 Where problem should be addressed?

The problem will be generated from site development and operation of the unit. So, it should be addressed on source i.e., at site within the same timeframe.

4.3.4 How the problem should be addressed?

Proper mitigations measures will be provided according to the nature of the impacts/problems.

4.3.5 Ways of Achieving Mitigation Measures?

Following ways will be adopted to reduce the impacts of the manufacturing unit:

4.3.6 Changing in Planning Design

There is no endangered and threatened species present in the project area. Moreover, there is not any human settlement or infra-structure that will be dislocated or dismantled due to the proposed project development. Hence, there is no need to change the design of project.

4.4 Improved Management and Monitoring Practices

The anticipated impacts had been reduced significantly by adopting better management activities, as it will be carried out for betterment of the society. While environmental monitoring will be conducted on the regular basis to keep the sources of the air pollution, wastewater generation, noise, and public nuisances in-check. Following practices that need to be adopted to reduce the impact significantly:

a. Compensation in Money Terms

Due to the installation of proposed project, the vegetation present on-site will be removed and the geography/landscape of the area will be changed on the permanent basis, however, there is no protected or environmentally sensitive area present within 10.0 km vicinity of the project that could be impacted. Hence, no compensation in the monetary terms will be required. However, for the removal of the one tree from the project area 3-5 trees will be planted as the compensation.

b. Replacement/Relocation/Rehabilitation

The proposed project site is located in industrial area reserved for the establishment of aforesaid unit. No replacement, relocation and rehabilitation will be required for the commencement of the aforesaid project.

4.5 Impacts Associated with Project Location

The proponent has selected the site owing to the following reasons:

- ⊗ There is no community or human settlement present on-site or in the project proximity that could be impacted due to the commencement of the proposed project.
- ⊗ There is no fauna or flora belonging to an endangered species present on-site.
- ⊗ The site has accessible through road network i.e., connected to the main road via access roads.
- ⊗ There are no ecologically sensitive or declared protected areas like; Reserved Forest, Fish Hatcheries, Wildlife or Game Reserves. Moreover, there is no socio-cultural significant structure (historical or archaeological site or religious structures; Masjid, temples, etc.) located within 5 km of the selected site that could be impacted.

It can be concluded in view of these reasons that the selected site is best suited for the project and will not pose any adverse impact or threat on any component of the environment.

4.6 Impact Assessment Methodology

The impact assessment methodology for the establishment of Mega Fabric Processing is given below:

4.6.1 Screening of Potential Impacts

Based on site visit, observation, brain storming, provided information and social interviews, significant impacts were anticipated and evaluated. Then qualitative and quantitative (where possible) assessment of these anticipated impacts is to be carried out.

4.6.2 Identification of Mitigation Measures

After anticipation and screening of significant impacts, certain mitigation measures are to be provided in order to enhance benefits of project and reducing impacts. These measures can be classified as:




Figure 11: Hierarchy of Mitigations

4.6.3 Evaluation of the Residual Impacts

Incorporation of suggested mitigation measures may reduce the magnitude of the environmental impacts of the project but sometimes, it may fail in bringing them within the acceptable limits. This step refers to the identification of the anticipated remaining impacts after mitigation measures have been applied.

4.6.4 Identification of Monitoring Requirements

The last step in the assessment process is the identification of minimum monitoring requirements. The scope and frequency of monitoring depends on the residual impacts. The purpose of the monitoring is to confirm that the impact is within the prescribed limits and to provide timely information if acceptable limits are being breached.

CHAPTER 5: SCREENING OF IMPACTS AND THEIR MITIGATION MEASURE

This Chapter identifies the potential impacts (positive and adverse) on the physical, biological and socio-economic environment of project area due to the establishment of Mega Fabric Processing. It also identifies measures that will help to mitigate the adverse environmental impacts and will enhance positive impacts of the project. Impacts are assessed by analyzing their magnitude and sensitivity, which is a legal requirement.

5.1 Impact Evaluation

Impact screening checklist and project impact evaluation matrix have been developed to evaluate the potential impacts of the establishment of Mega Fabric Processing on the basis of set procedures as given in the environmental guidelines by Punjab EPA.

5.1.1 Methodology for Impact Evaluation

These tools have been used to identify the significance and magnitude of the impact as well as the nature, reversibility, and extent:

1. An Impact Screening Checklist
2. Project Impact Evaluation Matrix

Following is given a brief description of assessment tools:

a) Impact Screening Checklist

The impact screening checklist is developed to screen out the potentially insignificant environmental and social impacts from the potentially significant adverse environmental and social impacts during planning & designing, and operational phases of the project. The objective of the impact screening process is to assess the significance of the issues related to the air, water, noise, soil, transportation, communication, the hazards, and external constraints. The positive and adverse impacts of the project during planning & designing, and operational phases are identified based on their duration, location, frequency, extent, significance and reversibility. Each activity impacts on various environmental parameters are given below:

Table 9: Impact Screening Checklist

| Sr# | Environmental Component | Impact Characteristics | | | | | | | | | | | | |
|---------------------------|------------------------------|-------------------------------------|-------|-------------------------------------|-------------------------------------|-------------------------------------|--------------|--------|-------------------------------------|--------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| | | Duration | | Location | | Frequency | | Extent | | Significance | | | Reversibility | |
| | | Long | Short | Direct | Indirect | Cont. | Intermittent | Wide | Local | Large | Moderate | Minor | Rev. | Irrev. |
| Beneficial Impacts | | | | | | | | | | | | | | |
| 1 | Employment Opportunity | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | |
| 2 | Availability of Raw-Material | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | |
| 3 | Appreciation in Land Value | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> |
| 4 | Energy Availability | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | |

| Adverse Impacts | | | | | | | | | | | | | | |
|-----------------|-----------------------------|---|---|---|---|---|---|--|---|--|---|---|---|---|
| 1 | Air Pollution | | • | • | | | • | | • | | | • | • | |
| 2 | Wastewater | | • | • | | • | | | • | | | • | | • |
| 3 | Solid Waste and By-Products | • | | • | | • | | | • | | • | | | • |
| 4 | Health and Safety | | • | | • | | • | | • | | | • | • | |
| 5 | Chemical Hazards | | • | • | | • | | | • | | • | | • | |
| 6 | Physical Hazards | | • | • | | | • | | • | | | • | | • |
| 7 | Security Risks | | • | | • | | • | | • | | • | | • | |

b) Project Impact Evaluation Matrix

The Project Impact Evaluation Matrix was developed by placing different environmental parameters that are likely to be affected by the proposed project actions, grouped into categories i.e., physical, ecological and socio-economic environment. For the impact assessment risk assessment methodology was used. Moreover, the risk assessment was done on the basis of project phases (planning & designing, and operation). A Project Impact Evaluation Matrix is attached as Table below:

Table 10: Impact Evaluation Matrix

| Environmental Parameters | Impact Assessment during operational Phase |
|------------------------------------|--|
| A: Physical | |
| Land Resources | |
| Soil Erosion and Contamination | 0 |
| Transportation | -1t |
| Solid Waste and By-Products | -1p |
| Land Use | NA |
| Air Resources | |
| Noise Pollution | -1t |
| Air Pollution | -1p |
| Dust Emissions | -1t |
| Water Resources | |
| Ground Water | -1p |
| Surface Water | NA |
| Wastewater | -2p |
| B : Ecological | |
| Flora | |
| Tree Cutting | +1p |
| Fauna | |
| Terrestrial Fauna | +1p |
| C: Socio-Economic | |
| Employment Opportunities | +3p |
| Land Value Appreciation | +2t |
| Availability of Local Raw-Material | +2p |

| | |
|---|-----|
| Economic Uplift | +3p |
| D: Hazards | |
| Physical Hazards | -1p |
| Chemical Hazards | -1p |
| Health and Safety | -1p |
| <i>Legends: 1= Low; 2= Medium; 3= High; 4= Extremely High; NA= Not Applicable; t= Temporary; p= Permanent; app= Applicable; 0= Negligible</i> | |

5.2 Impact and Mitigation Management

Purpose of mitigation is to evade, reduce or balance the expected antagonistic effects in suitable way and to integrate these for devising environmental management strategy or plan. At every stage of the project, mitigation plan for all the adverse impacts should be predicted to find out the best alternative. The objectives of mitigation are to:

- ⇒ Invention of best substitution, better alternatives, and ways to reduce the adverse environmental and social impacts on the surroundings.
- ⇒ To improve the environmental and societal payback of the project
- ⇒ To prevaricate, remedy or reduce, pro-vocative impacts.
- ⇒ To certify that remaining negative influences are kept within permissible limits.

In this part of the EIA Report, several complications including cleanliness, environmental health and safety, societal and environmental managing and inspection, industrial vulnerability, tools, and apparatuses and during operational activities, influx of workers and procurement of land have been deeply elaborated.

5.2.1 Approaches for Mitigation Measures

Following approaches may be used to mitigate the impacts of the project:

Table 11: Approaches for Mitigation Measures

| |
|---|
| Avoid: Change of route or site details, to avoid damage |
| Replace: Regenerate similar habitat of equivalent ecological value in different location |
| Reduce: Filters, precipitators, noise barriers, dust, enclosures, visual screening, wildlife corridors and changed time of activities to reduce the impact |
| Restore: Site restoration at the end of the operational activities |

Compensate: Relocation of displaced communities, facilities for the affected communities, financial compensation for the affected individuals, etc.

5.3 Expected Positive Impacts

Following are the expected outcomes of the establishment of the Mega Fabric Processing:

5.3.1 Increase in Employment Opportunities during Construction Phase

Due to the establishment of Mega Fabric Processing in Multan the employment opportunity will be enhanced. It will include technical and non-technical staff. Locals will also have the opportunity to diversify their income by being employed. Hence, there will be an increased employment opportunity for the local people which will have a positive impact on the socio-economic status of the area.

5.3.2 Efficient and Economic Residential Availability

In addition to all these benefits, the project will result in the general economic and social uplift in the areas of the Lahore.

5.4 Adverse Impacts and Mitigation Measures

This section identifies the potentially significant and insignificant adverse environmental and social impacts anticipated during the operation phase for the establishment of Mega Fabric Processing. Appropriate mitigation and management measures, where applicable, have also been suggested to reduce the severity of the anticipated impact up to the extent possible.

5.5 Impacts Due to Project Location

The development will have both socio-economic and environmental implications as discussed in the sub-sections below.

5.5.1 Relocation of People

Currently, there are no infringements on the project site that may be affected therefore relocation exercises are not required.

5.5.2 Loss of Vegetation

Considering the scale of the project and commonly found flora and fauna within the project influence area, no significant adverse effects are envisaged on the ecology of the area.

5.5.3 Shifting of Utilities.

There will not be any shifting of existing utilities such as water supply pipelines, sewers, electrical lines, etc. due to the proposed project.

5.5.4 Impact on Archaeological/Cultural Property

Within the project influence area there are no significant archaeological properties, hence no impact in this area is anticipated.

5.6 Impacts Due to Project Design

Design of the proposed project can have impacts on the environment if it is not prepared accordingly. It is necessary to consider a sustainable project approach. Sustainability is an important issue to consider in design, not only due to environmental concerns but also due to economic and social matters, promoting architectural quality and economic advantages.

Mitigation Measures

- The design process should be carried out in recognition of identified hazards and risks assessment. Accepted design solutions should focus on maximum possible opportunity for risks reduction.
- Carry out engineering surveys including environmental surveys depending on the level of complexity and potential hazards of the planned facilities in the area of construction.
- Integrate within the existing environmental infrastructure at site to facilitate sharing of services and amenities (e.g., power, water, solid refuse collection and roads), safety arrangements and waste management systems, among others. This has already been catered as per the designs annexed.
- Minimize risks to health and impacts to external environment. Suitable anti-pollution facilities (solid waste containment and organized removals) should be part of the design.

5.7 Impacts Due to Project Construction

Project constructions typically change the natural environment, creating negative impacts in some cases. These are short-term impacts of low magnitude, which are easily managed.

5.7.1 Contamination of Soil and Water Quality Degradation

If not properly disposed of, the spillage of oil from the machinery, cement residue from concrete mixer plants, sewage, and solid wastes, might contaminate the soil.

No impact is expected on potable water since this will be directly supplied. Surface or ground water and soil, however, may be impacted as follows:

- Chemical contamination from construction materials such as cement, paint, and mechanical fluids
- Increased siltation caused by surface runoff (because of the removal of vegetation and the placement of raw materials e.g., sand)

Mitigation measures

- Open stockpiles of construction materials (e.g., aggregates, sand, and fill material) on site should be covered with tarpaulin or similar fabric during rainy season.
- Measures should be taken to prevent the washing away of construction materials, soil, silt, or debris into any drainage system.
- All machinery and equipment be regularly maintained and serviced to avoid leak oils.
- Maintenance and servicing of vehicle, machinery and equipment must be carried out in a designated area and where oils are completely restrained from reaching the ground. Such areas should be covered to avoid storm water from carrying away oils into the soil or water systems. Wastewater/wash water from these areas should be properly disposed.
- Areas dedicated for material storage should be provided with spill containment and facilitate clean up through measures such as dedicated spill response equipment.

5.7.2 Impact on Air Quality

Potential impact on the air quality during the construction stage will be due to the fugitive dust and the exhaust gases generated in and around the construction site. Dust is a major component of air pollution, generated mainly from the following construction activities:

- Site clearance and use of heavy vehicles and machinery/equipment etc. at construction site.
- Procurement and transport of construction materials, such as sand and cement to the construction site
- Excavated materials (soil) stockpiled.

Mitigation measures

- Construction equipment will be maintained in good operating condition to reduce exhaust emissions.
- Construction site, transportation routes, diversions and materials handling sites to be water-sprayed on dry and windy days.
- Haulage trucks must be covered, or the aggregates sprayed with water before loading the haulage trucks.
- All diesel fuel in use should be ultra-low Sulphur diesel.
- The project area will be cordoned off to minimize dust migration to nearby facilities by wind.

- Speed controls by temporary speed bumps on diversions where necessary within the construction site
- Staff working in dust generating activities e.g., site preparation, excavation, concrete mixing, stone dressing should be provided with personal protective equipment (PPE) the use of PPE shall be enforced.
- Avoiding open burning of solid wastes.

5.7.3 Soil Erosion

Ground surface alterations during the project site preparation and the transportation of construction materials and equipment, using heavy trucks will disturb the soil surface, making it highly susceptible to soil erosion occurrence. The disturbed soil could easily be transported by surface runoff, causing clogging of nearby drains and sewer pipes. This is likely to be temporary impacts, ceasing after the project construction stage is completed. It is anticipated that the proposed project will not have a significant soil erosion impact if preventive measures are undertaken during the project design and construction stages.

Mitigation Measures

- The soil erosion problem will be addressed during the project design and construction stages when the necessary control measures would be considered and incorporated in the project design and implementation.
- The soil on site should be investigated prior to site preparation for building construction and appropriate safety procedures developed to reduce the occurrence of increased soil erosion.
- Measures taken to control erosion will include clearing and grading the ground surface within approved work limits, stripping the topsoil layer from the subsoil, stockpiling the removed soil in approved areas to be retrieved during landscaping and site restoration.
- Replanting the original vegetation after construction is completed.
- The soil removed from the building site will be used in landscaping around the paved areas for enhancement of environmental quality.
- The surrounding areas will be replanted with grass and flowers, and other suitable plants, and administration staff will be asked to monitor the recovery of the planted natural vegetation.

5.7.4 Noise Pollution

Noise is perceived as one of the most undesirable consequences of construction activity. Though the level of discomfort caused by noise is subjective, the most reported impacts of increased noise levels are interference in oral communication, and disturbance in sleep. Noise levels in the vicinity of the site were found to be above normal limits for residential areas. Due to the various construction activities, there will be short-term noise impacts in the immediate vicinity of the project corridor, which may exceed acceptable limits and reach nuisance levels for residents. These include:

- Concreting and mixing
- Excavation for foundations with driller (if used)
- Construction plant and heavy vehicle movement (e.g., cranes)

Since the project site is surrounded by open areas, no major adverse impacts are envisaged in the project area. Also, the noise levels are not expected to exceed occupational limits; therefore, no adverse effects on employees should result.

Mitigation Measures

- Reduce equipment noise at source by proper design, maintenance and repair of Construction machinery and equipment.
- Minimize noise from vehicles and power generators by use of proper silencers and mufflers.
- Use noise-abating devices wherever needed and practicable.
- The movement of vehicle should be restricted during nighttime.
- Providing workers with noise related PPE's.
- Planting of trees that could serve as sound buffers.
- Noise barriers must be put in on and around the project boundary.
- Hauling trucks shall be operated at low speed to minimize vibration, promote road safety, etc.

5.7.5 Traffic Congestion

The proposed site is located in an industrial area and has easily accessible roads. There is expected be a short-term impact on traffic, especially if construction materials are being delivered during peak times. The transportation of construction material from source to site will entail the use of slow-moving heavy trucks, which have the potential to contribute to traffic build-up.

Mitigation Measures

- Construction activities that might substantially disrupt traffic e.g., delivery of materials should not be performed during peak travel periods to the maximum extent practicable.
- Warning signs should be used as appropriate to provide notice of road hazards and other pertinent information to motorists and the public.
- Signage and barricades should be used as part of the typical construction traffic controls.
- Temporary manual traffic control should be used when construction occurs at the site entrance.

5.7.6 Solid Waste

Construction activities will lead to the generation of solid waste in significant amounts, mainly in the form of construction debris. Solid waste will be generated at the site during site preparation and construction phases. The waste may consist of excavated materials, paper/cement bags, empty paint and solvent containers, broken glass, among others.

Unfit disposal of construction waste or spoil could have medium or long-term environmental and public health impact. Extent of this impact will be local to areas where waste is dumped or their immediate neighborhoods.

Mitigation Measures

- Waste, including excavated soil and debris should be properly disposed of by backfilling and landscaping.
- Construction waste should be recycled or reused to ensure that materials that would otherwise be disposed of as waste are diverted for productive uses. In this regard, the proponent/contractor should be committed to ensure construction materials left over at the end of construction will be used in other projects rather than being disposed of. Some of the waste can be sold or recycled/reused by construction companies.
- Contracted waste handlers should be licensed to transport and dispose waste at approved dumpsites only.
- During transportation of waste, it should be covered to avert dispersion along the way.
- Hazardous waste will not be mixed with other solid waste generated and should be managed by way of landfilling.

5.7.7 Ecological Impact

The proposed project site has a very limited value as wildlife habitat because of lack of vegetation cover. There are no threatened or endangered biodiversity (flora and fauna) species

and protected areas known to exist within the proposed project site. For these reasons it is expected that any activities for vegetation removal, ground excavations and leveling are likely to cause minimal or no biodiversity impacts in the proposed project site.

Mitigation Measures

- Measures taken to control loss of biodiversity will include:
- Strict instructions will be given to all personnel working in project area to refrain from killing, capturing, or disturbing any species of bird, reptile or mammal encountered during project activities, except in self-defense.
- No removal of vegetation will be done at the project site.
- Replanting the original vegetation after construction is completed.

5.7.8 Social Impacts

Positive Social Impact:

There will be a long-term, positive impact on the social landscape of the project area. Social impacts could result from an influx of migrant workers and associated induced development. This will ensure a rise in the consumption of consumer goods in the local area, which will further affect the wider economy. As far as possible, local labor within the project influence area will be utilized for construction purposes.

Negative Social Impact:

➤ Safety and Health Risks

- The generation of solid waste, sewage, fugitive dust and gaseous emissions can impact on public health and safety, if not properly managed.
- Construction activities have potential to pose occupational risks, some of which could be life-threatening, for example, fatal falls if workers do not use safety harness when working at heights. In addition, falling debris could injure workers if personal protective equipment (PPE) is not provided or properly used. Back injury could occur if workers lift heavy objects using inappropriate body posture.

Other potential hazards might be driving equipment with improper brake system, lack of concentration while working and exposure to hazardous wastes such as paints, cement, adhesives, and cleaning solvents. This impact is expected to be short term.

Mitigation Measures

- Regular drills shall constantly follow on various possible incidences. This will test the response of the stakeholders. Such drills will keep workers alert and ensure response mechanism in the case of incidences are improved.

- Use signage to warn staff and/ or visitors that are not involved in construction activities.
- Restrict non-essential staff from the construction sites.
- Strict instructions shall be given for drivers of heavy equipment.
- Supervision of works shall be done regularly to ensure that safety conditions are met while any deviation from safety regulations is immediately reclaimed following the best practices regarding safety at work.
- Develop evacuation procedures to handle emergency situations.
- Truck drivers should maintain a speed limit of not more than 20Km/hr.
- Speed controls by temporary speed bumps where necessary within the construction site.
- Clear marking of work site hazards and training in recognition of hazard symbols.
- Training of all personnel in fire prevention and protection.
- Regular inspection, testing and maintenance of equipment and machinery.
- Provide full first aid kits at the construction yard.
- Use of water sprays to arrest dust.
- Containment of hazardous materials.
- Provide adequate protective gear to construction workers.

5.8 Impacts Due to Project Operation

During the operation phase, there will be impacts on the air, water, and land environment, as well as on socio-economic aspects. The following sub-sections present the impacts due to the operation of the proposed project.

5.8.1 Air Environment

During operational phase, air environment may be affected by:

Generator emission: NO_x and SO_x will be generated. The level of Sulphur Oxides (SO_x) depends on the percentage Sulphur in the oil being used in the generator.

Vehicular emissions: Carbon Monoxide (CO) is the major pollutant emitted by motor vehicle exhaust systems. This is highest when vehicles are poorly maintained, causing incomplete combustion to take place.

Mitigation Measures

- To control air pollutants to intact with environment dry scrubber will be installed.
- Proper maintenance and tuning of vehicles will be ensured to reduce emissions.

- Internal roads will be maintained properly to reduce fugitive dust and for the smooth movement of vehicles.
- Adequate greenbelt will be developed and maintained.
- High quality fuel having low sulfur contents will be used.

5.8.2 Noise

During operational phase, issue of noise is envisaged related to project activities.

Mitigation Measures

- All operations will be carried out inside the premises.
- Proper PPE's will be provided to all workers and their use will be made mandatory.

5.8.3 Water Environment

Water will be required for various purposes at proposed project like for drinking and domestic use and floor cleaning and washing. During operation of unit process as well as domestic wastewater will be generated.

Mitigation Measures

- Installation of WWTP for process wastewater.
- Domestic wastewater generated will be treated in septic tank and then discharged to main industrial drain.
- 3rd party monitoring will be carried out on quarterly basis.

5.8.4 Solid Waste

It is expected that certain quantum of solid waste, domestic in nature will be generated during the operation stage. An integrated solid waste management system is recommendable. First, the proponent will give priority to Reduction at Source of the materials. Recycling and reuse will be the second alternative in priority. The recyclable waste includes cuttings of fabrics that will be sold to authorized waste buyers (furniture manufacturing vendors). It will be used in fillings of sofas and cushions etc. The waste that is not recyclable will be sent to designate sanitary landfilling.

Mitigation Measures

- For the collection of solid waste, receptacles will be provided at each floor and arrangements will be made to manage waste properly.
- Waste from such containers shall be collected separately daily.
- All the collection bins shall be properly maintained on regular bases.

- The recyclables i.e., fabric cuttings shall be stored separately and sold to furniture manufacturing vendors. These will be used in fillings of sofas and cushions etc.

5.9 Potential Environmental Enhancement Measures

5.9.1 Tree Plantation

Shade trees including sheesham, neem will be grown outside boundary of project. Grasses, median plants, and median shrubs will also be grown. Aesthetic and beauty plants including roses and jasmine will be planted. Tree's height will be between 3-7 ft. Spacing between plants will be 6-8m. Tree plantation will be done in open spaces and along boundary of project site.



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

CHAPTER 6: ENVIRONMENTAL MANAGEMENT AND MONITORING PLANS

This chapter summarizes the various mitigation measures as outlined previously in this EIA Report that will be implemented during the construction, operational and decommissioning stages of project. It does not discuss further the mitigation measures which have been adopted within the design and planning of the project, as these are comprehensively covered in previous section of this EIA Report.

Outline and key features of the EMMP for operations phase is presented. As per the environmental legislation in Pakistan, the EMMP for the operations phase, along with other documents, is to be submitted to the environmental protection agency to obtain confirmation for compliance and Environmental Approval for project operation. Even after implementation of the suggested mitigation measures, the impact may remain significant, and require monitoring.

6.1 Objectives

An Environmental Monitoring Plan was outlined alongside Environmental Management Plan to ensure all the corrective actions to counter adverse impacts which gives a detailed EMMP. The EMMP will serve as a principal execution module of the project that would not only mitigate adverse environmental impacts during the construction and the operational phase of the project but also ensures that environmental standards and good in-housekeeping are being practiced. Continuous environmental monitoring is exercised to ensure that preventive measures are in place and effective to sustain environmental integrity. The key objectives of EMMP are:

- To outline functions and responsibilities of persons
- To state and implement standards and guidelines which are required under environmental legislations particular in context to the Project.
- To facilitate the implementation of the mitigation measures by providing the technical details of each Project's impact and proposing implementation schedule of the proposed mitigation measures
- Define a monitoring mechanism and identify monitoring parameters to ensure that all proposed mitigation measures are completely and effectively implemented.
- Identify the resources required to implement the EMMP and outline corresponding financing arrangements.

6.2 Management Approach

The organizational roles and responsibilities of the key players are summarized below:

6.2.1 Proponent

The project proponent will undertake overall responsibility for compliance with the EMMP. The concerned departments will carry out verification checks to ensure that the contractors are effectively implementing their environmental and social requirements.

6.2.2 Contractors

The contractors will implement most environmental and social mitigation measures. The contractors will carry out field activities as part of the project. The contractors are subject to certain liabilities under the environmental laws of the country, and under its contract with proponent.

6.3 Components of EMMP

The EMMP consists of the following:

- ⇒ Institutional arrangements
- ⇒ Mitigation plan to reduce the severity of associated impacts.
- ⇒ Monitoring plan to monitor the impacts and their severity.
- ⇒ Environmental and social trainings to raise awareness.

6.3.1 Remedial and Mitigation Measures


The objective of remedial and mitigation measures in any project is to identify practices, technologies or activities that would prevent, minimize, or mitigate all significant negativities that are likely to occur due to the proposed project.

6.4 Environmental Management and Monitoring Framework

The purpose of the environmental management and monitoring framework is to facilitate the implementation of environmental commitments, included in the environmental impact assessment. The proponent is committed for the protection of the environment and to the sustainable management of its related operations and activities.

Table 12: Environmental Management & Monitoring Plan

| Sr. No. | Project Activities | Potential Impacts | Mitigation Measures | Monitoring Measures | Frequency | Responsible Authority | Environmental Budget |
|-------------------------------|--|---|--|---|-----------|-----------------------|----------------------|
| Pre-Construction Phase | | | | | | | |
| 1 | Site Selection for construction materials | a) Temporary disturbance due to increased traffic b) It may involve tree cutting for placement of construction materials, asphalt, and batching plant site. c) Land acquired for construction material that may cause blockage of roads | a) Provision of sign boards and alternative routes b) Batching and crushing plants will be installed in the downwind direction of residential areas | a) Cutting of Trees will be monitored. b) The proponent is the owner of land | -- | Proponent, Contractor | 50,000/- |



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

| | | | | | | | |
|---|--|--|--|---|--------|-------------------------|--|
| 2 | Handling of construction material | <p>a) Construction material such as sand, cement may pose health risks.</p> <p>b) Emissions and runoff of cement-contaminated water from batching plant may pollute the nearby area.</p> <p>c) Scattered construction material may obstruct mobility</p> | <p>a) Material will be appropriately covered to prevent dispersal of sand material.</p> <p>b) Implement dust suppression measures for all stockpiles.</p> <p>c) Protective health & safety measures will be adopted.</p> <p>d) Concrete mixing on the ground will not be allowed.</p> <p>e) Emissions from batching plant should be properly controlled and runoff contaminated water will be collected, stored and disposed of at the designated site.</p> <p>f) Material will be kept aside in</p> | <p>a) Proper covering of construction material will be checked on regular basis</p> <p>b) Wastewater runoff from the construction site to nearby water bodies will be monitored</p> | Weekly | Construction contractor | |
|---|--|--|--|---|--------|-------------------------|--|

| | | | | | | | |
|---|---|---|--|--|----|------------|--|
| | | | designated place without creating disturbance to public mobility | | | | |
| 3 | Identification site for Labour Camps/ site offices | <p>a) Generation of solid waste may pose health issues.</p> <p>b) Sanitary problems may arise due to bathing and washing of clothes by labours.</p> | <p>a) Proper site will be selected without disturbing environment and to avoid conflict with locals.</p> <p>b) Dustbins should be provided at project site.</p> <p>c) Involvement of local authorities at project level will be ensured.</p> <p>d) Designated staff will be hired at project site to collect SW at</p> | Surface water quality of local water bodies will be monitored by examining its various parameters such as pH, DO, TSS, TDS, COD, BOD5, Alkalinity and Turbidity etc by assigned laboratory | -- | Consultant | |

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | <p>consecutive/ regular intervals.</p> <p>e) Identification of disposal site for SW with due involvement of local community</p> <p>f) Ensure the provision of toilets for labours and septic tank for its deposal. Further, site engineer and the project environmentalist will identify the location of wastewater discharges.</p> <p>g) Strict instruction will be issued to avoid wastewater discharge into freshwater bodies/lakes.</p> <p>h) Capacity building of labors at the site to follow the moral ethics</p> | | | | |
|--|--|--|--|--|--|--|--|

| | | | | | | | |
|---|------------------------------------|--|--|--|----|------------|--|
| 4 | Movement of heavy machinery | <p>a) May cause disturbance to infrastructure such as roads, nearby residences etc. b) May cause noise pollution harmful for nearby residents and labors</p> | <p>a) Noise Monitoring and Mitigation Plan to Limit noisy activities. b) Avoid using heavy equipment</p> | <p>a) Noise level of the proposed project site will be monitored</p> | -- | Consultant | |
| 5 | Excavation of Earth | <p>a) Change of soil characteristics b) Loss of fertile top layer of soil c) Air quality may also deteriorate d) Generated stockpiles may be a nuisance e) Vibrations may arise due to machinery</p> | <p>a) Water sprinkling must be ensured at regular intervals to avoid dust pollution b) Minimal effort should be taken to disturb topsoil cover. c) Cover construction materials and stockpiled soils if they are a source of fugitive dust. d) Site should be selected for proper disposal of stockpiles to avoid any disturbance in mobility e) Contractor needs to obtain approval</p> | <p>a) Ambient air quality will be monitored by examining its various parameters such as CO, NO, NO2, NOX, SOX, H2S etc b) Soil quality will be monitored by examining its various parameters such as soil type, soil erosion, soil Colour, soil characteristics, pH, porosity, electrical conductivity, permeability</p> | -- | Consultant | |

| | | | | | | | |
|---------------------------|---|--|--|---|----|----------------------|--------------------------|
| | | | <p>for excavation and for plan of rehabilitating the site after excavation.</p> <p>f) Locations must be identified for transportation or to be reused or dumped of excavated material</p> <p>g) Minimize the amount of land to be disturbed and vegetation to be removed.</p> <p>h) Restore or apply protective covering on disturbed soils as quickly as possible</p> | | | | |
| 6 | Public Privacy and Cultural Properties | <p>a) Disturbance to people visiting public properties i.e., mosque, schools, shrines, and graveyards</p> <p>b) Privacy issues due to labour camping</p> | <p>a) There is no cultural heritage and public institutions in the proposed project area to be disturbed</p> <p>b) Capacity building of labours at the site to follow the moral ethics.</p> | | | | |
| Construction Phase | | | | | | | |
| 1 | Land clearing, (Leveling, tree | a) Loss of vegetation may occur | a) Clear small areas for active work at a | a) Surface water quality of local water | -- | Construction Manager | Air Monitoring: 50,000/- |

| | | | | | | | |
|--|--|--|---|--|--|--|---|
| | <p>cutting, drainage, etc.) and other off-site sources of materials</p> | <p>b) Soil contamination from spills and fuel leaks c) Disposal of cleared debris d) Soil compaction, sediment production, soil erosion and instability of the soil e) Noise and vibration would affect wildlife and property of locals f) Disruption and dislocation of migratory birds g) Spread of invasive species or loss of indigenous species, ecosystem loss and loss of habitat forever</p> | <p>time and minimize the impact on flora at the site. Also, Photographical, and botanical inventory of vegetation will be prepared before clearing the site. b) Clear without destroying large plants and turf where possible and preserve them for replanting in temporary nurseries. c) Assure minimum disturbance to native flora during construction especially where the asphalt, batching and crushing plants will be installed. Also, Re-vegetate area with recovered plants and other appropriate local flora</p> | <p>bodies will be monitored by examining its various parameters such as pH, DO, TSS, TDS, EC, COD, BOD5, Alkalinity and Turbidity etc. b) Soil quality will be monitored by examining its various parameters</p> | | | <p>Water Quality Monitoring: 40,000/-</p> |
|--|--|--|---|--|--|--|---|

| | | | | | | | |
|---|---|--|---|--|------------|--|-------------------------------|
| 2 | Handling/ transportation of construction materials | Soil contamination, toxicity and air pollution are the major impacts which may arise due to mishandling of construction materials. | <ul style="list-style-type: none"> a) Prevent dumping as it may be hazardous or proper labelling of containers, including the identification and quantity of the contents, hazard contact information etc. b) Emergency response plan must be prepared to address the accidental spillage of fuels and construction materials. c) Ensure the training of workers in waste management handling procedure. | Regular Visual Inspection | | Construction Manager | Noise Monitoring: 10,000/- |
| 3 | Handling of solid waste | a) Solid waste may be generated from: i. the active construction sites and, ii. the camp sites | a) Proper storage and site practices to minimize the potential of damage or contamination of | a) Solid waste generated by the local community should be disposed off properly in dustbins and must | Bi-Monthly | Regular collection of solid waste will be ensured and checked by | 50,000/- |

| | | | | | | | |
|--|------------------------------|--|--|--|---------------------------|--|--|
| | | <p>b) Solid waste may pose health issues or disturb scenic beauty of the site</p> <p>c) Ban On-site debris burning.</p> <p>d) Heaps of solid waste may cause disturbance in mobility</p> | <p>construction material.</p> <p>b) Scattered solid waste should be properly managed in order to avoid contamination and provision of enclosed bins for general refuse at project site;</p> <p>c) Involvement of local authorities</p> <p>d) Capacity building of site personnel in waste management procedures;</p> | <p>be collected on regular basis</p> <p>b) Perform routine site inspection</p> | | <p>Contractor & Environmental Specialist</p> | |
| | Equipment Maintenance | <p>Noise Pollution</p> <p>Soil Contamination</p> | <p>a) Prepare and keep the record of equipment maintenance log.</p> <p>b) Prepare proper maintenance sheets for vehicles.</p> <p>c) Use fully tuned vehicles and machinery.</p> | | <p>Regular Inspection</p> | <p>Contractor</p> | |

| | | | | | | | |
|---|--|--|--|--|--------|-----------|---|
| 4 | Health & Safety of Workers at active construction and camp site | <p>a) Health problems or immediate risk may emerge at construction site: b) Dust particles c) Air and Noise pollution d) Accidental risks</p> | <p>Providing basic medical training & medical service (First Aid Boxes) to workers. b) Personal Protection equipment PPE's (earmuffs) will be provided to the workers operating in the vicinity of high noise generating machines. c) Provision of proper safety signage at sensitive/accident-prone spots. d) Ensure strict use of wearing these protective clothing during work activities. e) Provision of adequate sanitation, washing & cooking facilities including lighting up to satisfaction;</p> | <p>a) Provision of PPEs will be ensured</p> | Weekly | Proponent | <p>Health & Safety: 1,00,000/- Workers Training: 1,50,000/-</p> |
| 5 | Tree Plantation Plan | <p>a) Clearing of vegetation and cutting of tree cover from the</p> | <p>Tree plantation practices will be</p> | <p>Re-plantation of native floral species will be ensured.</p> | -- | Proponent | 0.1 million |

| | | | | | | | |
|--|--|---|--|--|--|--|--|
| | | site due to construction of unit may have adverse environmental impacts on bio-physical environment | introduced in case of removal/cutting. | | | | |
|--|--|---|--|--|--|--|--|



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

Table 13: Environmental Management and Monitoring Plan

| Category | Impact | Project Activity | Monitoring Mechanism | Frequency | Monitoring Agency |
|----------------------------|-----------------------------|---|---|---|-------------------|
| Operational Phases | | | | | |
| Land Resource | Solid Waste and By-Products | Implementation of SW* Management System | Record keeping and timely transfer of SW from bins to the disposal site for ultimate management and disposal. Selling of the scrap dust to the small refineries | Weekly and annually | Proponent |
| | Soil Contamination | Implementation of Management Plans | Visual monitoring and regular site inspection | Daily and annually | Project Manager |
| Air Resource | Air Emission | Air quality will deteriorate due to transportation related activities | Monitor the emissions as per PEQ standards | Once before start of operation and after that as when required during operational phase | EA** |
| Ecological Resource | Flora | Uprooting of trees during Construction phase and maintenance of photographic record | Re-vegetation during operation phase | During Baseline Survey, once in a year and after the completion of the Project | Project Manager |

| | | | | |
|--|--|---|----------------------|-----------------|
| Wastewater | Wastewater will be generated mainly from domestic use and process activities | Installation of the WWTP, septic tanks and regular testing of the effluents that are being discharged | On the monthly basis | Project Manager |
| *SW= Solid Waste, **EA= Executive Agency | | | | |



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

6.4.1 Environmental Management Team

The proposed institutional arrangement for the implementation of EMMP is based on the discussions held with the Forest Department, Environmental Protection Department, Local Union Council Office and Proponent. The discussion concluded that three types of institutional arrangements are essential for the effective implementation of EMMP, these are follows:

- ⊗ Establishment of Environment/Social Management Group
- ⊗ External Monitoring by EPA certified laboratory
- ⊗ EMC established by Proponent after consultation with consultant.

a. Roles and Responsibilities

Following are the designated roles and responsibilities of the employees involved in the monitoring and management of the adverse impacts:

Table 14: Roles and Responsibilities

| Roles and Responsibilities | | |
|-----------------------------------|--------------------------|--|
| Sr# | Concerned Persons | Duties |
| 1 | The Project Manager | <p>Following will be the responsibilities of the Project Manager.</p> <ul style="list-style-type: none"> • Monitor the implementation of the EMMP throughout the project by means of site inspections and meetings. This will be documented as part of the minutes of the site meeting documents. • Ensuring project execution within defined budget and timelines • Conducting regular check of the project status and meetings with project team • Provide support and guidance to project team as and when needed. • Project Manager is expected to continually monitor and improve the overall performance of their operation |
| 2 | HSE Manager | In addition to the health and safety responsibilities held by staff, managers and supervisors must do whatever is reasonably |

| | | |
|--|--|--|
| | | <p>practical to ensure that both the workplace and the work itself are safe. This includes:</p> <ul style="list-style-type: none"> • Ensuring that staff are appropriately trained and supervised. • Identifying, assessing, and managing health and safety risks • Consulting with workers (including staff, affiliates, and contractors): <ol style="list-style-type: none"> i. Health and safety risk assessments ii. Decisions are made about the measures to be taken to eliminate or control these risks. iii. Health and safety risk assessments • Implementing health and safety risk management programs relevant to their operations, teaching, research and consulting functions and work environment • Reporting (to the Human Resources Unit), investigating and responding to all hazards, accidents, incidents and taking action to control the risk. • Assisting with the development, implementation and maintenance of a return-to-work program for injured staff. • Be fully conversant with the IEE and conditions of its approval. • Be fully conversant with the EMMP. • Be fully conversant with all relevant environmental legislation, policies, and procedures, and ensure compliance. • Undertake regular and comprehensive inspection of the site and surrounding areas in order to monitor compliance with the EMMP. • Take appropriate action if the specifications contained in the EMMP are not followed. • Monitor and verify that environmental impacts are kept to a minimum, as far as possible. • Review and approve construction methods, with input from the Site Manager, where necessary |
|--|--|--|

| | | |
|--|--|--|
| | | <ul style="list-style-type: none"> • Ensure that activities on site comply with all relevant environmental legislation. • Compile progress reports on regular basis, with input from the Site Manager, for submission to the Project Manager, including a final post excavation audit. • Liaise with the Site Manager regarding the monitoring of the site. • Report any non-compliance or remedial measures that need to be applied • All environmental problems arising on the construction area will be reported to the Site Manager by the Environmental Manager. Reports on such problems will be submitted to the Project Manager by the Site Manager |
|--|--|--|

6.4.2 Impacts Management and Monitoring Plans

The following environmental issues are considered to warrant specific management actions for the implementation of project. These issues have specific regulatory requirements (contained in the development consent or Environmental Approval) and/or are considered to have the potential to result in a non-compliance with a legislative requirement or generate community complaints.

6.5 Proposed Monitoring to Assess the Performance of EMP

An environmental monitoring plan provides a delivery mechanism to address the adverse environmental impacts of a project during its execution, to enhance project benefits, and to introduce standards of good practice to be adopted for all project works. An environmental monitoring program is important as it provides useful information and helps to:

- Assist in detecting the development of any unwanted environmental situation, and thus, provides opportunities for adopting appropriate control measures, and
- Define the responsibilities of the project proponents, contractors and environmental monitors and provides means of effectively communicating environmental issues among them.
- Define monitoring mechanism and identify monitoring parameters.
- Evaluate the performance and effectiveness of mitigation measures proposed in the Environment Management Plan (EMP) and suggest improvements in management plan, if required,
- Identify training requirement at various levels.

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore
Contact +92-303-4342302

An environmental monitoring plan is suggested to monitor environmental parameters during survey, construction and post construction phase of the project.

Following environmental record should be maintained:

- Incident record of all moderate and major spills and other incidents and accidents. The record will include:
 - ✓ Location of spill or Spilled material
 - ✓ Estimated quantity or the amount of injury.
 - ✓ Nature of injury or loss (temporary or permanent)
 - ✓ Restoration measures
 - ✓ Photographs
- Description of any damage to vegetation, water resource, or community asset.
- Corrective measures taken if any
- Waste Tracking Register that will hold records of waste generated during the construction period. This will include quantities of waste disposed, recycled, or reused.
- Records of water consumption with usage breakdown
- Survey reports, in particular, the following:
 - ✓ Vehicle and equipment noise.
 - ✓ Ambient noise survey reports.
 - ✓ Ambient level of PM
 - ✓ Vendor data—all vendors disturbed by the project and compensation paid Public infrastructure: Record of all damages and repair work undertaken.
 - ✓ Employment
 - ✓ Total number of unskilled, semi-skilled, and skilled jobs offered during Construction.
 - ✓ Name and domicile of the employed staff.
 - ✓ Project and Community Interface
 - ✓ Record of community complains, and the measures taken to address them.
 - ✓ Number of meetings held in various communities and data of persons who attended
 - ✓ Environmental and social training records.

Table 15: Environmental Monitoring Plan

| Environmental Quality | Parameters | Details of Location | Standards/Guidelines | Frequency | Responsibility |
|---------------------------|------------|---------------------|----------------------|-----------|----------------|
| CONSTRUCTION PHASE | | | | | |

| | | | | | |
|---|--|---|------------------------|-------------------------|-------------------------------|
| Waste Collection, Storage and Disposal | Inspection of Waste Generation, collection, Storage and Disposal at site | Construction Site | Statutory Requirements | Once a week | Environmental officer/manager |
| Workers safety | Injuries and accidents | Recording injuries | - | Onsite | HSE/contractor |
| Air Quality | Air Quality (PM ₁₀) All relevant stack emissions (CO, NO _x , SO _x Smoke) | Active Construction Area | PEQS | Once a month | Environment Officer /manager |
| Water Quality | Groundwater Quality (Total Coliform, Fecal E.Coli, Total Colonial Count, pH, TDS, Total hardness, Alkalinity Nitrates, Chloride, Sodium, iron) | Groundwater sources near the project site | PEQS | Once a month | Environment Officer /manager |
| Noise Level | Noise level on dB (A) Scale | At least three locations near boundary | PEQS | At least 3 working days | Environment Officer /manager |
| OPERATIONAL PHASE | | | | | |
| Ambient Air Quality | NO _x , SO _x , | Stack of generator | PEQS | Quarterly | Environment Officer /manager |
| Noise Level | Noise level on dB (A) Scale | Noise level near the receptor | PEQS | Quarterly | Environment Officer /manager |
| Waste disposal, procedure for waste collection, | Inspection of waste generation, | Visual inspection | Statutory Requirements | Once daily | Administration Officer |

| | | | | | |
|-----------------------|---|---------------------------|--|-------|---------------|
| storage, and disposal | collection, storage, and disposal will be undertaken at each site of the project activity | | | | |
| Safety | Injuries | Injuries will be recorded | | Daily | Administrator |

Table 16: Air Quality Management and Monitoring Plan

| Air Quality Management and Monitoring Plan | | Environmental Budget |
|--|--|----------------------|
| <i>Potential Impacts</i> | Operational Phase | |
| | Installation of Dry scrubber | |
| <i>Mitigation</i> | Installation of dust collection and control equipment to minimize the emissions | |
| <i>Plan</i> | <ul style="list-style-type: none"> Regular sprinkling of water will be done to control the suspended dust particles during the construction phase. The transporting vehicles will be maintained on the regular basis. Enforce strict speed limits to reduce airborne fugitive dust emission from vehicular movement. Minimize the land disturbance as much as possible by re-vegetating disturbed areas as soon as possible. Regular water sprinkling to suppress the fugitive dust emissions during the construction work. Cover dump trucks before travelling on public roads. Train workers to handle loose materials and debris to reduce fugitive emissions. Water sprinkling will be done on the regular basis during the construction phase. Good quality (low Sulphur) fuel will be used in the vehicle to ensure less emissions. Visual inspections to detect air pollution generated during the construction phase will be carried out on the regular basis. | |

| | <ul style="list-style-type: none"> Indigenous trees around the facility will be planted to control the odour and air pollution. Rehabilitation of areas outside of the site security fence will be undertaken by the successful implementation of the landscaping plan Tree species like <i>Dalbergia sissoo</i>, <i>Cassia seamea</i>, <i>Acaccia mangium</i> and <i>Peltaphorum</i> can be planted in areas as they have high growing rate as well they will help in noise, dust and pollution reductions. | | | |
|-------------------|---|----------------------------|---------------------|----------|
| <i>Monitoring</i> | Responsibility | Responsible | Monitoring Duration | |
| | <ul style="list-style-type: none"> Preparation of required or requested information for submission to the Project Manager including air quality monitoring data Liaising with the Project Manager with respect to all significant air quality matters | Project Manager/Contractor | As & when required | 50,000/- |

Table 17: Wastewater Management and Monitoring Plan

| Wastewater Management and Monitoring Plan | | | | | |
|--|---|-----------------------|--------------------|--|-----------------|
| Potential Impacts | Operation Phase | | | | |
| Impacts | During the operational phase chances of the groundwater contamination will be quite low. It is estimated that 0.4m ³ per day of municipal wastewater will be produced. The water will be used in boilers to steam-press the final product and as a result 50% of the water will be loss as a result of evaporation No process wastewater water will be produced that need treatment. | | | | |
| Mitigation | Sanitary wastewater treatment system such as septic tank will be constructed on-site for the disposal of wastewater. And for the treatment of wastewater generated by the process WWTP will be installed. | | | | |
| Management Plan | <ul style="list-style-type: none"> • Monitoring of effluents shall be carried out as per requirement of Self-Monitoring and Reporting Tools (SMART) to ensure compliance with the PEQS. • There is no surface water body present in the project proximity that could be impacted due to the discharge of the wastewater. • Good in-house keeping practices should be adopted to ensure water conservation. • Closed the taps when water isn't in use. • The domestic wastewater will be discharged into the septic tank prior to final disposal in the sewerage line. The design specifications of the septic tank are: • The wastewater after primary treatment will be used for on-site horticultural activities and the excess wastewater will be disposed off in the nearby wastewater drain after necessary approval | | | | |
| Monitoring | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Responsibility</th> <th style="width: 50%;">Responsible</th> </tr> </thead> <tbody> <tr> <td>Monitoring of the safe disposal of the generated wastewater as per Environmental</td> <td>Project Manager</td> </tr> </tbody> </table> | Responsibility | Responsible | Monitoring of the safe disposal of the generated wastewater as per Environmental | Project Manager |
| Responsibility | Responsible | | | | |
| Monitoring of the safe disposal of the generated wastewater as per Environmental | Project Manager | | | | |

| Solid Waste Management and Monitoring Plan | | |
|---|--|-----------------------------|
| <i>Potential Impacts</i> | Operation Phase | Environmental Budget |
| | No hazardous waste will be generated in the process activity except the municipal waste. In addition, domestic solid waste will be generated. | |
| <i>Mitigation</i> | Waste Management Plan | |
| <i>Management Plan</i> | <ul style="list-style-type: none"> ⇒ Hazardous and non-hazardous waste will be separated prior to the transportation of the waste. As the aforesaid project generates no hazardous waste, no segregation is required. ⇒ Record of all waste generated during the project activity should be maintained on the regular basis. Quantity of the waste disposed, recycled or reuse will be logged on a waste tracking register ⇒ Regular training will be given to the workers dealing with the waste management it will include identification, segregation and management of waste. <p>General Waste</p> <ul style="list-style-type: none"> ⇒ General waste cannot be recycled or used, it will be stored in appropriate receptacles and picked up as required by a worker and will be disposed of at the designated sites/bins ⇒ The generated waste will be collected by the contractor on the regular basis and will be disposed off by using standard practices ⇒ No on-site burning of wastes will be allowed at any time ⇒ Tree species like <i>Dalbergia sissoo</i>, <i>Cassia seamea</i>, <i>Acaccia mangium</i> and <i>Peltaphorum</i> are ideal for bio-reclamation of overburden dumps. <p>Green Waste</p> | |

| | | | | |
|------------|---|--------------------|------------------------------------|----------|
| | <p>⇒ It will be ensured that minimum green waste will be generated on-site</p> <p>⇒ It will be generated from landscape maintenance activities. It will be reused on-site where possible or disposed off uncontaminated by using the standard practices at the designated sites.</p> <p>⇒ Green waste can be used as the fuel wood by the nearby residents.</p> <p>⇒ No on-site burning of green wastes will be allowed at any time on-site</p> <p>Solid Waste</p> <p>⇒ For the collection of the solid waste at site bins will be installed at various positions in the proposed facility</p> <p>⇒ The installed bins will be covered in order to reduce the chances of the disease vector production and ensure the health of the workers</p> <p>⇒ The amount of the solid waste generation will be disposed off by using the standard practices in the area</p> | | | |
| Monitoring | Responsibility | Responsible | Monitoring Duration | |
| | <ul style="list-style-type: none"> Coordinate the training needs for all employees in environmental awareness training as a legal responsibility Waste collection and disposal will | Project Manager | Visual Monitoring on Regular basis | 75,000/- |

| | | | | |
|--|---|--|--|--|
| | <p>be monitored on a regular basis</p> <ul style="list-style-type: none"> • Solid Waste documentation will be completed and available for inspection on request • A complaints register will be held, complaints will be investigated and, if appropriate, acted upon | | | |
| | <p>Monitoring of this EMMP</p> | | | |
| | <p>A complaints register will be held, Complaints will be investigated and, if appropriate, acted upon</p> | | | |

Table 18: Health and Safety Plan Management and Monitoring Plan

| Health and Safety Plan Management and Monitoring Plan | | |
|---|--|---|
| <p><i>Physical Hazards</i></p> | <p>The health and safety risks to workers include but are not limited to:</p> <ul style="list-style-type: none"> • Floor surfaces shall be maintained regularly and kept clean and free of oil spills, other slippery fluids and obstructions • Workers who may be exposed to noise levels exceeding occupational standards shall receive regular audiometric testing • The effective use of hearing protection devices shall be ensured. • Proper training will be provided to workers entering and working in the confined space of the hazards, protective measures, and emergency rescue procedures. • Only authorized persons shall be allowed near grinding unit. | <p>Environmental Budget: 1,00,000/-</p> |

| | | |
|----------------------------|--|----------|
| | <ul style="list-style-type: none"> • People working in and around the processing areas shall be provided with suitable PPEs to protect them against molten metal burns, noise, and physical hazards. • Proper radiation shielding may be provided. • Edged parts of rolls shall be securely guarded to prevent severe injuries. • Transport routes shall be planned and constructed to minimize the risk of collision and with sufficient safe clearance to allow for aisles and turns, or other types of control area. Where appropriate, maps showing the proposed route should be provided. • Transport routes shall be clear of obstructions and, where possible, without irregular surfaces. • Loads should be lowered slowly and smoothly to avoid physical hazards. | |
| <i>Chemical Hazards</i> | <p>Following mitigation measures will be adopted:</p> <ul style="list-style-type: none"> • Personal Protective Equipment (PPEs) should be given to workers including protection and impermeable clothing for use during disinfection. • Wearing of the PPEs should be regulated strictly by the concerned authority • Chemical spillage will be avoided by developing proper SOPs for the handling of the chemicals. • Chemicals and detergents will be stored properly, and all precautionary measures will be adopted | 25,000/- |
| Accidental Spillage | | |
| | <p>Following mitigation measures will be adopted:</p> <ul style="list-style-type: none"> • Inspection of the chemical storage areas shall be conducted on a monthly basis for sanitation, maintenance, and housekeeping purposes. • Safety, housekeeping, and chemical storage problems will be addressed as part of normal facility operations and maintenance programs. • Inspection observations shall record on the Chemical Inspection Form included with this Plan. • Potentially reactive or non-compatible materials will not be stored together in the same storage or containment unit. | |

| | | |
|------------------------------|---|-----------------|
| | <ul style="list-style-type: none"> • Damaged or leaking containers will be isolated, when possible, in a containment area or repackaged to prevent loss, exposure or hazards. • Containment areas should be kept clear of extraneous materials. • Containment areas should be kept in good repair. • Dyeing agent are to be stored in designated areas. • Spill response equipment maintained at the site includes spill kits, a full array of maintenance equipment and tools, and a variety of forklifts and service equipment. Spill kits are located at the tool storage sheds. Spill kits will contain absorbent media, portable containment booms, and pads. • All current and future employees are to receive training with regard to the Accidental Spill Prevention Plan. • Training will be provided as part of new employee orientation and includes a review of chemicals stored and utilized at the Facility. This training includes a basic review of MSDS, availability of MSDS for chemicals present at the Facility, familiarization with basic emergency procedures, location and contents of spill kits, emergency escape routes, and responsibilities. | |
| <p><i>Security Risks</i></p> | <p>To eliminate the security issues following mitigation measures will be adopted:</p> <ul style="list-style-type: none"> • Proper Security will be provided to the workers. • Security guards will be appointed. • Before hiring any worker and his criminal record may be checked • CNIC of all the workers will be kept by the Proponent. • Strict law will be enforced to control the crime at site. | <p>25,000/-</p> |

6.6 Proposed EMP Reporting and Reviewing Procedures

An effective mechanism to store and communicate environmental information during the project is an essential requirement of an EMP.

6.6.1 Meetings

As environment is multidisciplinary subject with environmentalist having a dynamic role therefore Environment Officer would be considered as integral part in both constructional and operational team. Participation of Environment Officer in daily morning meeting and any other

special meeting is mandatory. Besides internal meeting HSE Engineer/Environment Officer is also responsible to conduct meeting with local in keeping administration in liaison.

6.6.2 Changes-Record Register

A change-record register will be maintained at the site, in order to document any changes in project design. These changes will be handled through the change management mechanism.

6.6 Training and Capacity Building

Training and capacity building trainings are conducted on the regular basis to enhance the capacity of the workers hired for the working. Following is the detailed plan along with the schedules of the training:

Table 19: Training and Capacity Building Plan

| Training and Capacity Building Plan | |
|--|---|
| Potential Impacts | Operation Phase |
| | <p>During operational phase, nearby society will face problems like:</p> <ul style="list-style-type: none"> • Noise Pollution due to processing and movement of vehicles • Disease vector production due to improper management of solid waste • Contamination of ground water if the wastewater is not disposed off properly. • HSE issues may arise. |
| Mitigation | Training and Capacity Building Plan |
| Management Plan | <p>Training and Capacity Building Plan</p> <p>Project will ensure in-house training for the project staff and the supervisory staff of the Proponent/EA through the provision of one day basic training and one day advanced training, covering environmental and social aspects of the projects in general, and implementation requirements will emphasis on the development projects in general, and implementation requirements with emphasis on the roles and responsibilities of the staff and the labour while executing the environmental monitoring plan in particular. The training protocols will include the following aspects:</p> <p>⇒ Procedures for monitoring water quality parameters and measures to be adopted for avoiding or minimizing water pollution, particularly from the wastewater effluent generated from municipal uses and in the process activity.</p> |

| | | | |
|-------------------|---|-------------------------------|----------------------------|
| | <ul style="list-style-type: none"> ⇒ Safe solid and process waste disposal practices ⇒ Safety measures against hazards for workforce and the local communities arising from the construction activities. ⇒ Use of safety gadgets by the workforce. ⇒ Training for the use of PPEs | | |
| Monitoring | Responsibility | Responsible | Monitoring Duration |
| | Training of staff, vehicle operators and labour | Project Manager / HSE Manager | 1 day training once a year |

6.7 Impacts and their Mitigation Summary

Environmental and social impacts have been identified for the establishment of the building; their impacts had been mitigation by adopting required measures as recommended in EMMP of this EIA Report within the Project Area of Influence. The major impacts on physical, biological and social environment are described as under:

Table 20: Impacts Summary

| Environmental Parameters | Impact Assessment during operational Phase | |
|--------------------------------|--|--|
| | Operational | |
| A: Physical | | |
| Land Resources | | |
| Soil Erosion and Contamination | 0 | |
| Transportation | -1t | |
| Solid Waste and By-Products | -1p | |
| Land Use | NA | |
| Air Resources | | |
| Noise Pollution | -1t | |
| Air Pollution | -1t | |
| Dust Emissions | -1t | |
| Water Resources | | |
| Ground Water | -1p | |
| Surface Water | NA | |
| Wastewater | -2p | |
| B : Ecological | | |

| | |
|---|-----|
| Flora | |
| Tree Cutting | +1p |
| Fauna | |
| Terrestrial Fauna | +1p |
| C: Socio-Economic | |
| Employment Opportunities | +3p |
| Land Value Appreciation | +2t |
| Availability of Local Raw-Material | +2p |
| Economic Uplift | +3p |
| D: Hazards | |
| Physical Hazards | -1p |
| Chemical Hazards | -1p |
| Health and Safety | -1p |
| <i>Legends: 1= Low; 2= Medium; 3= High; 4= Extremely High; NA= Not Applicable; t= Temporary; p= Permanent; app= Applicable; 0= Negligible</i> | |

6.8 Equipment Maintenance Details

The Client and Contractor will be responsible to maintain equipment with higher efficiency and in good working conditions. The equipment will be maintained twice a year as well as monthly inspection will be done on the regular basis to keep the process going without any interruption.

6.9 Environmental Budget

The environmental budget for the project is PKR 0.1 million which will be used for the control of the air pollution by the installation of dust collection system, tree plantation at various designated sites, EMMP for the operational phase and monitoring of environmental parameters (such as ambient air, noise and wastewater). The total cost of the project is PKR 65 Million. EMMP and the monitoring will be carried out on the regular basis. So, more than 1% of the total project cost will be allocated for the environmental protection.

CHAPTER 7: PUBLIC CONSULTATION AND INFORMATION DISCLOSURE

Public consultation refers to the process by which the concerns of local affected persons and others who have a plausible stake in the environmental impacts of the project or activity are ascertained with a view to taking into account all the material concerns in the project or activity design as appropriate. According to the IEE and EIA Review Regulations, public consultation is mandatory for any socio-environmental study.

7.1 Proponent's Environmental Management Team

Following are the designated roles and responsibilities of the employees involved in the monitoring and management of the adverse impacts and will be appointed after operation of project starts.

| Roles and Responsibilities | | |
|----------------------------|---------------------|--|
| Sr# | Concerned Persons | Duties |
| 1 | The Project Manager | <p>Following will be the responsibilities of the Project Manager.</p> <ul style="list-style-type: none"> • Ensure that the contractor is aware of all specifications, legal constraints, standards, and procedures pertaining to the project specifically with regards to environment. • Ensure that all stipulations within the EMMP are communicated and adhered to by contractor(s) • Monitor the implementation of the EMMP throughout the project by means of site inspections and meetings. This will be documented as part of the minutes of the site meeting documents. • Ensuring project execution within defined budget and timelines • Conducting regular check of the project status and meetings with project team • Provide support and guidance to project team as and when needed. • Project Manager is expected to continually monitor and improve the overall performance of their operation |
| 2 | HSE Manager | In addition to the health and safety responsibilities held by staff, managers and supervisors must do whatever is reasonably |

| | | |
|--|--|--|
| | | <p>practical to ensure that both the workplace and the work itself are safe.</p> <p>This includes:</p> <ul style="list-style-type: none">• Ensuring that staff are appropriately trained and supervised.• Identifying, assessing, and managing health and safety risks• Consulting with workers (including staff, affiliates, and contractors):<ol style="list-style-type: none">1. Health and safety risk assessments2. Decisions are made about the measures to be taken to eliminate or control these risks.3. Health and safety risk assessments• Implementing health and safety risk management programs relevant to their operations, teaching, research and consulting functions and work environment• Reporting (to the Human Resources Unit), investigating and responding to all hazards, accidents, incidents and taking action to control the risk.• Assisting with the development, implementation, and maintenance of a return-to-work program for injured staff.• Be fully conversant with the EIA and conditions of its approval.• Be fully conversant with the EMMP.• Be fully conversant with all relevant environmental legislation, policies and procedures, and ensure compliance.• Convey the contents of this document to the contractor site staff and discuss the contents in detail with the Project Manager and Contractor• Undertake regular and comprehensive inspection of the site and surrounding areas in order to monitor compliance with the EMMP.• Take appropriate action if the specifications contained in the EMMP are not followed.• Monitor and verify that environmental impacts are kept to a minimum, as far as possible. |
|--|--|--|

| | | |
|--|--|---|
| | | <ul style="list-style-type: none"> • Review and approve construction methods, with input from the Site Manager, where necessary. • Ensure that activities on site comply with all relevant environmental legislation. • Compile progress reports on regular basis, with input from the Site Manager, for submission to the Project Manager, including a final post excavation audit. • Liaise with the Site Manager regarding the monitoring of the site. • Report any non-compliance or remedial measures that need to be applied. • All environmental problems arising on the construction area will be reported to the Site Manager by the Environmental Manager. Reports on such problems will be submitted to the Project Manager by the Site Manager. |
|--|--|---|

7.2 The Responsible Authority

Impact assessment survey and public consultation sessions held with different stakeholder groups that may be impacted by the proposed project commencement. The consultation process was carried out in accordance with the guidelines laid by Punjab-EPA. The objectives of this process were to:

- Share information with stakeholders on proposed project installation and operation.
- Assess the impacts on the physical, biological, and socioeconomic environment.
- Understand stakeholder concerns regarding various aspects of the project commencement.
- Find out valuable suggestions by the stakeholders to improve the proposed project design.
- Understand the perceptions, assessment of social impacts and concerns of the affected people/communities of the project area.
- Find out the awareness level and situation of acceptability to identify any issues for the implementation of the proposed project.
- Invite people to express their views about the positive/negative impacts on their lifestyles and environment.
- Disclose information about contact offices/officers for any complaints/queries.

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore
Contact +92-303-4342302

It is envisaged, there will be no social impact being foreseen due to the construction and operation of Mega Fabric Processing at the proposed location at Multan is the nearest community located at 1861 Meters distance from the project area. This EIA Report includes all the comments, which were taken into account during the social survey and preparing the definitive development concept for the establishment of Mega Fabric Processing.

7.3 Objectives of Consultation

Public consultation plays a vital role in studying the impacts of the proposed project on stakeholders in successful implementation and execution of the project. It provides an opportunity to exchange knowledge with the beneficiaries and affected parties. Referring particularly to a project related to environmental assessment, involvement of the public is all the more essential, as it leads to better and more acceptable decision-making. The overall objective of the consultation with the stakeholders is to help verify the environmental and social issues, besides technical ones, that have been presumed to arise and to identify those which are not known or are specific to the project. In fact, discourse with many who have thoroughly observed the site conditions in the pre-development phase, goes a long way in updating the knowledge and understanding.

7.4 Identification of Stakeholders

All the people who are directly or indirectly affected or concerned with the project are the stakeholder. Besides the living population of the surrounding areas, some other stakeholders were identified and contacted which enlisted below. They are the key players including shops, public and government offices, schools, university, hospitals, hotels, international agencies and the NGOs. Not only published material, brief or other literature were obtained on request, but also noted their views and the concerns, in an official capacity as well as on the personal basis. Following stakeholders are identified for this project:

Project Affected Persons (PAPs) include the settled families, either property owners or the tenants, businessmen (big, shopkeepers, vendors, etc.), employees of the commercial entities. PAPs are of two types, for instance:

7.4.1 Direct Stakeholders

No disturbance in the local community is being foreseen due to the installation of the gear manufacturing unit as the distance between the community and the project area is 2.2 km (Islam Pura). No property loss is being envisaged due to the construction of the Mega Fabric Processing.

7.4.2 Indirect Stakeholders

Indirect impact will occur on those who are living or doing business within a Project Area of Influence (AOI). In the case of the proposed project, the citizens of nearby Islam Pura will get opportunities of being employed. So, in the early development stages and during the operational phase the people will be benefited due to the installation of the Mega Fabric Processing.

7.4.3 Other Departments and Agencies

Following departments are related to the project in public consultation:

- ⇒ Government agencies responsible to deal with the project related activities.
- ⇒ Government Agencies directly, indirectly, or widely involved in the execution and monitoring of the proposed project.
- ⇒ Government departments such as TMA and Planning & Development Department, Forest Department, Agricultural Department Industrialist around the estate and working on the other development activities are considered as indirect stakeholders.
- ⇒ Workers of political, cultural, religious, or social scientific bodies, directly or indirectly related to the project.

7.5 Public Disclosure

Public disclosure is the outcome of all such activities where the public is involved at least in the information sharing process. This is an integral part of the process. So, before the proponent applies for NOC to the Punjab-EPA, this disclosure will be distributed properly among all stakeholders. It is the responsibility of the proponent and the consultants to display a public disclosure document in prominent places where community has easy access.

7.6 Consultation Process

Information disclosure, public consultation, and discussion regarding the various aspects of the project with the people of the area are necessary. This process is intensified during the EIA Studies, and separate rounds of public consultations were held. Surveys were carried out in order to investigate physical, biological and socioeconomic resources falling within the immediate AOI of the project. Primary data collection included:

- Data collection regarding the socioeconomic condition of the study area
- Pre-testing of socioeconomic survey tools in the field
- To consult the locals for collection of information on biological environment

Various meetings with the stakeholders were held the following objectives:

- Share information with stakeholders on the proposed project and expected impacts on community in the vicinity of the project.
- Understand stakeholders' concerns regarding various aspects of the project, including the existing condition of the upgrading requirements, and the likely impact of construction and operation activities.
- Provide an opportunity to the public to influence the project design in a positive manner.
- Obtain local and traditional knowledge, before decision making.
- Increase public confidence about the proponent, reviewers, and decision makers.
- Reduce conflict through the early identification of controversial issues, and work through them to find acceptable solutions.
- Dissemination of information through discussions, education, and liaison
- Documentation of information narrated by the stakeholders and mitigation measures proposed by the stakeholders.
- Incorporation of public concerns and their address in the EIA; and eliciting their comments and feedback.
- Create a sense of ownership of the proposal in the mind of the stakeholders.

7.7 Environmental Practitioners and Experts

Officers of government departments, Educational Institutes, Lawyers and NGOs were consulted by the socio-environmental team of the consultants and concerned details about the project were noted down through personal interviews, group meetings, etc., in their offices, for instance.

7.8 Affected and Wider Community

In addition, to the use of direct methods to evince the response of the various stakeholders in the population of the study area was ascertained by conducting a sample survey. Questions posed to the public were related to creation of possible impacts, adverse impacts and beneficial impacts, including employment opportunities, income generation activities, change in living standards and provision of the amenity.

- ➔ Disclose the proponent plan of the construction of the proposed facility.
- ➔ To share information on the design and specifications of proposed project works
- ➔ To analyze the expected impact on the socioeconomic environment

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore
Contact +92-303-4342302

- To understand their concerns regarding various aspects of construction and operation

7.8.1 Views, Concerns and Suggestions of Various Stakeholders

Community showed a lot of concerns; a few are being mentioned here:

- Removal of shrubs and trees should be avoided to the extent possible
- The project will become the source of income for local to earn their livelihood easily and honorably.
- The area will become further industrialized.
- For the solid waste management and waste disposal, proper disposal techniques should be adopted.
- Employment opportunities will be generated, and locals should be hired on the priority basis.
- The air pollution is one of the major impacts of the proposed project, so ambient air quality should be monitored regularly.
- Water spraying/sprinkling should be done on the regular basis during construction phase to avoid dust emissions.
- Good relations with the local communities will be promoted by encouraging Contractor to provide opportunities for skilled and unskilled employment to the locals as well as on-job training.
- The contractor should prefer hiring local labor from adjacent nearby villages.
- Indigenous trees around the facility should be planted to control air pollution and as the compensation.
- Noise reducing barriers should be installed to reduce noise pollution.

7.9 Addressing Public Concerns

The best mechanism of effective communication between the community and the proponent is the by the nomination of the representative of the community and all the issues/concerns must be recorded for future reference. This representative may be the member of the Grievances Redressed Committee (GRC).

a) Grievances Redressed Committee

Grievances Redressed Committee (GRC) will be formulated by the proponent to address the concerns of the locals during the construction phase. The main role of the GRC will be to resolve the issues of the community associated with the proposed project, if any.

7.10 Acceptance Level of the Project

The opinions of the respondents were noted during the public consultation. The majority of respondents (90%) of Chak 157 were in favor of the proposed project. They expect that installation of the unit will also increase the economic value of local assets. According to them the proposed project will boost the employment opportunities, mobility access to resources and social amenities.



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

CHAPTER 8: CONCLUSION & RECOMMENDATIONS

The findings of EIA Report showed that although The Mega Fabric Processing is expected to have significant negative impacts on the environment during the construction and operational phases, but the severity of these adverse impacts can be reduced significantly by adopting the suggested mitigation measures in EMMP with true spirit. Moreover, their severity can be further reduced by adopting relative mitigation measures as proposed in the Chapter 5 of this EIA Report. The impacts were assessed by frequent site visits, studying related projects and by reviewing relevant documents. Generally, the project is planned to follow efficient environmental management systems. Specific environmental and social benefits have been mentioned below which depend on the proper application of mitigation measures suggested in EMMP and best engineering practices.

8.1 Merits and Demerits

The major positive impacts include increased job opportunities, business opportunities, and environmental enhancement through tree plantation. The project will raise the income of the persons directly associated with project as well as it will also improve the socio-economic status of the area. In general, potential adverse environmental effects resulting from the proposed activities will be temporary in nature, short-term and of low magnitude. Through application of standards, recommended mitigation measures, adherence to applicable permit conditions and regulations, adverse impacts can be effectively minimized. The project is not likely to have significant adverse environmental impacts which cannot be mitigated. Negligible negative impacts that are likely occur during construction of building includes air pollution due to movements of vehicles, removal of bushes and shrubs, potential impact to the local water resources and social impacts may affect the locals residing in the nearby community can be foreseen. Mitigation measures will be implemented to minimize environmental impacts though they are still negligible. There are certain mitigations suggested to cater for the aforesaid issues.

8.2 Recommendations

The intensity and severity of impacts occurred due to the establishment Mega Fabric Processing varies with change in the nature and magnitude of the project as well as depends upon the baseline environmental conditions of the area. The mitigation measures will require constant information flow and consultation with the stakeholders to ensure the least adverse social-economic impact to outweigh the “no project development” scenario.

- ➔ The adverse environmental impacts can be reduced significantly by adopting best management and monitoring practices as well as by implementation EMMP with true spirit.

- ➔ Proper PPEs including aprons, rubber gloves and shoes should be provided to workers.
- ➔ No compromise on public health and environment should be allowed.
- ➔ Waste minimization practices should be introduced to workers by conducting lectures on spot to aware the workers about the long-term benefits of the same in lieu of surrounding environment.
- ➔ A proper tree plantation plan should also be developed in order to make the process environment friendly.
- ➔ Small domestic waste storage bins should be placed at different locations for proper collection and disposal of the solid waste.
- ➔ It is recommended that the Proponent should obtain an Environmental Approval (NOC) from the Punjab-EPA before proceeding further.




EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

GLOSSARY

| | |
|---------------------------|---|
| Agency | A business or organization providing a particular service on behalf of another business, person, or group. |
| Apparel | Personal attire or clothing of a particular kind |
| Climate | The weather conditions prevailing in an area in general or over a long period. |
| Consultant | A person who provides professional advice or services to companies for fee. |
| Construction Waste | Waste generated from the buildings and construction industry and includes material like bricks, concrete, tiles, debris, ceramics and more. |
| Demographic | A single vital or social statistic of a human population, as the number of births or deaths. |
| Ecology | The branch of biology that deals with the relations of organisms to one another and to their physical surroundings. |
| Endangered species | A species of animal or plant that is seriously at risk of extinction. |
| Environment | Relationship of natural world (human beings, animals and plants) with physical surroundings (air, land, water). |
| Excavation | Excavation is the act or process of digging, especially when something specific is being removed from the ground. Archaeologists use excavation to find artifacts and fossils. |
| Framework | A framework is a real or conceptual structure intended to serve as a support or guide for the building of something that expands the structure into something useful. |
| Hazardous Waste | Hazardous Waste is waste that poses substantial or potential threats to public health or environment. |
| Impact | The action of one object coming forcibly into contact with another. |
| Livelihood | A set of activities involving Securing the basic necessities –food, water, shelter and clothing of life. |
| Lockdown | A state of isolation or restricted access instituted as a security measure. |
| Municipal Waste | Municipal Solid Waste (MSW)—more commonly known as trash or garbage—consists of everyday items we use and then throw away, such as product packaging, grass clippings, furniture, clothing, bottles, food scraps, |

| | |
|-----------------------|---|
| | newspapers, appliances, paint, and batteries. This comes from our homes, schools, hospitals, and businesses. |
| Nature | The phenomena of the physical world collectively, including plants, animals, the landscape, and other features and products of the earth, as opposed to humans or human creations. |
| Proponent | A person who advocates a theory, proposal, or course of action. |
| Rehabilitation | To restore to a condition of good health, ability to work, or the like. |
| Resettlement | The settlement of people in a different place. |
| Sanitation | Conditions relating to public health, especially the provision of clean drinking water and adequate sewage disposal. |
| Stakeholder | A stakeholder is a party that has an interest in a company and can either affect or be affected by the business. The primary stakeholders in a typical corporation are its investors, employees, and customers. |
| Topography | Topography is the study of the shape and features of the surface of the Earth and other observable astronomical objects including planets, moons, and asteroids. |
| Vegetation | Plants considered collectively, especially those found in a particular area or habitat. |




EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

LIST OF ABBREVIATIONS

| | |
|-----------------|---|
| AOI | Area of Interest |
| °C | Degree Celsius |
| CO ₂ | Carbon dioxide |
| EIA | Environmental Impact Assessment |
| IEE | Initial Environmental Examination |
| EMMP | Environmental Management and Monitoring Plan |
| EMP | Environmental Management Plan |
| EPA | Environmental Protection Agency |
| EPD | Environmental Protection Department |
| GDP | Gross Domestic Product |
| GRC | Grievances Redressed Committee |
| HSE | Health and Safety Engineer |
| m ³ | Cubic meter |
| MEPCO | Multan Electric Power Company |
| MW | Megawatt |
| PEQS | Punjab Environmental Quality Standards |
| No. | Number |
| NOC | No Objection Certificate |
| NO _x | Oxides of Nitrogen |
| PEPA, 2012 | Punjab Environmental Protection (Amendment) Act, 2012 |
| PEPO | Pakistan Environmental Protection Ordinance |
| PKR | Pakistani Rupees |
| PM | Particulate Matter |
| PPEs | Personal Protective Equipment |
| QA | Quality Assurance |
| RO | Reverse Osmosis |
| SOPs | Standard Operation Procedures |
| TMA | Town Municipal Authority |
| WWTP | Wastewater treatment Plant |

LIST OF PEOPLE CONSULTED

| Sr. No. | Name | Fathers' name | CNIC | Concerns/views |
|---------|----------------------|------------------|-----------------|---------------------------------|
| 1 | Saqib Ali | Riaz Ali | 35202-4225635-9 | Positive |
| 2 | Muhammad Shabbir Ali | Syed Farooq | 35201-6650791-1 | Positive |
| 3 | Mohsin Mahmud Dar | Irfan Dar | 35202-2607775-3 | Positive |
| 4 | Haider Muzaffar | Muhamad Muzzafar | 35202-4567566-3 | Concerned about Water pollution |
| 5 | Abdul Khurram | Khurram Imtiaz | 35202-3483674-5 | Concerned about Air pollution |
| 6 | Umar Ali | Faisal Manzoor | 35202-2701116-1 | Positive |
| 7 | Jawad Ahmed | Muhammad Boota | 35202-4202245-7 | Positive |
| 8 | Azhar Aziz | Nisar Ahmed | 34401-5144918-9 | Positive |
| 9 | Behzad Taimur | Muhammad Taimur | 38401-6768711-1 | Positive |
| 10 | Aslam Pasha | Bilal Pasha | 34401-0223636-3 | Positive |




LIST OF ORGANIZATIONS CONSULTED

| Name | Organization | Feedback |
|----------------|--|---|
| Arbab Ali | Officer EHS Yousef textile | Establishment of this unit will cope with growing market need. |
| Fizzah Batool | Internee Sia apparel (PVT) Ltd | It will help in boosting economy of our country. |
| Arbaz Shaheen | Production Manager Denim Plus (Pvt) Ltd | Establishment of this unit must be favored at all costs considering the increased demand of the products |
| Arshad Siddiqi | Professor Department of Textile Manufacturers Association | Pakistan is one of the biggest exporters when it comes to textile products. It will eventually increase employment opportunities and economy of the area. |
| M. Arshad | Assistant Director EIA EPA, Punjab | Such facility will greatly help in reducing pressure of job availability and export quality sports gear. |

Sources of Data

- ⇒ <https://www.pmd.gov.pk/en/>
- ⇒ <http://www.agripunjab.gov.pk/>
- ⇒ Khattab, T. A., Abdelrahman, M. S., & Rehan, M. (2020). Textile dyeing industry: environmental impacts and remediation. *Environmental Science and Pollution Research*, 27(4), 3803-3818.
- ⇒ Kant, R. (2011). Textile dyeing industry an environmental hazard.
- ⇒ Kadirvelu, K., Palanival, M., Kalpana, R., & Rajeswari, S. J. B. T. (2000). Activated carbon from an agricultural by-product, for the treatment of dyeing industry wastewater. *Bioresource Technology*, 74(3), 263-265.
- ⇒ Sudhakar, R., KN, N. G., & Venu, G. (2001). Mitotic abnormalities induced by silk dyeing industry effluents in the cells of *Allium cepa*. *Cytologia*, 66(3), 235-239.
- ⇒ Memon, N. A. (2016). Pakistan apparel industry: Competing global market. *Pakistan Textile Journal*, 65(1).
- ⇒ Luo, Y., Song, K., Ding, X., & Wu, X. (2021). Environmental sustainability of textiles and apparel: A review of evaluation methods. *Environmental Impact Assessment Review*, 86, 106497.
- ⇒ Rajkumar, D., & Kim, J. G. (2006). Oxidation of various reactive dyes with in situ electro-generated active chlorine for textile dyeing industry wastewater treatment. *Journal of hazardous materials*, 136(2), 203-212.
- ⇒ Field Surveys
- ⇒ Public Consultations



TERMS OF REFERENCE (TORS)

INITIAL ENVIRONMENTAL EXAMINATION OF MEGA FABRIC PROCESSING LOCATED AT PEERAN GHAIB PULL CHAWAN, MUSHTAQ COLONY, CANAL ROAD TEHSIL & DISTRICT MULTAN.

1.1 PROJECT PROPONENT:

Muhammad Yousaf S/O Muhammad Maqbool

1.2 SCOPE OF WORK: CONSULTANT

Zia Ahmad intends to establish a Mega Fabric Processing at Multan.

1.3 SPECIFIC OBJECTIVES:

The EIA shall be carried out with an objective of identifying environmental impacts during change in Land use of the Master Plan. The specific objectives will be as follows:

- Identification of impacts on physical environment including land, water, and air and suggesting mitigation measures.
- Identification of impacts on biological environment including flora, fauna and natural habitat and suggesting mitigation measures.
- Identification of impacts on socio-economic environment in the vicinity of the proposed landfill site and suggesting mitigation measure.
- Mitigation measures for potential impacts (Physical, Biological and Socio-environmental)
- Environmental Management and Monitoring Plan/ Contingency Measures

1.4 THE IEE SHALL COVER FOLLOWING MAIN AREAS:

- Background of the project – Justification
- Objectives
- Site locations and mappings
- Complete description of the proposed sites
- Collection, analysis and presentation of baseline data
- Identification of significant environmental issues
- Assessment of direct, indirect and cumulative impacts on environment
- Mitigation measures to minimize predicted adverse impacts
- Assessment of public perception about proposed project
- Meeting with the stakeholders and their perception
- Review of the relevant Policies, Legislation and Regulations
- Monitoring plan

- Conclusions

1.5 MAJOR TASKS:

The consultant shall be responsible for undertaking the following tasks in EIA study.

1.5.1 Collection and collation of Secondary Information:

Prior to the start of field activities, available secondary data and reports will be reviewed in detail.

1.5.2 Analysis of Alternative:

Suitable site alternative will be suggested, if required, by the review of relevant maps, available secondary data and legal review.

1.5.3 Location Alternative:

Alternative site will be suggested, if required, by using relevant maps and GPS during area visits.

1.5.4 Management and Operational Alternatives:

Management and operational alternatives will be suggested, if required, by the review of institutional set-ups of departments relevant to the project.

1.5.5 Design Alternatives:

Design alternatives will be suggested, if required, by the review of current design layout.

1.5.6 Review of Relevant Environmental Laws:

The Consultants will carefully review the national/local authority laws, Pakistan Environmental Protection Act 1997, Forest Act 1930, Land Acquisition Act 1874 etc. and international regulations like World Bank Operational Policy, Cites Act etc. for conducting IEE study. This approach will eliminate any chances of the rejection of the project by the concerned EPA due to the consideration of all the concerned laws during the preparation of the EIA Report.

1.5.7 Collection of existing Environmental setting/baseline Data:

Based on the desk study and reconnaissance survey, checklist and questionnaires / Performa's will be prepared for the baseline surveys. Consultants will proceed to the site and the collection of primary data /database on the environmental aspects will be done, which includes the following:

1.5.8 Physical resources:

Physiographic, topography and soils, atmosphere, climate, hydrology, surface water, ground water, geology, seismology etc including environmental monitoring and testing.

1.5.9 Environmental Monitoring:

In case of the absence of updated data, one-time limited environmental monitoring will be conducted in order to assess and analyze the existing level of particulate and gaseous emissions, potable water and liquid from any existing sources lying within the Study Area.

The environmental monitoring and testing will be carried out through EPA approved Environmental Laboratory.

1.5.10 Ecological resources:

Identification of the number of tree species present in the project area, as well as, determination of tree density and area covered by them. Tree counting and their identification along with other vegetation and crops, if any, will be done by making field visits, and by the review of the available literature relevant to the study. Information about the flora and fauna of the area will be collected. Information of the type of the livestock in the area will be noted along with their density.

1.5.11 Socio-economic survey:

Data on social and cultural conditions of the study area will be collected. Determination of the population density in the study area will be done by the review of district census report. The social survey also includes Land acquisition survey (if required) and Identification of vulnerable people/groups i.e. Project Affected People, if any. Data about population density, Infrastructure (electricity, sanitation/ drainage facilities, mode of transportation), health and education status will be collected. Data collection about number of schools and hospitals in the area, if any; no. of graveyards in the area, if any; no. of recreational and commercial areas, if any; availability of utilities; and strata of socio-economic group of people dominant in the area will be kept in focus during baseline study..

1.5.12 Evaluation / Identification of Potential Impacts:

Prediction and assessment of the proposed Project's likely negative impacts during the construction and operational stages will be carried out by conducting the field visits of project and study area. The impacts will be discussed in three sectors with reference to the following parameters:

1.5.13 Physical environment:

Under physical environment, impacts on following areas will be measured.

- **Land resources:** Evaluation of the environmental effects of the project on land use in the immediate vicinity of the project (i.e. within the identified boundaries of the project) will be done, e.g. Agriculture, Archaeological, Historical and Cultural monuments
- **Water resources:** Precipitation, surface water resources, ground water resources.
- **Air quality:** levels of air pollutants like particulate matter, CO and other parameters and their adverse impacts, if any, on the surrounding environment will be determined to evaluate its effects.
- **Noise levels** will be evaluated for the construction and operational phase of the project

1.5.14 Ecological environment:

Impacts on ecological environment may include

- Impacts on fauna of area, livestock and migratory birds (if any)
- Reserved forests, if any.
- Relocation/resettlement issues etc.
- Impacts on flora

1.5.15 Socio-economic Impacts:

- Impacts on livelihood of Project Affected Persons (PAPs) (if any):
Questionnaires will be developed and prepared and filled during the field visits to know about the public perception of the study area.
- Impacts on social settings of the project area.
- Relocation/ resettlement issues
- Impacts of the project on local property values and insurance rates will be taken in to consideration.
- Disruption archaeological, historic, religious, and unique natural values in the project area if any

1.5.16 Suggested Mitigation/contingency Measures:

After the identification of the adverse environmental impacts, necessary mitigation measures would be proposed. Mitigation plans will be proposed based on the intensity of each impact. For instance, if the impact is low enough, it may be ignored; if the impact is high, specific mitigation measures will be

recommended/suggested and if the impact is medium, it may need some mitigation measures or simply be monitored/managed properly in order to ensure that it remains within the acceptable limits.

1.5.17 Environmental Management Plan (EMP):

An Environmental Management Plan (EMP) will be developed. EMP will propose a plan of action that will indicate the responsibilities and required measures to minimize the negative environmental effects of the project at different stages.

Under the EMP, institutional set up will be studied and the required enhancement, which is deemed necessary for effective management and monitoring of the environmental activities, will be proposed. The EMP will address the following aspects:

- Organizational structure and responsibilities;
- Mitigation Plan;
- Environmental Monitoring Plan;
- Communication and documentation;
- Training of Staff;
- Environmental Cost;

1.5.18 Stakeholder participation and consultation:

Consultation is required at least during two stages of the EIA process as follows:

- During the process of the EIA Study and report preparation, the public is consulted through meetings, seminars, or workshops. Proponents will hold public meetings and/or open houses in local communities to describe the details of the project and to receive feedback on potential issues, interests or concerns related to the project. Engagement may also include informal discussions with landowners and nearby residents and meetings with community associations, businesses, municipal councils, regional planning agencies, public interest group's communities.
- Once the draft EIA Report has been prepared & submitted then public hearing is required. The consultants shall fully assist the Client in the public hearing, including furnishing the replies/information to the questions/issues raised during the hearing.

1.5.19 Deliverables Consultant:

1. Complete Draft EIA Report featuring all the development sites. The EIA Report shall be completed in respect of baseline data, detail socio and

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore
Contact +92-303-4342302

environmental impact assessment, Environmental Management Plan and Alternatives considered.

2. Final EIA Report to be submitted after receiving comments from Clients.

1.6 Time Duration:

The time duration for completion of whole study is 2 months.

SCOPE OF WORK; Client:

The client has following scope of Work

1. Give all data related to the current and proposed Land use of the sites.
2. Give all the detail maps of the sites.
3. Give coordinates of all the sites
4. Give detail description of the area.
5. Land use Study for the sites.
6. Arrange Stakeholders consultation along with Consultants
7. Submission of EIA Report in EPA and its follow-up until award of NOC.



EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM

PROJECT TEAM AND RESPONSIBILITIES

| Name of expert | Position held | Highest Qualification | TERM OF REFERENCES |
|-----------------------|--------------------|--|---|
| Mr. Shahzaib Ahmed | Social Scientist | M. Phil Development Studies, PIDE, Islamabad. | Mr. Shahzaib would be responsible for: <ul style="list-style-type: none"> ❖ Detailed social survey of project sites ❖ Social impact assessment |
| Arslan Iqbal | Environmentalist-2 | MPhil Environmental Sciences, UOL | Mr. Arslan would be responsible for: <ul style="list-style-type: none"> ❖ Biodiversity assessment ❖ Detailed flora fauna survey of project sites ❖ Identification of threaten and endangered species ❖ Project impacts on flora and fauna ❖ Detailed social survey of project sites ❖ Social impact assessment ❖ Consultation with stakeholders |
| Amna Hafeez | Environmentalist-3 | M.Sc. Mountain Conservation and Watershed Management, University of the Punjab | Ms. Amna would be responsible for: <ul style="list-style-type: none"> ❖ Report writing ❖ Field surveys and consultation with stakeholders ❖ Preparation of Environment monitoring plan ❖ Preparation of technical EMP ❖ Identification of sensitive receptors ❖ Capacity building & training ❖ Conducting and monitoring of health assessment surveys ❖ Environment health risk assessment and management ❖ Detailed survey of project sites |

EnvironTech Consultants (Pvt) Ltd.

Office no. 11, Second Floor, Centre Point Plaza, Main Boulevard, Gulberg, Lahore
Contact +92-303-4342302

| | | | |
|----------------|--------------------|---|---|
| | | | <ul style="list-style-type: none"> ❖ Environmental Assessment ❖ Social Assessment |
| Huda Ashfaq | Environmentalist-4 | M.Phil. Environmental Science, UVAS, Lahore. | <p>Ms. Huda would be responsible for:</p> <ul style="list-style-type: none"> ❖ Detailed flora and fauna survey of project sites ❖ Site Monitoring ❖ Socio-Economic survey & analysis ❖ Report Writing |
| Saba Nazir | Environmentalist-5 | M.Phil. Environmental Sciences, UOL | <p>Ms. Saba would be responsible for:</p> <ul style="list-style-type: none"> ❖ Site Monitoring ❖ Socio-Economic survey & analysis ❖ Risk Assessment (OHS & EMP) ❖ Report writing |
| Aishah Mushtaq | Environmentalist-6 | MS in Environmental Sciences, LCWU | <p>Ms. Aishah would be responsible for:</p> <ul style="list-style-type: none"> ❖ Environmental Assessment ❖ Report writing |

EPA librarian.epa
101.53.234.71
20/6/2026 12:03:30 PM